

THERMA | PP-r



*Accomplish Future Dreams
Achieve Perfect Life*

Pipes For Cold and Hot Water

	Size×Thickness (mm)	m/Bag	Unit price (RMB/M)	CTN SIZE (CBM)
PPR Pipes For Cold Water PN12.5 S5				
	20×2.0	200	2.40	0.0920
	25×2.3	140	3.43	0.0920
	32×3.0	80	5.56	0.0920
	40×3.7	60	8.50	0.0920
	50×4.6	40	13.00	0.0920
	63×5.8	24	20.00	0.0920
	75×6.9	24	28.00	0.0920
	90×8.2	16	41.45	0.0920
	110×10.0	12	62.15	0.0920

	PPR Pipes For Cold Water PN16 S4			
	20×2.3	200	2.70	0.0920
	25×2.8	140	4.05	0.0920
	32×3.6	80	6.43	0.0920
	40×4.6	60	10.00	0.0920
	50×5.6	40	15.55	0.0920
	63×7.1	24	26.95	0.0920
	75×8.4	24	34.80	0.0920
	90×10.0	16	49.80	0.0920
	110×12.1	12	75.00	0.0920


Pipes For Cold and Hot Water

	Size×Thickness (mm)	m/Bag	Unit price (RMB/M)	CTN SIZE (CBM)
PPR Pipes For Hot Water PN20 S3.2				
	20×2.8	200	3.16	0.0920
	25×3.5	140	4.73	0.0920
	32×4.4	80	7.58	0.0920
	40×5.5	60	11.72	0.0920
	50×6.9	40	18.35	0.0920
	63×8.6	24	29.45	0.0920
	75×10.1	24	41.45	0.0920
	90×12.3	16	62.20	0.0920
	110×15.1	12	82.90	0.0920


	PPR Pipes For Cold Water PN25 S2.5			
	20×3.4	200	3.56	0.0920
	25×4.2	140	5.40	0.0920
	32×5.4	80	8.70	0.0920
	40×6.7	60	14.10	0.0920
	50×8.4	40	21.15	0.0920
	63×10.5	24	35.25	0.0920
	75×12.5	24	49.55	0.0920
	90×15	16	70.45	0.0920
	110×18.3	12	99.50	0.0920



Pipes For Cold and Hot Water

	Size×Thickness (mm)	m/Bag	Unit price (RMB/M)	CTN SIZE (CBM)
	PPR fiber-glass pipe PN20 S3.2			
	20×2.8	200	3.30	0.0920
	25×3.5	140	4.90	0.0920
	32×4.4	80	7.85	0.0920
	40×5.5	60	12.15	0.0920
	50×6.9	40	19.00	0.0920
	63×8.6	24	30.45	0.0920
	75×10.1	24	43.00	0.0920
	PPR fiber-glass pipe PN25 S2.5			
	20×3.4	200	3.69	0.0920
	25×4.2	140	5.58	0.0920
	32×5.4	80	9.00	0.0920
	40×6.7	60	14.58	0.0920
	50×8.4	40	21.86	0.0920
	63×10.5	24	36.45	0.0920
	75×12.5	24	52.00	0.0920
	PPR Nano antibacterial pipe PN20 S3.2			
	20×2.8	200	3.45	0.0920
	25×3.5	140	5.10	0.0920
	32×4.4	80	8.00	0.0920
	40×5.5	60	12.50	0.0920
	50×6.9	40	19.50	0.0920
	63×8.6	24	31.80	0.0920
	75×10.1	24	44.50	0.0920

Pipes For Cold and Hot Water

	Size×Thickness (mm)	m/Bag	Unit price (RMB/M)	CTN SIZE (CBM)
	PPR Nano antibacterial pipe PN25 S2.5			
	20×3.4	200	3.75	0.0920
	25×4.2	140	5.70	0.0920
	32×5.4	80	9.34	0.0920
	40×6.7	60	14.60	0.0920
	50×8.4	40	22.40	0.0920
	63×10.5	24	37.50	0.0920
	75×12.5	24	53.00	0.0920
	aluminium- plastic PPR Pipe			
	20×3.0	200	4.20	0.0920
	25×3.3	140	5.49	0.0920
	32×4.0	80	8.21	0.0920
	40×5.0	60	14.79	0.0920
	50×5.5	40	20.96	0.0920
	63×7.0	24	35.71	0.0920
	aluminium- plastic PPR Pipe			
	20×3.4	200	4.61	0.0920
	25×4.2	140	6.70	0.0920
	32×5.4	80	10.34	0.0920
	40×6.7	60	17.85	0.0920
	50×8.3	40	35.70	0.0920
	63×10.1	24	47.20	0.0920



Pipes For Cold and Hot Water

	Size×Thickness (mm)	m/Bag	Unit price (RMB/M)	CTN SIZE (CBM)
	aluminium plastic composite pipe overlap cold water			
	1216	100		0.044
	1418	100		0.053
	1620	100		0.067
	2025	100		0.144
	2026	100		0.145
	2632	100		0.210

	aluminium plastic composite pipe overlap hot water			
	1216	100		0.044
	1418	100		0.053
	1620	100		0.067
	2025	100		0.144
	2026	100		0.145
	2632	100		0.210

	aluminium plastic composite pipe laser cold water			
	1216	100		0.044
	1418	100		0.053
	1620	100		0.067
	2025	100		0.144
	2026	100		0.145
	2632	100		0.210

Pipes For Cold and Hot Water

	Size×Thickness (mm)	m/Bag	Unit price (RMB/M)	CTN SIZE (CBM)
	aluminium plastic composite pipe laser Hot water			
	1216	100		0.044
	1418	100		0.053
	1620	100		0.067
	2025	100		0.144
	2026	100		0.145
	2632	100		0.210

	Gas pipe			
	1216	100	2.57	0.044

	PE-RT pipe			
	16×2.0	100	2.36	0.0440
	20×2.0	100	3.07	0.0690
	20×2.3	100	3.64	0.0690
	25×2.3	100	4.57	0.1440



Pipes For Cold and Hot Water

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
	Equal socket			
	S20	1400	0.35	0.0572
	S25	850	0.53	0.0572
	S32	500	0.78	0.0572
	S40	300	1.35	0.0572
	S50	180	2.20	0.0572
	S63	100	3.65	0.0572
	S75	80	6.40	0.0572
	S90	55	10.6	0.0572
	S110	32	15.5	0.0572

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
	Equal elbow			
	L20	1000	0.45	0.0572
	L25	550	0.74	0.0572
	L32	300	1.16	0.0572
	L40	180	2.30	0.0572
	L50	100	3.90	0.0572
	L63	55	6.60	0.0572
	L75	45	12.40	0.0572
	L90	24	21.30	0.0572
	L110	16	34.10	0.0572

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
	Equal Tee			
	T20	700	0.64	0.0572
	T25	400	0.98	0.0572
	T32	240	1.58	0.0572
	T40	120	2.90	0.0572
	T50	70	4.98	0.0572
	T63	50	8.40	0.0572
	T75	40	13.40	0.0572
	T90	20	24.50	0.0572
	T110	12	37.50	0.0572

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
	45° Elbow			
	L20×45°	1200	0.43	0.0572
	L25×45°	700	0.70	0.0572
	L32×45°	400	1.10	0.0572
	L40×45°	200	1.95	0.0572
	L50×45°	125	3.10	0.0572
	L63×45°	72	5.20	0.0572
	L75×45°	54	9.00	0.0572
	L90×45°	30	14.30	0.0572
	L110×45°	16	25.00	0.0572

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
	Reducer Elbow			
	L25×20	650	0.65	0.0572
	L32×20	500	0.87	0.0572
	L32×25	400	1.15	0.0572

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
	End Cap			
	D20	2500	0.25	0.0572
	D25	1400	0.37	0.0572
	D32	900	0.60	0.0572
	D40	450	1.10	0.0572
	D50	300	1.80	0.0572
	D63	170	2.90	0.0572
	D75		5.00	0.0572
	D90		6.40	0.0572
	D110		9.70	0.0572

Pipes For Cold and Hot Water

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
	Reducer Socket			
	S25×20	1000	0.44	0.0572
	S32×20	700	0.64	0.0572
	S32×25	600	0.70	0.0572
	S40×20	400	1.05	0.0572
	S40×25	380	1.15	0.0572
	S40×32	360	1.20	0.0572
	S50×20	270	1.65	0.0572
	S50×25	240	1.80	0.0572
	S50×32	220	1.85	0.0572
	S50×40	200	2.05	0.0572
	S63×20	200	2.60	0.0572
	S63×25	200	2.65	0.0572
	S63×32	180	2.70	0.0572
	S63×40	160	2.95	0.0572
	S63×50	140	3.20	0.0572
	S75×25	120	3.80	0.0572
	S75×32	120	3.90	0.0572
	S75×40	110	4.10	0.0572
	S75×50	100	4.30	0.0572
	S75×63	100	4.90	0.0572
	S90×25	100	6.10	0.0572
	S90×32	90	6.30	0.0572
	S90×40	90	6.90	0.0572
	S90×50	90	7.25	0.0572
	S90×63	90	7.80	0.0572
	S90×75	50	8.40	0.0572
	S110×25	50	8.60	0.0572
	S110×32	50	8.90	0.0572
	S110×40	50	8.95	0.0572
	S110×50	50	9.50	0.0572
	S110×63	36	10.00	0.0572
	S110×75	36	10.80	0.0572
	S110×90	36	12.10	0.0572

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
	Reducer Tee			
	T25×20	500	0.87	0.0572
	T32×20	320	1.25	0.0572
	T32×25	280	1.38	0.0572
	T40×20	200	2.05	0.0572
	T40×25	180	2.20	0.0572
	T40×32	160	2.48	0.0572
	T50×20	130	3.10	0.0572
	T50×25	120	3.30	0.0572
	T50×32	110	3.60	0.0572
	T50×40	100	4.10	0.0572
	T63×20	80	4.65	0.0572
	T63×25	80	4.95	0.0572
	T63×32	72	5.45	0.0572
	T63×40	70	6.00	0.0572
	T63×50	60	6.90	0.0572
	T75×25	50	7.55	0.0572
	T75×32	50	8.50	0.0572
	T75×40	50	9.30	0.0572
	T75×50	40	10.40	0.0572
	T75×63	40	12.20	0.0572
	T90×25	30	16.80	0.0572
	T90×32	30	16.50	0.0572
	T90×40	30	15.00	0.0572
	T90×50	24	17.20	0.0572
	T90×63	24	19.00	0.0572
	T90×75	20	20.90	0.0572
	T110×25	20	25.00	0.0572
	T110×32	18	24.70	0.0572
	T110×40	18	24.40	0.0572
	T110×50	16	24.00	0.0572
	T110×63	15	26.50	0.0572
	T110×75	15	28.60	0.0572
	T110×90	15	32.20	0.0572



Pipes For Cold and Hot Water

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
Female thread socket				
	S20×1/2F	400	2.55	0.0277
	S20×3/4F			0.0277
	S25×1/2F	320	2.85	0.0277
	S25×3/4F	250	3.80	0.0277
	S32×1/2F	250	3.90	0.0277
	S32×3/4F	200	3.95	0.0277
	S32×1" F	120	6.20	0.0277
	S40×1-1/4F	90	10.80	0.0277
	S50×1-1/2F	90	14.90	0.0277
	S63×2" F	40	21.20	0.0277
	S75×2-1/2F			0.0277
	S90×3" F	12		0.0277
	S110×4" F			0.0277

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
Male thread socket				
	S20×1/2M	320	3.15	0.0277
	S20×3/4M			0.0277
	S25×1/2M	250	3.45	0.0277
	S25×3/4M	200	4.40	0.0277
	S32×1/2M	200	4.40	0.0277
	S32×3/4M	180	4.50	0.0277
	S32×1" M	100	6.90	0.0277
	S40×1-1/4M	70	11.70	0.0277
	S50×1-1/2M	55	16.40	0.0277
	S63×2" M	40	22.80	0.0277
	S75×2-1/2M			0.0277
	S90×3" M			0.0277
	S110×4" M			0.0277

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
Female thread elbow				
	L20×1/2F	300	3.30	0.0277
	L20×3/4F			0.0277
	L25×1/2F	200	3.80	0.0277
	L25×3/4F	160	4.70	0.0277
	L32×1/2F	110	5.20	0.0277
	L32×3/4F	100	6.10	0.0277
	L32×1" F	100	7.45	0.0277
	L40×1-1/4F	45	13.50	0.0277
	L50×1-1/2F	32	20.10	0.0277
	L63×2" F	16	29.70	

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
Male thread elbow				
	L20×1/2M	250	3.80	0.0277
	L20×3/4M			0.0277
	L25×1/2M	180	4.40	0.0277
	L25×3/4M	160	5.40	0.0277
	L32×1/2M	100	5.85	0.0277
	L32×3/4M	90	6.75	0.0277
	L32×1" M	90	8.00	0.0277
	L40×1-1/4M	45	14.50	0.0277
	L50×1-1/2M	24	21.60	0.0277
	L63×2" M	14	31.40	

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
Female Seated elbow				
	ZL20×1/2F	160	3.30	0.0277
	ZL25×1/2F	140	3.85	0.0277

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
Male Seated elbow				
	ZL20×1/2M	140	4.30	0.0277
	ZL25×1/2M	120	4.65	0.0277

Pipes For Cold and Hot Water

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
Female thread Tee				
	T20×1/2F	220	3.50	0.0277
	T20×3/4F			0.0277
	T25×1/2F	140	4.10	0.0277
	T25×3/4F	120	5.10	0.0277
	T32×1/2F	100	5.10	0.0277
	T32×3/4F	80	6.95	0.0277
	T32×1" F	70	8.10	0.0277
	T40×1-1/4F	50	15.45	0.0277
	T50×1-1/2F	30	22.65	0.0277
	T63×2" F	10	31.50	0.0277

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
Raditor Valve				
	S20×1/2M	120	13.50	0.0277
	S25×1/2M	100		0.0277
	S25×3/4M	100	18.60	0.0277

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
Filter				
	20	180	6.40	0.0277
	25	100	7.00	0.0277
	32	80	10.70	0.0277
	40		12.80	0.0277
	50			0.0277
	63			0.0277

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
Female Double Seated Elbow				
	ZL20×1/2F	110	8.65	0.0277
	ZL25×1/2F	100	9.50	0.0277

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
Hot-water socket				
	20×1/2F	400	3.70	0.0277
	20×3/4F		8.70	0.0277
	25×1/2F			0.0277
	25×3/4F			0.0277
	32×1" F			0.0277

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
Male thread Tee				
	T20×1/2M	180	4.00	0.0277
	T20×3/4M			0.0277
	T25×1/2M	120	4.70	0.0277
	T25×3/4M	110	5.85	0.0277
	T32×1/2M	90	5.70	0.0277
	T32×3/4M	70	7.50	0.0277
	T32×1" M	60	8.60	0.0277
	T40×1-1/4M	40	16.10	0.0277
	T50×1-1/2M	28	23.60	0.0277
	T63×2" M	8	32.60	0.0277

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
Raditor Valve				
	L20×1/2M	120	13.60	0.0277
	L25×1/2M	100	15.20	0.0277
	L25×3/4M	100	18.80	0.0277

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
New Check Union				
	φ20	120		0.0572
	φ25	110		0.0572
	φ32	90		0.0572

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
Female Double Seated Socket				
	φ20×1/2F			0.0277
	φ25×1/2F			0.0277

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
Hot-water elbow				
	20×1/2F	350	3.90	0.0277
	20×3/4F		8.80	0.0277
	25×1/2F			0.0277
	25×3/4F			0.0277
	32×1" F			0.0277

Pipes For Cold and Hot Water

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
--	----------	---------	----------------------	----------------

	Hot-water socket			
	20×1/2F		3.70	0.0277
	25×3/4F		8.70	0.0277
	32×1" F			0.0277

	Hot-water socket Tee			
	20	250		0.0277
	25			0.0277
	32			0.0277

	Female Thread brass socket			
	20×1/2F	250		0.0277
	25×3/4F	140		0.0277
	32×1" F	100		0.0277
	40×1-1/4F	80		0.0277
	50×1-1/2F	50		0.0277
	63×2" F	35		0.0277

	Stop Valve			
	20	100		0.0277
	25	70		0.0277
	32	60		0.0277
	40	35		0.0277
	50	20		0.0277
	63	16		0.0277

	Stop Valve			
	20	100		0.0277
	25	70		0.0277
	32	60		0.0277
	40	35		0.0277
	50	20		0.0277
	63	16		0.0277

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
--	----------	---------	----------------------	----------------

	Hot-water elbow			
	20×1/2F	350	3.90	0.0277
	25×3/4F		8.80	0.0277
	32×1" F			0.0277

	Double Union			
	φ20		7.90	0.0277
	φ25	160	9.50	0.0277
	φ32	120	15.70	0.0277

	Male Thread brass socket			
	20×1/2M	220	7.15	0.0277
	25×3/4M	120	12.15	0.0277
	32×1" M	80	15.40	0.0277
	40×1-1/4M	50	20.00	0.0277
	50×1-1/2M	25	30.00	0.0277
	63×2" M	25	44.30	0.0277

	Stop Valve			
	20	100	12.85	0.0277
	25	70	18.10	0.0277
	32	60	38.00	0.0277
	40	35	41.00	0.0277
	50	20	60.00	0.0277
	63	16	77.00	0.0277

	Stop Valve			
	20	100		0.0277
	25	70		0.0277
	32	60		0.0277
	40	35		0.0277
	50	20		0.0277
	63	16		0.0277

Pipes For Cold and Hot Water

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
--	----------	---------	----------------------	----------------

	America Stop valve			
	20×1/2F	70		0.0277
	20×3/4F	70		0.0277
	25×3/4F	60		0.0277
	32×3/4F	50		

	America Stop valve			
	20×1/2F	70		0.0277
	20×3/4F	70		0.0277
	25×3/4F	60		0.0277
	32×3/4F	50		

	Stainless Ball valve-2			
	20	120	3.85	0.0277
	25	90	5.28	0.0277
	32	70	6.50	0.0277
	40	40	17.50	0.0277
	50	25	30.00	0.0277
	63	14	42.00	0.0277

	Double Female Ball Valve			
	20	120		0.0277
	25	90		0.0277
	32	70		0.0277

	Plastic Ball valve			
	20	300	1.45	0.0572
	25	200	2.50	0.0572
	32	170	3.70	0.0572
	40	120	5.60	0.0572
	50	100	9.30	0.0572
	63	30	17.00	0.0572

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
--	----------	---------	----------------------	----------------

	America Stop valve			
	20×1/2F	70	21.10	0.0277
	20×3/4F	70	24.00	0.0277
	25×3/4F	60	25.80	0.0277
	32×3/4F	50	27.00	

	America Stop valve new design			
	20×1/2F	60		0.0277
	20×3/4F	50		0.0277
	25×3/4F	50		0.0277
	32×3/4F	50		0.0277

	Copper Core Ball valve			
	20	120	7.00	0.0277
	25	90	10.00	0.0277
	32	60	13.50	0.0277
	40	38	35.70	0.0277
	50	22	50.00	0.0277
	63	12	78.50	0.0277

	PPR brass valve(Iron Core)			
	20	100		0.0277
	25	80		0.0277
	32	60		0.0277
	40	40		0.0277
	50	24		0.0277
	63	16		0.0277

	Plastic Ball valve			
	20	300	1.45	0.0572
	25	200	2.50	0.0572
	32	170	3.70	0.0572
	40	120	5.60	0.0572
	50	100	9.30	0.0572
	63	30	17.00	0.0572



Pipes For Cold and Hot Water

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
--	----------	---------	----------------------	----------------

	Long crooked bend			
	20	300	2.20	0.0572
	25	210	3.60	0.0572
	32	120	5.00	0.0572

	Short crooked bend-1			
	20	550	0.99	0.0572
	25	340	1.50	0.0572
	32	220	2.25	0.0572
	40	120	4.60	0.0572

	Thread plug-1			
	1/2m	3600	0.28	0.0572
	3/4m	2800	0.22	0.0572
	1" m	1700	0.29	0.0572


	Plastic union			
	φ 20	640	1.10	0.0572
	φ 25	340	2.30	0.0572
	φ 32	240	2.90	0.0572
	φ 40	180		0.0572
	φ 50	110		0.0572
	φ 63	70		0.0572

	Water tap faucet			

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
--	----------	---------	----------------------	----------------

	New crooked bend			
	φ 20	500	1.75	0.0572
	φ 25	250	3.15	0.0572
	φ 32	170	4.50	0.0572

	Long thread plug			
	1/2m	800	0.70	0.0572

	Pipe clip-1			
	16	3000	0.19	0.0572
	20	2200	0.20	0.0572
	25	1500	0.24	0.0572
	32	1000	0.35	0.0572

	Check Union			
	20	340	1.71	0.0572
	25	200	2.57	0.0572
	32	150	4.00	0.0572
	40	100	17.14	0.0572
	60	60	25.71	0.0572
	63	22	54.29	0.0572

Pipes For Cold and Hot Water

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
--	----------	---------	----------------------	----------------

	Cutter			

	Cutter			

	Cutter			

	Cutter			

	Cutter			

	Cutter			

	Cutter			

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
--	----------	---------	----------------------	----------------

	Cutter			

	Cutter			

	Cutter			

	Cutter			

	Cutter			

	Cutter			

	Cutter			



Pipes For Cold and Hot Water

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
	Cutter			
	Cutter			
	Cutter			
	Test machine			
	Test machine			

Pipes For Cold and Hot Water

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
	Hot machine			
	φ20-32			
	Hot machine			
	φ20-32			
	Hot machine			
	φ20-63			
	Hot machine			
	φ20-32			
	φ20-63			
	Hot machine			
	φ20-32			
	φ20-63			




F.S PPR Fittings


	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
	Equal elbow			
	L20	1000	0.39	0.0572
	L25	550	0.65	0.0572
	L32	300	1.10	0.0572
	L40	180	2.00	0.0572
	L50	100	3.50	0.0572
	L63	60	5.75	0.0572

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
	Tee			
	T20	700	0.50	0.0572
	T25	400	0.80	0.0572
	T32	240	1.32	0.0572
	T40	160	2.35	0.0572
	T50	70	4.15	0.0572
	T63	50	6.80	0.0572

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
	Equal socket			
	S20	1400	0.27	0.0572
	S25	850	0.42	0.0572
	S32	500	0.65	0.0572
	S40	300	1.20	0.0572
	S50	180	2.00	0.0572
	S63	100	3.00	0.0572

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
	45° Elbow			
	L20×45°	1200	0.35	0.0572
	L25×45°	700	0.55	0.0572
	L32×45°	400	0.92	0.0572
	L40×45°	200	1.65	0.0572
	L50×45°	125	2.65	0.0572
	L63×45°	72	4.30	0.0572

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
	Reducer Socket			
	S25×20	1000	0.35	0.0572
	S32×20	700	0.50	0.0572
	S32×25	600	0.58	0.0572
	S40×20	400	0.85	0.0572
	S40×25	380	0.93	0.0572
	S40×32	360	1.00	0.0572
	S50×20	270	1.36	0.0572
	S50×25	220	1.43	0.0572
	S50×32	200	1.50	0.0572
	S50×40	180	1.62	0.0572
	S63×20	200	2.05	0.0572
	S63×25	200	2.15	0.0572
	S63×32	180	2.20	0.0572
	S63×40	160	2.35	0.0572
	S63×50	140	2.50	0.0572

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
	Reducer Tee			
	T25×20	500	0.55	0.0572
	T32×20	320	0.75	0.0572
	T32×25	280	1.15	0.0572
	T40×20	200	1.60	0.0572
	T40×25	180	1.78	0.0572
	T40×32	160	2.00	0.0572
	T50×20	130	2.43	0.0572
	T50×25	120	2.60	0.0572
	T50×32	110	2.95	0.0572
	T50×40	100	3.32	0.0572
	T63×20	80	3.65	0.0572
	T63×25	70	3.90	0.0572
	T63×32	70	4.30	0.0572
	T63×40	70	4.75	0.0572
	T63×50	60	5.40	0.0572


F.S PPR Fittings

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
	Reducer Elbow			
	L25×20	650	0.68	0.0572
	L32×20	500	0.80	0.0572
	L32×25	400	0.90	0.0572

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
	End Cap			
	D20	2500	0.18	0.0572
	D25	1400	0.31	0.0572
	D32	900	0.48	0.0572
	D40	450	0.85	0.0572
	D50	300	1.45	0.0572
	D63	170	2.31	0.0572

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
	Female thread socket			
	S20×1/2F	300	2.95	0.0277
	S20×3/4F	280	3.86	0.0277
	S25×1/2F	250	3.30	0.0277
	S25×3/4F	220	4.05	0.0277
	S32×1/2F	200	4.20	0.0277
	S32×3/4F	180	4.65	0.0277
	S32×1" F	120	7.30	0.0277
	S40×1-1/4F	80	12.70	0.0277
	S50×1-1/2F	52	16.10	0.0277
	S63×2" F	40	23.80	0.0277

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
	Male thread socket			
	S20×1/2M	280	3.70	0.0277
	S20×3/4M	200	4.70	0.0277
	S25×1/2M	220	3.85	0.0277
	S25×3/4M	180	4.85	0.0277
	S32×1/2M	180	4.45	0.0277
	S32×3/4M	160	5.40	0.0277
	S32×1" M	100	8.60	0.0277
	S40×1-1/4M	50	15.80	0.0277
	S50×1-1/2M	45	21.90	0.0277
	S63×2" M	31	33.00	0.0277

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
	Female thread Tee			
	T20×1/2F	220	3.61	0.0277
	T20×3/4F	140	4.86	0.0277
	T25×1/2F	140	4.25	0.0277
	T25×3/4F	120	5.10	0.0277
	T32×1/2F	100	5.50	0.0277
	T32×3/4F	80	6.65	0.0277
	T32×1" F	70	9.40	0.0277
	T40×1-1/4F	48		0.0277
	T50×1-1/2F			0.0277
	T63×2" F			0.0277

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
	Male thread Tee			
	T20×1/2M	170	4.20	0.0277
	T20×3/4M	120	5.60	0.0277
	T25×1/2M	120	4.93	0.0277
	T25×3/4M	110	5.85	0.0277
	T32×1/2M	90	5.86	0.0277
	T32×3/4M	70	7.40	0.0277
	T32×1" M	60	10.08	0.0277
	T40×1-1/4M	40		0.0277
	T50×1-1/2M			0.0277
	T63×2" M			0.0277

F.S PPR Fittings

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
	Female thread elbow			
	L20 × 1/2F	250	3.25	0.0277
	L20 × 3/4F	180	4.50	0.0277
	L25 × 1/2F	200	3.96	0.0277
	L25 × 3/4F	160	4.65	0.0277
	L32 × 1/2F	110	5.90	0.0277
	L32 × 3/4F	100	6.12	0.0277
	L32 × 1" F	80	8.90	0.0277
	L40 × 1-1/4F	45	15.20	0.0277
	L50 × 1-1/2F	32	21.30	0.0277
	L63 × 2" F	16	45.10	0.0277

	Female Seated elbow			
	ZL20 × 1/2F	180	3.73	0.0277
	ZL25 × 1/2F	140	4.30	0.0277
	ZL25 × 3/4F			0.0277

	Female Double Seated Elbow			
	ZL20 × 1/2F	50	8.30	0.0277
	ZL25 × 1/2F	50	8.50	0.0277

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
	Male thread elbow			
	L20 × 1/2M	240	3.90	0.0277
	L20 × 3/4M	160	5.30	0.0277
	L25 × 1/2M	180	4.62	0.0277
	L25 × 3/4M	140	5.45	0.0277
	L32 × 1/2M	100	6.25	0.0277
	L32 × 3/4M	90	7.00	0.0277
	L32 × 1" M	70	9.60	0.0277
	L40 × 1-1/4M	45	18.40	0.0277
	L50 × 1-1/2M	24	27.05	0.0277
	L63 × 2" M	14	49.00	0.0277

	Male Seated elbow			
	ZL20 × 1/2M	160	4.30	0.0277
	ZL25 × 1/2M	120	4.70	0.0277
	ZL25 × 3/4M			0.0277

	Female Double Seated Tee			
	ZL20 × 1/2F	50		0.0277
	ZL25 × 1/2F	50		0.0277

OSMAN Iron&Copper PPR Fittings

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
	Elbow			
	L20	1000		0.0572
	L25	640		0.0572
	L32	400		0.0572

	Socket			
	S20	1500		0.0572
	S25	1000		0.0572
	S32	550		0.0572

	Reducer Socket			
	S25 × 20	1200		0.0572
	S32 × 20	700		0.0572
	S32 × 25	600		0.0572

	Reducer elbow			
	L25 × 20	650		0.0572
	L32 × 20	450		0.0572
	L32 × 25	400		0.0572

	Female thread socket			
	S20 × 1/2F	400		0.0277
	S20 × 3/4F	320		0.0277
	S25 × 1/2F	350		0.0277
	S25 × 3/4F	300		0.0277
	S32 × 1/2F	280		0.0277
	S32 × 3/4F	250		0.0277
	S32 × 1" F	180		0.0277

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
	Tee			
	T20	700		0.0572
	T25	400		0.0572
	T32	270		0.0572

	45° Elbow			
	L20 × 45°	1200		0.0572
	L25 × 45°	700		0.0572
	L32 × 45°	400		0.0572

	Reducer Tee			
	T25 × 20	500		0.0572
	T32 × 20	320		0.0572
	T32 × 25	280		0.0572

	End Cap			
	D20	2500		0.0572
	D25	1400		0.0572
	D32	900		0.0572

	Male thread socket			
	S20 × 1/2M	350		0.0277
	S20 × 3/4M	280		0.0277
	S25 × 1/2M	300		0.0277
	S25 × 3/4M	250		0.0277
	S32 × 1/2M	250		0.0277
	S32 × 3/4M	200		0.0277
	S32 × 1" M	120		0.0277

OSMAN Iron&Copper PPR Fittings

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
--	----------	---------	-------------------------	-------------------

Female thread elbow

L20 × 1/2F	300		0.0277
L20 × 3/4F	220		0.0277
L25 × 1/2F	240		0.0277
L25 × 3/4F	180		0.0277
L32 × 1/2F	160		0.0277
L32 × 3/4F	120		0.0277
L32 × 1" F	100		0.0277

Female thread Tee

T20 × 1/2F	250		0.0277
T20 × 3/4F	160		0.0277
T25 × 1/2F	180		0.0277
T25 × 3/4F	160		0.0277
T32 × 1/2F	140		0.0277
T32 × 3/4F	100		0.0277
T32 × 1" F	80		0.0277

Female Seated elbow

ZL20 × 1/2F	180		0.0277
ZL25 × 1/2F	140		0.0277

Female Thread brass socket

20 × 1/2F	400		0.0277
25 × 3/4F	250		0.0277
32 × 1" F	200		0.0277
40 × 1-1/4F			0.0277
50 × 1-1/2F			0.0277
60 × 2" F			0.0277

Male thread elbow

L20 × 1/2M	250		0.0277
L20 × 3/4M	200		0.0277
L25 × 1/2M	200		0.0277
L25 × 3/4M	160		0.0277
L32 × 1/2M	140		0.0277
L32 × 3/4M	100		0.0277
L32 × 1" M	90		0.0277

Male thread Tee

T20 × 1/2M	250		0.0277
T20 × 3/4M	160		0.0277
T25 × 1/2M	180		0.0277
T25 × 3/4M	160		0.0277
T32 × 1/2M	120		0.0277
T32 × 3/4M	100		0.0277
T32 × 1" M	80		0.0277

Male Seated elbow

ZL20 × 1/2M	160		0.0277
ZL25 × 1/2M	120		0.0277

Male Thread brass socket

20 × 1/2M	360		0.0277
25 × 3/4M	220		0.0277
32 × 1" M	160		0.0277
40 × 1-1/4M			0.0277
50 × 1-1/2M			0.0277
60 × 2" M			0.0277

OSMAN Iron&Copper PPR Fittings

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
--	----------	---------	-------------------------	-------------------

Plastic Union

φ 20	640		0.0572
φ 25	360		0.0572
φ 32	240		0.0572

Crooked Bend

φ 20	1600		0.0572
φ 25	360		0.0572
φ 32	240		0.0572

Pipe Clip

1/2m			0.0572
3/4m			0.0572
1" m			0.0572

Pipe Clip

20			0.0572
25			0.0572
32			0.0572

Metal clamp

20-160			0.0277
--------	--	--	--------

Rounding tool

Brass ball valve

φ 20	120		0.0277
φ 25	90		0.0277
φ 32	70		0.0277

Plug

1/2m	3600		0.0572
3/4m	3000		0.0572
1" m	1500		0.0572

Stop Valve

φ 20	120		0.0277
φ 25	100		0.0277
φ 32	80		0.0277

Pipe Clip

Rounding tool

Brass Fittings Series

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
	Socket			
	S16×16	240		0.01
	S18×18	200		0.01
	S20×20	180		0.01
	S25×25	150		0.01
	S26×26	150		0.01
	S32×32	50		0.01
	Reducer Socket			
	S20×16	200		0.01
	S26×16	160		0.01
	S26×20	150		0.01
	S32×16	60		0.01
	S32×20	60		0.01
	S32×26	50		0.01
	Elbow			
	L16×16	200		0.01
	L18×18	160		0.01
	L20×20	150		0.01
	L25×25	90		0.01
	L26×26	90		0.01
	L32×32	50		0.01
	Reducer Elbow			
	L20×16	150		0.01
	L26×16	100		0.01
	L26×20	90		0.01
	L32×16	60		0.01
	L32×20	60		0.01
	L32×26	50		0.01
	Tee			
	T16×16×16	130		0.01
	T18×18×18	100		0.01
	T20×20×20	100		0.01
	T25×25×25	50		0.01
	T26×26×26	50		0.01
	T32×32×32	30		0.01
	Reducer Tee			
	T16×20×16	130		0.01
	T20×16×20	130		0.01
	T20×26×20	50		0.01
	T25×16×25	50		0.01
	T25×20×25	50		0.01
	T26×16×26	50		0.01
	T26×20×26	50		0.01
	T32×16×32	40		0.01
	T32×20×32	40		0.01
	T32×26×32	40		0.01
	T16×16×20	130		0.01
	T20×20×16	100		0.01

Brass Fittings Series

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
	Female Socket			
	S16×1/2"F	250		0.01
	S16×3/4"F	250		0.01
	S18×1/2"F	200		0.01
	S18×3/4"F	200		0.01
	S20×1/2"F	200		0.01
	Male Socket			
	S16×1/2"M	250		0.01
	S16×3/4"M	250		0.01
	S18×1/2"M	200		0.01
	S18×3/4"M	200		0.01
	S20×1/2"M	200		0.01
	Female Elbow			
	L16×1/2"F	200		0.01
	L16×3/4"F	200		0.01
	L18×1/2"F	160		0.01
	L20×1/2"F	150		0.01
	L20×3/4"F	150		0.01
	Male Elbow			
	L16×1/2"M	200		0.01
	L16×3/4"M	200		0.01
	L18×1/2"M	160		0.01
	L20×1/2"M	150		0.01
	L20×3/4"M	150		0.01
	Female Tee			
	L25×1/2"F	150		0.01
	L25×3/4"F	100		0.01
	L25×1"F	80		0.01
	L26×1/2"F	150		0.01
	L26×3/4"F	100		0.01
	Male Tee			
	L25×1/2"M	150		0.01
	L25×3/4"M	150		0.01
	L25×1"M	100		0.01
	L26×1/2"M	150		0.01
	L26×3/4"M	150		0.01
	Female Tee			
	L26×1"F	80		0.01
	L32×1/2"F	50		0.01
	L32×3/4"F	50		0.01
	L32×1"F	50		0.01
	L32×1-1/4"F	40		0.01
	Male Tee			
	L26×1"M	100		0.01
	L32×1/2"M	50		0.01
	L32×3/4"M	50		0.01
	L32×1"M	50		0.01
	L32×1-1/4"M	40		0.01

Brass Fittings Series

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
--	----------	---------	----------------------	----------------

Female Tee

T16×1/2F	130		0.01
T16×3/4F	130		0.01
T20×1/2F	100		0.01
T20×3/4F	100		0.01
T26×1/2F	60		0.01
T26×3/4F	60		0.01
T25×1F	40		0.01
T32×1/2F	30		0.01
T32×3/4F	30		0.01
T32×1F	30		0.01
T32×1-1/4F	20		0.01

Female Seated Elbow

ZL16×1/2"F	150		0.01
ZL16×3/4"F	150		0.01
ZL18×1/2"F	120		0.01
ZL20×1/2"F	130		0.01
ZL20×3/4"F	130		0.01

Butterfly valve

16×16	160		0.02
16×1/2F	160		0.02
16×1/2M	160		0.02
20×20	120		0.02
20×3/4F	120		0.02
20×3/4M	120		0.02

Butterfly valve

16×16	160		0.02
16×1/2F	160		0.02
16×1/2M	160		0.02
20×20	120		0.02
20×3/4F	120		0.02
20×3/4M	120		0.02

	Size(mm)	PCS/CTN	Unit price (RMB/PCS)	CTN SIZE (CBM)
--	----------	---------	----------------------	----------------

Male Tee

T16×1/2M	130		0.01
T16×3/4M	130		0.01
T18×1/2M			0.01
T20×1/2M	100		0.01
T20×3/4M	100		0.01
T25×1/2M	60		0.01
T25×3/4M			0.01
T25×1M			0.01
T26×1/2M	60		0.01
T26×3/4M	60		0.01
T26×1M	50		0.01
T32×1/2M	30		0.01
T32×3/4M	30		0.01
T32×1 M	30		0.01
T32×1-1/4M	20		0.01

Cross

16×16×16×16			0.01
20×20×20×20			0.01
26×26×26×26			0.01
20×16×20×16			0.01
			0.01

Ball Valve

φ 16	100		0.02
φ 20			0.02

Hose Series

	Length (cm)	Package	CTN SIZE (CBM)
--	-------------	---------	----------------

1/2F×TC

30	350	0.029
40	300	0.029
50	250	0.029
60	200	0.029
70	150	0.029
80	100	0.029
100	70	0.029

1/2F×1/2F

30	250	0.029
40	200	0.029
50	180	0.029
60	150	0.029
80	70	0.029
100	60	0.029

1/2F×1/2F

40	170	0.029
45	150	0.029
50	120	0.029
70	90	0.029
150	60	0.029

1/2F×1/2F

30	250	0.029
40	200	0.029
50	180	0.029
60	150	0.029
80	70	0.029
100	60	0.029

1/2F×1/2F 3/4F×3/4F

30	200	170
40	180	150
50	150	120
60	120	100
80	100	100
100	100	100

3/8F×TC

30	350	0.029
40	300	0.029
50	250	0.029
60	200	0.029
70	150	0.029
80	100	0.029
100	70	0.029

3/8F×TC

30	350	0.029
40	300	0.029
50	250	0.029
60	200	0.029
80	80	0.029
100	70	0.029

1/2F×1/2M

30	250	0.029
40	200	0.029
50	180	0.029
60	150	0.029
80	70	0.029
100	60	0.029

3/8F×3/8F

40	170	0.029
45	150	0.029
50	120	0.029
70	90	0.029
150	60	0.029

1/2F×TC

30	300	0.029
40	250	0.029
50	200	0.029
60	150	0.029
80	80	0.029
100	70	0.029

3/8F×TC

30	350	0.029
40	250	0.029
50	200	0.029
60	150	0.029
70	100	0.029
80	80	0.029
100	70	0.029

Shower Hose

1.0m	40	0.029
1.2m	40	0.029
1.5m	40	0.029
2.0m	40	0.029