

FOREST, GARDEN & CONSTRUCTION PRODUCTS



BOOK YOUR ANNUAL SERVICE NOW

- + Top quality
- + Warranty and endurance
- + Optimal output
- + Maximum safety
- + Maximum performance
- + Maximum uptime



CHAINSAWS

PETROL CHAINSAWS



C HUSQVARNA 3120XP®
118.8 cc • 6.2 kW • 60 - 105 cm • 10.4 kg



C HUSQVARNA 395XP®
93.6 cc • 4.9 kW • 45 - 90 cm • 7.9 kg



C HUSQVARNA 390XP®
88.0 cc • 4.8 kW • 45 - 71 cm • 7.2 kg



C HUSQVARNA 272XP®
72.2 cc • 3.6 kW • 38 - 71 cm • 6.3 kg



C HUSQVARNA 372XP®
70.7 cc • 3.9 kW • 38 - 71 cm • 6.1 kg



C HUSQVARNA 365 SPECIAL
65.1 cc • 3.4 kW • 38 - 70 cm • 6.0 kg



C HUSQVARNA 61
61.5 cc • 2.9 kW • 38 - 71 cm • 6.1 kg



L HUSQVARNA 450 E-SERIES II
50.2 cc • 2.4 kW • 33 - 50 cm • 5.1 kg



L HUSQVARNA 455R II AUTOTUNE
55.5 cc • 2.6 kW • 38 - 51 cm • 5.9 kg



L HUSQVARNA 440 E-SERIES II
40.9 cc • 1.8 kW • 33 - 46 cm • 4.4 kg



H HUSQVARNA 130
38.0 cc • 1.5 kW • 33 - 40 cm • 4.7 kg



H HUSQVARNA 120 II
38.2 cc • 1.4 kW • 33 - 40 cm • 4.8 kg

CHAINSAWS

TOP HANDLE CHAINSAWS



L HUSQVARNA T540XP® II
37.7 cc • 1.8 kW • 30 - 40 cm • 3.9 kg



H HUSQVARNA T435
35.2 cc • 1.5 kW • 30 - 35 cm • 3.4 kg



H HUSQVARNA T525
27.0 cc • 1.1 kW • 10" 3/8 / Ø50 • 2.7 kg

POLE PRUNING SAW

*Optional accessories: Balance Flex™ harness.



C *HUSQVARNA 525PT5S
25.4 cc • 1.0 kW • 10" 1/4 / Ø43 • 7.0 kg •
Total Length 3.97 m • Extendable



C *HUSQVARNA 525P5S
25.4 cc • 1.0 kW • 12" 3/8 / Ø50 • 6.4 kg •
Total Length 3.5 m • Detachable shaft



C *HUSQVARNA 525P4S
25.4 cc • 1.0 kW • 12" 3/8 / Ø50 • 5.3 kg •
Total Length 2.4 m

ELECTRIC CHAINSAW



H HUSQVARNA 420 EL
230 V • 2000 W • 40 cm • 4.7 kg

CLEARING SAWS



C HUSQVARNA 545FX
45.7 cc • 2.2 kW • 8.2 kg



C HUSQVARNA 535FBx
34.6 cc • 1.6 kW • 33 cm Bar • 12.4 kg



C HUSQVARNA 555FX
53.3 cc • 2.8 kW • 8.9 kg



C HUSQVARNA 545FX T
45.7 cc • 2.2 kW • 8.2 kg •
Autotune™



SPECIALITY PLANT CARE & GARDEN EQUIPMENT





L HUSQVARNA 325S25
SPRAYER
25.4 cc • 0.8 kW • 25 L • 9.8 kg



L HUSQVARNA 321S25
SPRAYER
25.4 cc • 0.7 kW • 25 L • 10.0 kg



L HUSQVARNA 321S15
SPRAYER
25.4 cc • 0.7 kW • 15 L • 9.2 kg



C HUSQVARNA 362D28
DUSTER
62.0 cc • 2.8 kW • 28 L • 12.0 kg



C HUSQVARNA 362M18
MISTER
62.0 cc • 2.8 kW • 18 L • 12.0 kg



C HUSQVARNA 15 LITER
BACKPACK SPRAYER
15 PPL • 40 PSI • 1.2 m PVC hose



L HUSQVARNA 8 LITER
COMPRESSION SPRAYER
1 PPL • 42 PSI • 1.2 m PVC hose



H HUSQVARNA 1.5 LITER
HANDHELD SPRAYER MISTER
30 PSI • Brass adjustable nozzle

BRUSHCUTTERS & GRASS TRIMMERS



C HUSQVARNA 555FRM
53.3 cc • 2.8 kW • 9.2 kg



C HUSQVARNA 153R
50.2 cc • 1.6 kW • 7.6 kg



C HUSQVARNA 553RS
50.6 cc • 2.3 kW • 8.6 kg



C HUSQVARNA 545FR
45.7 cc • 2.1 kW • 8.7 kg



C HUSQVARNA 541RST
41.5 cc • 1.6 kW • 7.3 kg



C HUSQVARNA 541RS
41.5 cc • 1.6 kW • 7.1 kg



C HUSQVARNA 143R-II
41.5 cc • 1.5 kW • 7.6 kg



C HUSQVARNA 531RS
33.6 cc • 1.2 kW • 6.9 kg



C HUSQVARNA 525RX
25.4 cc • 1.0 kW • 4.9 kg



C HUSQVARNA 525LS
25.4 cc • 1.0 kW • 4.6 kg



H HUSQVARNA 129R
27.5 cc • 0.85 kW • 5.4 kg



H HUSQVARNA 129C
27.5 cc • 0.85 kW • 4.49 kg



H HUSQVARNA 129L
27.5 cc • 0.85 kW • 4.76 kg



L HUSQVARNA 131R
32.6 cc • 0.9 kW • 8.4 kg



C HUSQVARNA 553RBX
50.6 cc • 2.3 kW • 12.1 kg


*COMBI TRIMMERS



C HUSQVARNA 525LK
25.4 cc • 1.0 kW • 4.5 kg •
Loop handle • Straight shaft



C HUSQVARNA 535LK
34.6 cc • 1.5 kW • 5.8 kg •
Loop handle • Straight shaft



*Various attachments available

HANDHELD BLOWERS



H HUSQVARNA 125BVX
28.0 cc • 0.8 kW • 209 km/h •
4.3 kg



C HUSQVARNA 525BX
25.4 cc • 0.85 kW • 252 km/h •
4.3 kg

BACKPACK BLOWERS



C HUSQVARNA 530BT
29.5 cc • 1.0 kW • Air speed
233 km/h • 6.7 kg



C HUSQVARNA 350BT
50.2 cc • 1.6 kW • Air speed
289 km/h • 10.2 kg



C HUSQVARNA 570BTS
65.6 cc • 2.9 kW • Air speed
379 km/h • 11.2 kg



C HUSQVARNA 578BTF
75.6 cc • 3.14 kW • Air speed
331 km/h • 10.5 kg • Fire Control



C HUSQVARNA 580BTS/570BTS
75.6 cc • 3.3 kW / 3.9 kW •
331 km / 379 km • 11.8 kg / 11.2 kg

LAWNMOWERS



L HUSQVARNA GX560
Honda • GCV160 •
3.0 kW@3150 rpm • 163 cc •
Collection/BioClip® • 50.5 cm • Push



C HUSQVARNA LB553SE
Honda OHC • GCV160 •
2.8 kW@2900 rpm • 160 cc •
BioClip® • 53 cm • Self-propelled



C HUSQVARNA LB548SE
Honda OHC GCV160 • 160 cc •
2.8 kW@2900 rpm • 48 cm •
BioClip® • Self-propelled



C HUSQVARNA 54
5 Blades • 40 cm •
Manual push • 8.6 kg



H HUSQVARNA LC353V
B&S • 650EXI • 2.4 kW@2800 rpm •
163 cc • BioClip® • 53 cm •
Variable drive speed



H HUSQVARNA LC153-HD
B&S Quantum • 625E series •
2.4 kW@2950 rpm • TrioClip® •
53 cm • Push



H HUSQVARNA LC19SP
B&S • 750 series • 2.7 kW@2900 rpm •
161 cc • Collection/BioClip® • 48 cm •
44 l grass collector



H HUSQVARNA LC19AP
B&S • 750 series • 2.7 kW@2900 rpm •
161 cc • Collection/BioClip® • 48 cm •
Push • 44 l collector



H HUSQVARNA LC19A
B&S • 750 series • 2.7 kW@2900 rpm •
161 cc • Collection/BioClip® • 48 cm •
Push • 44 l collector



H HUSQVARNA LC19
B&S • 750 series • 2.7 kW@2900 rpm •
161 cc • Collection/BioClip® • 48 cm •
Push • 44 l collector



**C HUSQVARNA T535i XP®
TOP HANDLE BATTERY CHAINSAW**
36 V • 25 - 35 cm • 2.6 kg
Excludes battery & charger

WE ARE GAME-CHANGERS

#wearebatterypower



**C HUSQVARNA 535i XP®
BATTERY CHAINSAW**
36 V • 25 - 35 cm • 2.6 kg
Excludes battery & charger



**H HUSQVARNA 120i
BATTERY CHAINSAW**
36.5 V • 30 cm • 3.0 kg
Includes BLi20 battery &
QC80 charger



**C HUSQVARNA 520iHD70
BATTERY HEDGE TRIMMER**
Li-Ion 36 V • 70 cm Bar • 3.9 kg
Excludes battery & charger



**H HUSQVARNA 115iHD45
BATTERY HEDGE TRIMMER**
36.5 V • 45 cm Bar • 3.2 kg
Includes BLi10 battery & QC80 charger



**C HUSQVARNA 520iHE3
BATTERY POLE HEDGE TRIMMER**
36 V • 4.15 kg • 3.5 m reach
Excludes battery & charger



**C HUSQVARNA 530iPT5
BATTERY POLE PRUNER SAW**
36 V • 5 kg • Total ext. length 3.95 m
Excludes battery & charger • Extendable



**C HUSQVARNA 530iP4
BATTERY POLE PRUNER SAW**
36 V • Total length 2.5 m • 3.4 kg
Excludes battery & charger



**H HUSQVARNA 115iPT4
BATTERY POLE SAW**
36 V • Total length 2.5 m • 4.1 kg
Includes BLi10 battery & QC80 charger



**C HUSQVARNA 530iPX
BATTERY POLE CLEARING SAW**
36 V • Total length 2.5 m • 3.1 kg
Excludes battery & charger



**C HUSQVARNA 520iRX
BATTERY BRUSHCUTTER**
36 V • 40 cm Cutting width • 3.8 kg
Excludes battery & charger



**C HUSQVARNA 536LiLX
BATTERY TRIMMER**
36 V • 40 cm Cutting width • 3.0 kg
Excludes battery & charger



**H HUSQVARNA 115iL
BATTERY TRIMMER**
36.5 V • 33 cm Cutting width • 3.45 kg
Includes BLi10 battery & QC80 charger



**H HUSQVARNA 336LiC
BATTERY TRIMMER**
36 V • 33 cm Cutting width • 3.0 kg
Excludes battery & charger



**C HUSQVARNA 550iBTX
BATTERY BACKPACK BLOWER**
36 V • Air Speed 194 km/h • 6.3 kg
Excludes battery & charger •
Used with backpack battery



**C HUSQVARNA 536LiBX
BATTERY BLOWER**
36 V • Air Speed 180 km/h • 2.8 kg
Excludes battery & charger



**C HUSQVARNA 525iB
BATTERY BLOWER**
Li-Ion 36 V • Air Speed
172 km/h • 2.8 kg • Excludes
battery & charger



**L HUSQVARNA 320iB
BATTERY BLOWER**
36 V • Air Speed
169 km/h • 2.4 kg • Excludes
battery & charger



**L HUSQVARNA LC247Li
BATTERY LAWNMOWER**
36 V • 47 cm • Push • Dual-battery
slot • 55 l Collector • Excludes
battery & charger



**H HUSQVARNA LB146i
BATTERY LAWNMOWER**
36 V • 46 cm • 46 cm • BioClip® •
Excludes battery & charger •
Dual-battery slot



**H HUSQVARNA LC141Li
BATTERY LAWNMOWER**
36 V • 41 cm • Push •
Excludes battery & charger



**H HUSQVARNA S138i
BATTERY SCARIFIER**
36 V • 38 cm • Push • Scarifier/
Moss Rake • 45 l Collector • Excludes
battery & charger • Includes 2 reels •
Dual-battery slot



**C HUSQVARNA BLi950X/
BLi550X BACKPACK BATTERY**
36 V • 31 l • 15.6 Ah •
1120 / 562 Wh • 7.9 / 7.1 kg



**C HUSQVARNA QC500/
330/ CHARGER**
36 V • 31 l • 15.6 Ah •
1120 / 562 Wh • 7.9 / 7.1 kg



**H HUSQVARNA QC80 /
80F CHARGER**
220 V • 12 V • 80 W



**C HUSQVARNA BLi300/
BLi200/BLi100 BATTERY**
Li-Ion 36 V • 9.4/5.2/2.6 Ah



**H HUSQVARNA BLi20/
BLi10 BATTERY**
Li-Ion 36 V • 4.0/2.0 Ah



**C HUSQVARNA
BATTERY BELTS**

HEDGE TRIMMERS



C HUSQVARNA 525HF3S
25.4 cc • 1.0 kW • 65 cm • 6.1 kg



C HUSQVARNA 325HE4
25.4 cc • 1.0 kW • 55 cm • 6.4 kg



C HUSQVARNA 522HD60S
21.7 cc • 0.6 kW • 60 cm • 5.0 kg



H HUSQVARNA 122HD60
21.7 cc • 0.6 kW • 59 cm • 4.9 kg



TILLERS & CULTIVATORS



L HUSQVARNA TR530

Kohler Command Pro Engine • 208 cc • 5.20 kW • Chain/Gear • Rear tine • Working width 53 cm • Working depth 16 cm • 38 kg



L HUSQVARNA TR430

Kohler Courage Engine • 196 cc • 5.20 kW • Chain/Gear • Rear tine • Working width 43 cm • Working depth 16 cm • 107 kg



L HUSQVARNA TF435P


Honda GP160 Engine • 163 cc • 4.69HP • 3.5 kW • Chain/Pneumatic • Front tine • Working width 80 cm • Working depth 30 cm • 59 kg



L HUSQVARNA TF335

Briggs & Stratton 950 Series Engine • 5HP • 208 cc • 3.7kW • Chain/Manual • Front tine • Working width 80 cm • Working depth 30 cm • 58 kg

FLEET SERVICES



SPECIALITY TURF CARE EQUIPMENT



C HUSQVARNA AR19 AERATOR

Honda GX series Engine • 119 cc • 2.6 kW @ 3600 rpm • Working width 48 cm • Working depth 7.6 cm • Productivity 2300 m²/h • 131 kg



L HUSQVARNA SC18 SOD CUTTER

Honda GX series Engine • 163 cc • 3.2 kW • Working width 46 cm • Working depth 6.5 cm • 145 kg



C HUSQVARNA SG13 STUMP GRINDER

Honda GX series Engine • 389 cc • 8.7 kW • Disc diameter 35 cm • Working depth 30 cm • 114 kg



C HUSQVARNA DT22 DETHATCHER

Honda GX series Engine • 163 cc • 3.6 kW • Working width 56 cm • Working depth 2.5 cm • 65.3 kg • Delivered without reel

GENERATORS



L HUSQVARNA G5500P

5.0 kW • 25 l Fuel tank • Electric starter • Wheels • Fuel gauge • Carry handle



L HUSQVARNA G3200P

2.7 kW • 15 l Fuel tank • Fuel gauge • Carry handle



L HUSQVARNA G2500P

2.0 kW • 15 l Fuel tank • Fuel gauge • Carry handle



H HUSQVARNA G1300P

0.8 kW • 6 l Fuel tank • Fuel gauge • Carry handle

WATER PUMPS



C HUSQVARNA W100D

Inlet/outlet size 100 mm • Lift 24 m • Suction 5 m • Capacity 75 M³/h



C HUSQVARNA W80P

Inlet/outlet size 80 mm • Lift 28 m • Suction 4 m • Capacity 50 M³/h



C HUSQVARNA W50P

Inlet/outlet size 50 mm • Lift 30 m • Suction 7 m • Capacity 26 M³/h



C HUSQVARNA W40P

Inlet/outlet size 40 mm • Lift 15 m • Suction 4 m • Capacity 12 M³/h

VACUUM CLEANER



H HUSQVARNA WDC 220

220 - 240 V • 1000 W • 50 Hz • Semi-automatic filter cleaning • Fleece filter bag • 2.5 m Suction hose • 7.4 kg

PRESSURE WASHERS



H HUSQVARNA PW450

Max pressure 150 bar • 2.9 kW • Hose length 13 m • Water flow 540-640 l/h • 27.8 kg



H HUSQVARNA PW360

Max pressure 160 bar • 2.3 kW • Hose length 10 m • Water flow 420-500 l/h • 20.8 kg



H HUSQVARNA PW345C

Max pressure 145 bar • 2.4 kW • Hose length 8 m • Water flow 420-550 l/h • 13.2 kg



H HUSQVARNA PW235

Max pressure 135 bar • 1.8 kW • Hose length 8 m • Water flow 350-520 l/h • 9.6 kg



H HUSQVARNA PW125

Max pressure 125 bar • 1.5 kW • Hose length 7 m • Water flow 320-460 l/h • 7.1 kg

ROBOTIC MOWERS



C HUSQVARNA
AUTOMOWER® 550
Working area up to 5000m²
(+/- 20%) • 24 cm • 2-6 cm • 13.5 kg
Excludes installation kit



C HUSQVARNA
AUTOMOWER® 520
Working area up to 2200m²
(+/- 20%) • 24 cm • 2-6 cm • 13.3 kg
Excludes installation kit



L HUSQVARNA
AUTOMOWER® 450X
Working area up to 5000m²
(+/- 20%) • 24 cm • 2-6 cm •
13.9 kg • *Excludes installation kit*



H HUSQVARNA
AUTOMOWER® 430X
Working area up to 3200m²
(+/- 20%) • 24 cm • 2-6 cm •
13.2 kg • *Excludes installation kit*



H HUSQVARNA
AUTOMOWER® 315
Working area up to 1500m²
(+/- 20%) • 222 cm • 2-6 cm •
9.0 kg • *Excludes installation kit*

LAWN TRACTORS



L HUSQVARNA TS 348
Kawasaki FR651V Engine •
726 cc • 23HP • 15.7 kW •
Hydrostatic • 122 cm cutting width •
ClearCut™ cutting deck



L HUSQVARNA TS 342
Kawasaki FR651V Engine •
726 cc • 21.5HP • 16 kW •
Hydrostatic • 107 cm cutting width •
ClearCut™ cutting deck



H HUSQVARNA TC 342
Kawasaki FR651V Engine • 726 cc •
21.5HP • 13.8 kW • Hydrostatic • 107 cm
cutting width • Reinforced stamped
cutting deck • 320 l Collector volume



L HUSQVARNA TS 242
Kawasaki FR600V Engine • 603 cc •
18HP • 13.4KW • Hydrostatic • 107 cm
cutting width • Reinforced stamped
cutting deck



H HUSQVARNA TC 238
Kawasaki FR600V Engine • 603 cc •
18HP • 13.4KW • Hydrostatic • 97 cm
cutting width • Reinforced stamped
cutting deck • 220 l Collector volume



H HUSQVARNA TS 138
Husqvarna Series™ Loncin Engine • 452 cc •
17HP • 12.6kW • Hydrostatic • 97
cm cutting width • Stamped cutting deck

*Various attachments available

COMMERCIAL FRONT MOWERS



C HUSQVARNA P525D WITH CABIN
Kubota Diesel Engine • 1123 cc • 18.7 kW • Hydrostatic
AWD • Delivered deck- less • Suited to 155 cm cutting
deck • factory assembled cabin • Special order only



C HUSQVARNA P525D
Kubota Diesel Engine • 1123 cc • 18.7 kW •
Hydrostatic AWD • Delivered deckless •
Suited to 155 cm cutting deck



C HUSQVARNA P 524EFI
Kawasaki FX Series V-Twin Engine • 726 cc •
15.4 kW • Hydrostatic AWD • Delivered deckless •
Suited to CT1122 cutting deck



RIDERS



L HUSQVARNA
R420TSX AWD - DECKLESS
Kawasaki FS651V Engine •
726 cc • 18.77HP • 14 kW •
Hydrostatic AWD • Delivered
deckless • Suited to 122 cm
combi cutting deck



L HUSQVARNA
R418TS AWD - DECKLESS
Kawasaki FS Series V-Twin
Engine • 603 cc • 14.21HP •
10.6 kW • Hydrostatic AWD •
Delivered deckless • Suited to
112 cm combi cutting deck



H L HUSQVARNA RC318T
B&S Endurance Series™ V-Twin
Engine • 656 cc • 16.9HP • 12.6 kW •
Hydrostatic • Delivered deckless •
Suited to 112 cm cutting
deck • 300 l Collector volume



H L HUSQVARNA
R316TX AWD - DECKLESS
Kawasaki FS481V Engine •
603 cc • 12.87HP • 9.6 kW •
Hydrostatic AWD • Delivered
deckless • Suited to 103 cm
combi cutting deck



H L HUSQVARNA
R316TX - DECKLESS
Kawasaki FS481V Engine •
603 cc • 12.87HP • 9.6 kW •
Hydrostatic • Delivered
deckless • Suited to 103 cm
cutting deck



H HUSQVARNA
R214TC - DECKLESS
B&S Intek Series V-Twin
Engine • 656 cc • 13.5HP •
9.9 kW • Hydrostatic •
Delivered with 94 cm combi
cutting deck

ZERO TURNS



C HUSQVARNA Z572X
Kawasaki FX921 Engine • 31 hp •
23.1KW • 999 cc • Hydrostatic •
183 cm cutting width



C HUSQVARNA Z560X
Kawasaki FX921 Engine • 31 hp •
23.1KW • 999 cc • Hydrostatic •
153 cm cutting width



L HUSQVARNA M-ZT61
Kawasaki FS691V Engine • 23.0 hp •
17.15KW • 726 cc • Hydrostatic • 155 cm
cutting width • Fabricated cutting deck



L HUSQVARNA MZ54
Kawasaki FR730V Engine • 24.0 hp •
17.9KW • 726 cc • Hydrostatic • 137 cm
cutting width • ClearCut™ cutting deck



L HUSQVARNA Z248F
Kawasaki FR691V Engine • 23.0 hp •
17.2KW • 726 cc • Hydrostatic •
122 cm cutting width • ClearCut™
cutting deck



H HUSQVARNA Z242F
Kawasaki FR651V Engine • 21.5 hp •
16KW • 726 cc • Hydrostatic • 107 cm
cutting width • ClearCut™ cutting deck



H HUSQVARNA Z246
Kawasaki FR600V Engine • 18.0 hp • 13.4KW •
726 cc • Hydrostatic • 117 cm cutting width •
Reinforced stamped cutting deck

THE PERFECT CUT WITH HUSQVARNA CONSTRUCTION

POWER CUTTERS

PETROL POWER CUTTERS



C HUSQVARNA K1270 Rail 14"
119.0 cc • 5.8 kW • Cutting depth 118 mm •
Arbor 25.4 mm • 20.5 kg •
Delivered without blade • Suited to
350 mm Diamond blade



C HUSQVARNA K1270 16"
119.0 cc • 5.8 kW • Cutting depth
125 mm • Arbor 25.4 mm • 13.3 kg •
Delivered without blade • Suited to
400 mm Diamond blade



C HUSQVARNA K970-III 16"
94.0 cc • 4.8 kW • Cutting depth
155 mm • Arbor 25.4 mm • 11.6 kg •
Delivered without blade • Suited to
400 mm Diamond blade



C HUSQVARNA K970 14"
94.0 cc • 4.8 kW • Cutting depth
125 mm • Arbor 25.4 mm • 11.0 kg •
Delivered without blade • Suited to
350 mm Diamond blade



C HUSQVARNA K970 14"
94.0 cc • 4.8 kW • Cutting depth
125 mm • Arbor 25.4 mm • 11.0 kg •
Delivered without blade • Suited to
350 mm Diamond blade



C HUSQVARNA K770 VAC 12"
174.0 cc • 3.7 kW • Cutting depth
125 mm • Arbor 20 • 11.3 kg •
Delivered without blade • Suited
to 300 mm Diamond blade



C HUSQVARNA K770 14" Oilguard
74.0 cc • 3.7 kW • Cutting depth
125 mm • Arbor 20 / 25.4 mm •
10.1 kg • Delivered without blade •
Suited to 350 mm Diamond blade



C HUSQVARNA K770 14" / 12"
74.0 cc • 3.7 kW • Cutting depth
125 mm • Arbor 20 / 25.4 mm •
9.8 kg • Delivered without blade •
Suited to 350 mm Diamond blade

ELECTRIC POWER CUTTERS



C HUSQVARNA K4000
CUT N BREAK
230 V • 2.7 kW • Cutting depth
400 mm • 8.9 kg •
Delivered with blades - EL10



C HUSQVARNA K4000 Wet 14
230 V • 2.7 kW • Cutting depth 125
mm • Arbor 25.4 mm • 8.5 kg •
Delivered without blade • Suited
to 350 mm Diamond blade

BATTERY POWER CUTTERS



C HUSQVARNA K535i
Li-Ion 36 V • Cutting depth 76mm •
3.5 kg • Excludes battery & charger •
Delivered with blade

CORING



G HUSQVARNA CORE BARREL
Coring Barrels for all applications.
Asphalt & abrasive materials.



G HUSQVARNA DM 230
220-240 v • 1-ph • 50 Hz • 11/14" 7 •
Handheld core drilling up to 80 mm
freehand or drilling with stand up to
150 mm

FLOOR SAWS



S HUSQVARNA FS 305
3.6 kW • Cutting depth 125 mm •
Blade diameter 350 mm • 54 kg

FLOOR SAWS



B HUSQVARNA TACTI-CUT
Quality blade for less intensive
professional cutting in most materials
with a good balance between performance
and price. Diameters 300-400 mm.

DURABLE CONTAINERS WITH OVER-FILL PROTECTION



HUSQVARNA COMBI
CAN
580 75 42-01



HUSQVARNA 15 LITER
FUEL CAN
580 75 45-01



HUSQVARNA 6 LITER
COMBI CAN
505 69 80-00



HUSQVARNA 6 LITER
FUEL CAN - ORANGE
505 69 80-01



HUSQVARNA 6 LITER
FUEL CAN - GREEN
505 69 80-40

YOUR HEAD, EYES, EARS AND BODY DESERVE PROFESSIONAL PROTECTION

Husqvarna has done extensive research regarding the ways in which we can protect the most vulnerable parts of your body. Following our close, long-lasting cooperation with professional users, we've developed an excellent combination of ergonomically designed equipment to protect you. We offer the latest in gloves specially designed for every type of work, a comprehensive range of feet protection with modern design and high quality materials and a functional clothing range that includes clothes you can trust when there's work to be done in the forest.



PROTECTIVE GLASSES



HEARING PROTECTION



HELMETS



CHAINSAW PANTS



GLOVES



FOOTWEAR



HARNESSES



HUSQVARNA TAKES CARE OF YOU AND YOUR EQUIPMENT

A good job becomes better, safer and more enjoyable with the right spares, accessories and equipment. So when we develop accessories and supplementary tools, we apply the same thinking as when we develop our other products: We listen to the most demanding customers and let their views form the basis for our product design and our choice of materials.

SAW CUTTING EQUIPMENT

We at Husqvarna are experts at making chainsaws. We know how essential the guide bar and chain are for the saws overall performance. That's why we see them as extensions of the chainsaw, not add-ons.



OILS & LUBRICANTS

Give your Husqvarna product what it needs. Our selection of fuels and lubricants always meets the high standards you expect of your product.



TRIMMER & BRUSHCUTTER ACCESSORIES

Get that great result with an original quality line from Husqvarna. They suit Husqvarna trimmer heads and are extra durable to minimise downtime.



C Commercial

Extreme Duty -
All day, every day use.

L Landowner

Heavy Duty -
Frequent or demanding use.

H Homeowner

Medium Duty -
Seasonal or occasional use.

FIND YOUR HUSQVARNA AT

www.husqvarna.co.za