



WHEELBARROW • WHEELS • WHEEL CHOCK



ATLAS



Let Us Carry Your Load

MATERIAL HANDLING TOOLS AND WHEELS



Tray

- High quality steel material with curled edge.
- Design to hold more products.
- Extra strong powder coating never chip off, environmental protected design.
- Material can be steel or poly with 100% new PP material.

Handle and Grips

- Two parts tubular steel handle with PP grips(32x1.2mm/1.5mm)

Wheel

- Interchangeable among all type and pattern.

Back brace

- For added stability of the whole structure.
- Can be change with any type.

Front brace

- Reinforced pieces for added support of tray.



Pattern 1



Pattern 2



Pattern 3



Pattern 4




Pattern 5



Pattern 6

Wheelbarrow

- *Thickness steel tray 0.50mm(option:0.50mm-1.20mm)
- *Three parts tubular steel handle with PP grip(32x1.2mm/2.0mm)
- *Powder coating on all steel parts resist rust for extended life, UV resistance & lead free
- *Rubber wheels, steel rim, axle brackets.



WB2200

Load capacity: 120kg
 Water capacity: 60L
 Sand capacity: 5CBF
 Wheel type: 13"x3" Air
 QTY: 1500pcs/20GP
 Size(L/H/C/A/B/h): 1320/540/500/770/490/240mm



WB2203

Load capacity: 120kg
 Water capacity: 60L
 Sand capacity: 5CBF
 Wheel type: 14"x4" solid
 QTY: 1500pcs/20GP
 Size(L/H/C/A/B/h): 1360/575/525/770/490/240mm



WB2206B

Load capacity: 120kg
 Water capacity: 60L
 Sand capacity: 5CBF
 Wheel type: 3.00-8 Air
 QTY: 1980pcs/40GP
 Size(L/H/C/A/B/h): 1315/645/580/770/490/240mm



WB2206A

Load capacity: 120kg
 Water capacity: 60L
 Sand capacity: 5CBF
 Wheel type: 13"x3" Solid
 QTY: 1980pcs/40HQ
 Size(L/H/C/A/B/h): 1355/645/546/770/490/240mm



WB2205P

Load capacity: 120kg
 Water capacity: 60L
 Sand capacity: 5CBF
 Wheel type: 3.00-8 Air
 QTY: 720PCS/40HQ
 Size(L/H/C/A/B/h): 1275/565/490/775/500/290mm



WB2207

Load capacity: 100kg
 Water capacity: 45L
 Sand capacity: 2.7CBF
 Wheel type: 13"x3.25-8 Air
 QTY: 900pcs/40GP
 Size(L/H/C/A/B/h): 1415/470/605/770/675/190mm



WB2214

Load capacity: 130kg
 Water capacity: 60L
 Sand capacity: 5CBF
 Wheel type: 3.25-8 Air
 QTY: 950pcs/40HQ
 Size(L/H/C/A/B/h): 1510/615/660/770/490/240mm



Wheelbarrow

WB2500

Load capacity: 120kg
Water capacity: 60L
Sand capacity: 5CBF
Wheel type: 13"x3" Solid
QTY: 1500pcs/20GP
Size(L/H/C/A/B/h): 1320/600/600/770/490/240mm



WB4211

Load capacity: 130kg
Water capacity: 65L
Sand capacity: 5CBF
Wheel type: 3.50-7 Air
QTY: 1650pcs/40HQ
Size(L/H/C/A/B/h): 1330/620/625/820/580/220 mm



WB3009

Load capacity: 160kg
Water capacity: 65L
Sand capacity: 5CBF
Wheel type: 3.50-8 Air
QTY: 850pcs/20GP
Size(L/H/C/A/B/h): 1295/645/550/830/675/255mm



WB3009G

Load capacity: 160kg
Water capacity: 65L
Sand capacity: 5CBF
Wheel type: 4.00-8 Air
QTY: 700pcs/20GP
Size(L/H/C/A/B/h): 1460/520/675/835/675/210mm



WB3800

Load capacity: 100kg
Water capacity: 60L
Sand capacity: 4CBF
Wheel type: 13"x3" solid
QTY: 1800pcs/40HQ
Size(L/H/C/A/B/h): 1310/550/490/770/495/260mm



WB3806

Load capacity: 100kg
Water capacity: 65L
Sand capacity: 5CBF
Wheel type: 13"x3"
QTY: 1900pcs/40HQ
Size(L/H/C/A/B/h): 1405/540/450/835/675/210mm



WB4058

Load capacity: 150kg
Water capacity: 90L
Sand capacity: 5CBF
Wheel type: 4.00-8 Air
QTY: 1800pcs/40HQ
Size(L/H/C/A/B/h): 1395/600/600/875/600/240mm



WB5208

Load capacity: 80KG
Water capacity: 60L
Sand capacity: 5CBF
Wheel type: 3.50-6 Air
QTY: 2800pcs/40HQ
Size(L/H/C/A/B/h): 1310/630/560/800/600/205mm





WB6202

Load capacity: 130kg
Water capacity: 65L
Sand capacity: 5CBF
Wheel type: 3.25/3.00-8 Air
QTY: 1400pcs/40HQ
Size(L/H/C/A/B/h): 1450/545/680/835/675/210mm



WB6208

Load capacity: 150kg
Water capacity: 65L
Sand capacity: 5CBF
Wheel type: 3.25-8 Air
QTY: 1750pcs/40HQ
Size(L/H/C/A/B/h): 1380/685/595/835/675/210mm



WB6220

Load capacity: 160kg
Water capacity: 60L
Sand capacity: 5CBF
Wheel type: 4.00-8 Air
QTY: 1800pcs/40HQ
Size(L/H/C/A/B/h): 1375/560/555/840/680/210mm



WB6400

Load capacity: 130kg
Water capacity: 65L
Sand capacity: 5CBF
Wheel type: 4.00-8 Air
QTY: 2400pcs/40HQ
Size(L/H/C/A/B/h): 1460/590/565/835/675/210mm



WB6400M

Load capacity: 130kg
Water capacity: 65L
Sand capacity: 5CBF
Wheel type: 4.00-8 Air
QTY: 2100pcs/40HQ
Size(L/H/C/A/B/h): 1385/560/575/835/675/225mm



WB6400F

Load capacity: 200kg
Water capacity: 65L
Sand capacity: 5CBF
Wheel type: 4.00-8 Air
QTY: 950pcs/20GP
Size(L/H/C/A/B/h): 1375/560/555/835/675/210mm



WB6400H

Load capacity: 170kg
Water capacity: 65L
Sand capacity: 5CBF
Wheel type: 15"x3" Solid
QTY: 900pcs/20GP
Size(L/H/C/A/B/h): 1395/520/550/835/675/210mm



WB6400S

Load capacity: 150kg
Water capacity: 65L
Sand capacity: 5CBF
Wheel type: 4.00-8 Air
QTY: 2100pcs/40HQ
Size(L/H/C/A/B/h): 1380/555/560/835/675/210mm

Wheelbarrow



WB6401

Load capacity: 130kg
Water capacity: 75L
Sand capacity: 6CBF
Wheel type: 14"x4" Air
QTY: 1900pcs/40HQ
Size(L/H/C/A/B/h): 1490/495/545/945/545/255mm



WB6401F

Load capacity: 150kg
Water capacity: 75L
Sand capacity: 5CBF
Wheel type: 4.00-8 Air
QTY: 2000pcs/40HQ
Size(L/H/C/A/B/h): 1440/600/655/945/545/255mm



WB6404Z

Load capacity: 150kg
Water capacity: 100L
Sand capacity: 5CBF
Wheel type: 4.00-8 Air
QTY: 1200pcs/40HQ
Size(L/H/C/A/B/h): 1415/585/620/875/600/300mm



WB6500

Load capacity: 130kg
Water capacity: 65L
Sand capacity: 5CBF
Wheel type: 13"x3" solid
QTY: 1800pcs/20GP
Size(L/H/C/A/B/h): 1395/460/538/835/675/210 mm



WB6502 (Nigeria)

Load capacity: 150kg
Water capacity: 65L
Sand capacity: 5CBF
Wheel type: 3.50-8 Air
QTY: 1800pcs/20GP
Size(L/H/C/A/B/h): 1410/460/637/840/670/220mm



WB6414E

Load capacity: 160kg
Water capacity: 85L
Sand capacity: 5CBF
Wheel type: 4.00-8Air
QTY: 1250PCS/40HQ
Size(L/H/C/A/B/h): 1415/612/590/880/595/280mm



WB5410

Load capacity: 160KG
Water capacity: 100L
Sand capacity: 5CBF
Wheel type: 3.50-8 Air
QTY: 1200pcs/40HQ
Size(L/H/C/A/B/h): 1440/615/580/880/595/280mm



WB5008

Load capacity: 160kg
Water capacity: 110L
Sand capacity: 6CBF
Wheel type: 4.00-8 Air
QTY: 500pcs/20GP
Size(L/H/C/A/B/h): 1460/620/630/905/565/280mm

WB5009

Load capacity: 150 kg
Water capacity: 75 L
Sand capacity: 5 CBF
Wheel type: 4.00-8 Air
QTY: 2000pcs/40HQ
Size(L/H/C/A/B/h): 1420/640/570/880/595/280mm



WB5009G

Load capacity: 120kg
Water capacity: 75L
Sand capacity: 5CBF
Wheel type: 4.00-8 Air
QTY: 2100pcs/40HQ
Size(L/H/C/A/B/h): 1420/640/570/880/595/280mm



WB5009S

Load capacity: 180kg
Water capacity: 75L
Sand capacity: 5CBF
Wheel type: 3.50-8 Air
QTY: 1500pcs/40HQ
Size(L/H/C/A/B/h): 1330/700/520/880/595/280mm



WB5009Z

Load capacity: 150kg
Water capacity: 75L
Sand capacity: 5CBF
Wheel type: 4.00-8 Air
QTY: 2000pcs/40HQ
Size(L/H/C/A/B/h): 1420/640/570/880/595/280mm



WB5010

Load capacity: 130kg
Water capacity: 72L
Sand capacity: 5CBF
Wheel type: 3.50-8 Air
QTY: 2000pcs/40HQ
Size(L/H/C/A/B/h): 1470/620/545/860/600/265mm



WB5204

Load capacity: 80kg
Water capacity: 65L
Sand capacity: 5CBF
Wheel type: 3.50-6 Air
QTY: 2800pcs/40HQ
Size(L/H/C/A/B/h): 1310/630/560/800/600/205mm



WB5206

Load capacity: 100kg
Water capacity: 60L
Sand capacity: 5CBF
Wheel type: 3.50-6 Air
QTY: 2600pcs/40HQ
Size(L/H/C/A/B/h): 1310/630/560/800/600/205mm



WB6414L

Load capacity: 160kg
Water capacity: 85L
Sand capacity: 6CBF
Wheel type: 4.00-8 Air
Qty: 1150pcs/40HQ
Size:(L/H/C/A/B/h): 1460/600/580/880/595/280mm



Wheelbarrow

WB6080

Load capacity: 100kg
Water capacity: 80L
Sand capacity: 5CBF
Wheel type: 3.50-6 Air
QTY: 2300pcs/40HQ
Size(L/H/C/A/B/h): 1348/595/585/875/600/245mm



WB6015

Load capacity: 180kg
Water capacity: 100L
Sand capacity: 5CBF
Wheel type: 4.00-8 Air
QTY: 1150pcs/40HQ
Size(L/H/C/A/B/h): 1405/580/600/875/600/285mm



WB6408

Load capacity: 160kg
Water capacity: 110L
Sand capacity: 6CBF
Wheel type: 4.00-8 Air
QTY: 1000pcs/40HQ
Size(L/H/C/A/B/h): 1500/615/660/905/565/280mm



WB6203

Load capacity: 130 kg
Water capacity: 65 L
Sand capacity: 5 CBF
Wheel type: 3.25-8 Air
QTY: 2800pcs/40HQ
Size(L/H/C/A/B/h): 1380/685/595/835/675/210mm



WB6203S

Load capacity: 160kg
Water capacity: 65L
Sand capacity: 5CBF
Wheel type: 3.25-8 Air
QTY: 2000pcs/40HQ
Size(L/H/C/A/B/h): 1380/685/595/835/675/210mm



WB6204

Load capacity: 80kg
Water capacity: 65 L
Sand capacity: 5 CBF
Wheel type: 3.25-8 Air
QTY: 2800pcs/40HQ
Size(L/H/C/A/B/h): 1290/685/610/835/675/210mm



WB6204S

Load capacity: 120kg
Water capacity: 65L
Sand capacity: 5CBF
Wheel type: 3.25-8 Air
QTY: 2200pcs/40HQ
Size(L/H/C/A/B/h): 1290/545/560/835/675/210mm



WB6404H

Load capacity: 150kg
Water capacity: 100L
Sand capacity: 5CBF
Wheel type: 4.00-8 Air
QTY: 2000pcs/40HQ
Size(L/H/C/A/B/h): 1340/700/605/880/595/280mm



WB5208

Load capacity: 130kg
Water capacity: 65L
Sand capacity: 5CBF
Wheel type: 3.50-7 Air
QTY: 1650pcs/40HQ
Size(L/H/C/A/B/h): 1430/590/530/875/600/240mm



WB6418

Load capacity: 160kg
Water capacity: 100L
Sand capacity: 5CBF
Wheel type: 4.00-8 Air
QTY: 1100pcs/40HQ
Size(L/H/C/A/B/h): 1400/630/630/880/595/280mm



WB6418S

Load capacity: 200kg
Water capacity: 100L
Sand capacity: 5CBF
Wheel type: 3.50-8 Air
QTY: 1100pcs/40HQ
Size(L/H/C/A/B/h): 1380/585/690/880/595/280mm



WB6429

Load capacity: 180kg
Water capacity: 120L
Sand capacity: 6CBF
Wheel type: 4.00-8 Air
QTY: 950pcs/40HQ
Size(L/H/C/A/B/h): 1470/675/685/965/665/285mm



WB6429S

Load capacity: 250kg
Water capacity: 120L
Sand capacity: 6CBF
Wheel type: 3.50-8 Air
QTY: 800pcs/40HQ
Size(L/H/C/A/B/h): 1425/610/600/965/665/285mm



WB6429 U

Load capacity: 180kg
Water capacity: 120L
Sand capacity: 6CBF
Wheel type: 4.00-8 Air
QTY: 950pcs/40HQ
Size(L/H/C/A/B/h): 1470/675/685/965/665/285mm



WB6400 U

Load capacity: 130kg
Water capacity: 65L
Sand capacity: 5CBF
Wheel type: 4.00-8 PU
QTY: pcs/40HQ
Size(L/H/C/A/B/h): 1460/685/565/845/685/205mm



WB6414T

Load capacity: 150kg
Water capacity: 100L
Sand capacity: 5CBF
Wheel type: 4.00-8 Air
QTY: 1200pcs/40HQ
Size(L/H/C/A/B/h): 1405/580/600/875/600/285mm



Wheelbarrow

WB6414T-120

Load capacity: 180KG
Water capacity: 120L
Sand capacity: 7CBF
Wheel type: 4.00-8 Air
QTY: 1200pcs/40HQ
Size(L/H/C/A/B/h): 1500/670/630/920/655/300mm



WB6414F

Load capacity: 160KG
Water capacity: 100L
Sand capacity: 5CBF
Wheel type: 4.00-8 Air
QTY: 1300pcs/40HQ
Size(L/H/C/A/B/h): 1340/635/550/880/595/280mm



WB6414M

Load capacity: 120KG
Water capacity: 72L
Sand capacity: 5.5CBF
Wheel type: 3.50-8 Air
QTY: 1200pcs/40HQ
Size(L/H/C/A/B/h): 1440/615/580/890/670/300mm



WB6438

Load capacity: 160kg
Water capacity: 100L
Sand capacity: 5CBF
Wheel type: 4.00-8 Air
QTY: 1100pcs/40HQ
Size(L/H/C/A/B/h): 1400/630/630/875/600/285mm



WB6215

Load capacity: 180kg
Water capacity: 90L
Sand capacity: 7CBF
Wheel type: 4.00-8 Air
QTY: 600pcs/20GP
Size(L/H/C/A/B/h): 1480/575/655/975/660/275mm



WB6406

Load capacity: 150kg
Water capacity: 78L
Sand capacity: 5CBF
Wheel type: 4.00-8 Air
QTY: 500pcs/20GP
Size(L/H/C/A/B/h): 1303/680/543/895/625/235 mm



WB6407

Load capacity: 150kg
Water capacity: 65L
Sand capacity: 5CBF
Wheel type: 3.25-8 Air
QTY: 550pcs/20GP
Size(L/H/C/A/B/h): 1260/675/570/835/675/210mm



WB6414S

Load capacity: 200KG
Water capacity: 100 L
Sand capacity: 5CBF
Wheel type: 3.25-8 Air
QTY: 1100pcs/40HQ
Size(L/H/C/A/B/h): 1440/615/580/875/600/280mm



Wheelbarrow

WB6410

Load capacity: 120kg
Water capacity: 65L
Sand capacity: 5CBF
Wheel type: 3.50-8 Air
QTY: 550pcs/20GP
Size(L/H/C/A/B/h): 1305/645/555/835/675/210mm



WB6610

Load capacity: 200kg
Water capacity: 110L
Sand capacity: 6CBF
Wheel type: 4.00-8 Air
QTY: 950pcs/40HQ
Size(L/H/C/A/B/h): 1555/530/610/970/675/270mm



WB6211

Load capacity: 120kg
Water capacity: 65L
Sand capacity: 5CBF
Wheel type: 4.00-6 Air
QTY: 1300pcs/40HQ
Size(L/H/C/A/B/h): 1350/600/375/835/675/210mm



WB7201

Load capacity: 130kg
Water capacity: 78L
Sand capacity: 5CBF
Wheel type: 3.25-8 Air
QTY: 1700pcs/40HQ
Size(L/H/C/A/B/h): 1410/630/580/900/637/223mm



WB7203

Load capacity: 180kg
Water capacity: 78L
Sand capacity: 5CBF
Wheel type: 3.25-8 Air
QTY: 1700pcs/40HQ
Size(L/H/C/A/B/h): 1410/630/580/900/637/223mm



WB7200

Load capacity: 160kg
Water capacity: 78L
Sand capacity: 5CBF
Wheel type: 3.25-8 Air
QTY: 1650pcs/40HQ
Size(L/H/C/A/B/h): 1460/620/630/900/620/230mm



WB7205

Load capacity: 150kg
Water capacity: 72L
Sand capacity: 5.5CBF
Wheel type: 4.00-8 Air
QTY: 600pcs/20GP
Size(L/H/C/A/B/h): 1500/610/625/930/680/240mm



WB7214T

Load capacity: 200kg
Water capacity: 100L
Sand capacity: 7CBF
Wheel type: 4.00-8 Air
QTY: 590pcs/20GP
Size(L/H/C/A/B/h): 1500/560/695/975/625/300mm



Wheelbarrow

WB7215

Load capacity: 200kg
Water capacity: 100L
Sand capacity: 7CBF
Wheel type: 4.00-8 Air
QTY: 600pcs/20GP
Size(L/H/C/A/B/h): 1480/587/655/980/640/320mm



WB7400

Load capacity: 150kg
Water capacity: 78L
Sand capacity: 5CBF
Wheel type: 4.00-8 Air
QTY: 620pcs/20GP
Size(L/H/C/A/B/h): 1540/580/600/895/620/230mm



WB7400R

Load capacity: 160kg
Water capacity: 78L
Sand capacity: 5CBF
Wheel type: 4.00-8 Air
QTY: 620pcs/20GP
Size(L/H/C/A/B/h): 1540/580/595/895/620/235mm



WB7800

Load capacity: 150kg
Water capacity: 78L
Sand capacity: 5CBF
Wheel type: 4.00-8 Air
QTY: 620pcs/20GP
Size(L/H/C/A/B/h): 1545/570/605/900/620/240mm



WB7800R

Load capacity: 160kg
Water capacity: 78L
Sand capacity: 5CBF
Wheel type: 4.00-8 Air
QTY: 620pcs/20GP
Size(L/H/C/A/B/h): 1385/620/600/895/640/220mm



WB6505

Load capacity: 180kg
Water capacity: 90L
Sand capacity: 5.5CBF
Wheel type: 4.00-8 Air
QTY: 600pcs/20GP
Size(L/H/C/A/B/h): 1610/630/680/938/705/300mm



WB6214

Load capacity: 180kg
Water capacity: 90L
Sand capacity: 6CBF
Wheel type: 4.00-8 Air
QTY: 600pcs/20GP
Size(L/H/C/A/B/h): 1525/590/640/975/670/285mm



WB2700

Load capacity: 200kg
Water capacity: 60L
Sand capacity: 4CBF
Wheel type: 4.00-8 Air
QTY: 800pcs/20GP
Size(L/H/C/A/B/h): 1500/600/575/910/715/210mm



WB2701

Load capacity: 200kg
Water capacity: 60L
Sand capacity: 4CBF
Wheel type: 4.00-8 Air
QTY: 800pcs/20GP
Size(L/H/C/A/B/h): 1500/600/575/910/715/210mm



WB7708

Load capacity: 150kg
Water capacity: 90L
Sand capacity: 6CBF
Wheel type: 3.50-8 Air
QTY: 450pcs/20GP
Size(L/H/C/A/B/h): 1610/670/625/940/685/300mm



WB7215R

Load capacity: 200kg
Water capacity: 100L
Sand capacity: 6CBF
Wheel type: 4.00-8 Air
QTY: 600pcs/20GP
Size(L/H/C/A/B/h): 1480/587/655/975/655/267mm



WB7709

Load capacity: 150kg
Water capacity: 90L
Sand capacity: 6CBF
Wheel type: 3.50-8 Air
QTY: 450pcs/20GP
Size(L/H/C/A/B/h): 1530/650/540/940/685/300mm



WH4014

Load capacity: 100kg
Water capacity: 60L
Sand capacity: 4CBF
Wheel type: 3.50-8 Air
QTY: 1000pcs/40HQ
Size(L/H/C/A/B/h): 1465x510x590x920x680x220mm



WH4032

Load capacity: 100kg
Water capacity: 60L
Sand capacity: 5CBF
Wheel type: 4.00-8 Air
QTY: 800pcs/40HQ
Size(L/H/C/A/B/h): 1390/490/545/900/615/250mm



WB8900

Load capacity: 200kg
Water capacity: 70L
Sand capacity: 4.5CBF
Wheel type: 4.00-8 Air
QTY: 1800pcs/20GP
Size(L/H/C/A/B/h): 1400/545/515/960/535/265mm



WH6611

Load capacity: 180kg
Water capacity: 90L
Sand capacity: 6CBF
Wheel type: 16x4 Air
QTY: 800pcs/40HQ
Size(L/H/C/A/B/h): 1520/500/570/1020/670/340mm



Wheelbarrow

WH7211

Load capacity: 200kg
Water capacity: 100L
Sand capacity: 7CBF
Wheel type: 4.00-8 PU
QTY: 900pcs/40HQ
Size(L/H/C/A/B/h): 1510/545/580/975/640/335mm



WH7214

Load capacity: 300kg
Water capacity: 100L
Sand capacity: 7CBF
Wheel type: 4.00-8 AIR
QTY: 900pcs/40HQ
Size(L/H/C/A/B/h): 1510/545/580/975/640/335mm



WH5400

Load capacity: 140kg
Water capacity: 75L
Sand capacity: 6CBF
Wheel type: 14"x4" Air
QTY: 1200pcs/40HQ
Size(L/H/C/A/B/h): 1440/465/580/895/645/235mm



WB5600P

Load capacity: 160kg
Water capacity: 72L
Sand capacity: 5CBF
Wheel type: 4.00-8 Air
QTY: 1200PCS/40HQ
Size(L/H/C/A/B/h): 1490/585/505/1090/600/270mm



WH6304

Load capacity: 180kg
Water capacity: 100L
Sand capacity: 7CBF
Wheel type: 4.00-8 Air
QTY: 800pcs/40HQ
Size(L/H/C/A/B/h): 1500/565/510/965/705/350mm



WH6601

Load capacity: 180kg
Water capacity: 80L
Sand capacity: 6CBF
Wheel type: 4.00-8 Air
QTY: 1200pcs/40HQ
Size(L/H/C/A/B/h): 1505/530/530/970/675/270mm



WH7801

Load capacity: 150kg
Water capacity: 100L
Sand capacity: 7CBF
Wheel type: 16"x4" Air
QTY: 900pcs/40HQ
Size(L/H/C/A/B/h): 1540/585/530/1015/633/296mm



WH8606

Load capacity: 180kg
Water capacity: 100L
Sand capacity: 7CBF
Wheel type: 6.50-8 Air
QTY: 900pcs/40HQ
Size(L/H/C/A/B/h): 1500/565/510/965/705/350mm



WH8612P

Load capacity: 150kg
Water capacity: 100L
Sand capacity: 7CBF
Wheel type: 6.50-8 Air
QTY: 900pcs/40HQ
Size(L/H/C/A/B/h): 1450/580/510/995/710/360mm



WH8614

Load capacity: 200kg
Water capacity: 100L
Sand capacity: 7CBF
Wheel type: 6.50-8 Air
QTY: 900pcs/40HQ
Size(L/H/C/A/B/h): 1420/600/540/980/635/335mm



WH8616

Load capacity: 200kg
Water capacity: 100L
Sand capacity: 7CBF
Wheel type: 4.00-8 PU
QTY: 1000pcs/40HQ
Size(L/H/C/A/B/h): 1530/460/565/980/635/335mm



WB8618P

Load capacity: 180kg
Water capacity: 140L
Sand capacity: 10CBF
Wheel type: 4.00-8 Air
QTY: 850pcs/40HQ
Size(L/H/C/A/B/h): 1605/575/730/1080/900/530mm



WH9800

Load capacity: 180kg
Water capacity: 200L
Sand capacity: 10CBF
Wheel type: 16"x4" Air
QTY: 800pcs/40HQ
Size(L/H/C/A/B/h): 1520/895/840/1105/895/490mm



WB7214P

Load capacity: 200kg
Water capacity: 100L
Sand capacity: 7CBF
Wheel type: 4.00-8 Air
QTY: 500pcs/20GP
Size(L/H/C/A/B/h): 1630/580/695/1040/650/345mm



WB6414P

Load capacity: 160kg
Water capacity: 85L
Sand capacity: 5.5CBF
Wheel type: 4.00-8 Air
QTY: 400pcs/20GP
Size(L/H/C/A/B/h): 1445/620/580/1000/605/330mm



WB7204P

Load capacity: 100kg
Water capacity: 75L
Sand capacity: 5.5CBF
Wheel type: 3.50-6 Air
QTY: 1000pcs/20GP, 2400pcs/40HQ
Size(L/H/C/A/B/h): 1305/620/625/910/640/280mm



Wheelbarrow



WB4626P

Load capacity: 80kg
Water capacity: 65L
Sand capacity: 4.5CBF
Wheel type: 3.50-6 Air
QTY: 1100pcs/20GP, 2600pcs/40HQ
Size(L/H/C/A/B/h): 1200/660/575/790/675/250mm



WB6416P

Load capacity: 150kg
Water capacity: 85L
Sand capacity: 5CBF
Wheel type: 4.00-8 Air
QTY: 400pcs/20GP, 1050pcs/40HQ
Size(L/H/C/A/B/h): 1540/460/655/985/690/360mm



WB6424P

Load capacity: 160kg
Water capacity: 90L
Sand capacity: 5.5CBF
Wheel type: 4.00-8Air
QTY: 400pcs/20GP, 1050pcs/40HQ
Size(L/H/C/A/B/h): 1450/605/585/935/600/355mm



WB6437P

Load capacity: 120kg
Water capacity: 72L
Sand capacity: 4.5 CBF
Wheel type: 4.00-8 Air
QTY: 500pcs/20GP, 1100pcs/40HQ
Size(L/H/C/A/B/h): 1440/615/580/890/670/320mm



WB9611P

Load capacity: 180kg
Water capacity: 140L
Sand capacity: 10CBF
Wheel type: 4.00-8 Air
QTY: 300pcs/20GP, 700pcs/40HQ
Size(L/H/C/A/B/h): 1540/645/640/1090/890/540mm



WB6600

Wheel: 3.00-8 Air
Body Size(L/H/C): 1235/510/345mm
Tray Size(A/B/h): 820/340/295mm





WB0208

Load capacity: 10 kg
 Water capacity: 20 L
 Sand capacity: 0.6 CBF
 Wheel type: 3.00-4 Air
 QTY: 930pcs/40HQ
 Size(L/H/C/A/B/h): 990/430/400/595/430/225 mm
 Carton size: 890/440/320(55)mm



WB0102

Load capacity: 5kg
 Water capacity: 9L
 Sand capacity: 0.4CBF
 Wheel type: 6"plastic
 QTY: 3000pcs/40HQ
 Body Size(L/H/C): 830/380/345mm
 Tray size(A/B/h): 470/365/95mm
 Carton size: 520/400/110mm



WB0103

Load capacity: 5kg
 Water capacity: 9L
 Sand capacity: 0.4CBF
 Wheel type: 6"plastic
 QTY: 2640pcs/40HQ
 Body Size(L/H/C): 815/335/430mm
 Tray size(A/B/h): 475/370/105mm
 Carton size: 480/380/130mm



WB0206

Load capacity: 5kg
 Water capacity: 10L
 Sand capacity: 0.4CBF
 Wheel type: 7"x1.5"
 Body Size(L/H/C): 880/345/295mm
 Tray size(A/B/h): 515/410/95mm



WB0402



WB0403

WB0402

Load capacity: 20kg
 Weight: 5.54KG
 Wheel type: 3.00-4 Air
 Size(L/H/C): 106x760x547mm

WB0403

Split frame
 weight: 5.18kg
 Wheel type: 8" EVA
 Size(L/H/C): 117x68x54cm
 Carton size: 950x630x80mm

Wooden Wagon

TC1801

- With Wooden fence
- Load capacity: 80kg
- Steel tray size: 84x38x12cm
- Body size: 120x49x85cm
- Wheel: 3.50-4 PU/Air
- Weight: 12.38kg
- Carton size: 110x40x15cm
- QTY: 990pcs/40HQ



TC1817

- Steel tray size: 84x38x12cm
- Body size: 120x49x85cm
- Wheel: 8x1.5 PVC
- Weight: 7kg
- Carton size: 86x40x13cm
- QTY: 1400pcs/40HQ



TC1812

- With Canopy: yes or no
- Wagon Weight: 16.2KG;
- Wagon Size(mm): 895L*455W*225H;
- Tray Size(mm): 935l*600w*570h;
- Pneumatic Wheel: 3.00-4;
- Carton Size: 890*455*225mm;
- QTY: 720PCS/40'HQ



TC1803

- Wagon Weight: 10.4KG;
- Wagon Size(mm): 1540L*535W*655H;
- Tray Size(mm): 465l*385w*270h;
- Pneumatic Wheel: 3.50-8,3.50-4;
- QTY:670pcs/40HQ





MC-01

- Load Capacity: 300kg
- Wheel: 10"x3.50-4 Pneumatic
- Tray Size: L1310*W600*H1060mm
- Platform: 122*60cm
- Carton size: 130*65*15cm
- QTY: 520pcs/40HQ



MC-02

- Load Capacity: 150kg (Max: 180KG)
- Pneumatic Wheel: 10"x3.00-4 (Plastic Rim)
- Body Size: L1020*W520*H880mm
- G.W/N.W: 16.5kg/15kg
- Carton Size: 955*530*150mm
- QTY: 380pcs/20'GP; 900pcs/40'HQ



MC-03

- Load Capacity: 300kg
- Pneumatic Wheel: 10"x3.50-4
- Body Size: L965*W510*H250mm
- G.W/N.W: 21kg/20kg
- Carton Size: 1040*540*140mm
- QTY: 820pcs/40'HQ



MC-04

- Load Capacity: 300kg
- Pneumatic Wheel: 10"x3.50-4
- Body Size: L965*W510*H250mm
- G.W/N.W: 21kg/20kg
- Carton Size: 1040*540*140mm
- QTY: 820pcs/40HQ



MC-05

- Load Capacity: 500kg
- Pneumatic Wheel: 4.00-6
- Body Size: L1235*W615*H1035 mm
- G.W/N.W: 32kg/21kg
- Carton Size: 1290*650*160mm



MC-06

- Load Capacity: 500kg
- Pneumatic Wheel: 13"x5.00-6
- Body Size: L1220*W600*H325 mm
- G.W/N.W: 30kg/28kg
- Carton Size: 1290*640*160mm
- QTY: 504pcs/40HQ



MC-07

- Pneumatic Wheel: 10"x3.50-4
- Body Size: L1200*W750*H300mm
- G.W/N.W: 22kg/21kg
- Carton Size: 1040*540*160mm
- QTY: 760pcs/40HQ



MC-08

- Pneumatic Wheel: 10"x3.00-4
- Body Size: L860*W460*H230mm
- G.W/N.W: 17kg/16kg
- Carton Size: 900*500*140mm
- QTY: 1000pcs/40HQ



MC-09

- Load Capacity: 150kg
- Pneumatic Wheel: 13"x5.00-6
- Body Size: L1180*W740*H230 mm
- G.W/N.W: 26kg/24kg
- Carton Size: 1200*760*250mm
- QTY: 275pcs/40HQ

Ideal for yard and landscaping projects

- Balanced Dumping Feature Makes Unloading Quick and Easy
- 4-Wheel Design Maximizes Srability on any Terrain
- Maintenance-Free Poly Bed Won't Rust and Cleans Easily
- 10inch(25.4cm)Pneumatic Tires

TC4253	Tray size(mm)	Wheel type	Carton size(mm)	G.W(kg)	N.W(kg)	QTY
Small	860x470x180	10x3.00-4 Air	880x490x195	15.3	12.3	780pcs/40HQ
Common	950x510x215	10x3.50-4 Air	950x540x230	17	15	632pcs/40HQ
Large	1060x585x300	13x5.00-6 Air	1080x600x310	28	24	308pcs/40HQ

Heavy duty
Dump
Cart



Paddle handle
for comfort

Heavy duty 600 lb.
capacity

Patented dump
mechanism makes
unloading easy

Heavy-duty
steel frame

10in. pneumatic turt tires for
a smooth ride

Heavy duty Dump Trailer

Black plastic tray
200KG capacity



Small

Common

TC3080PL

Load capacity: 300kg

Pneumatic Wheel: 16*4.00-8

Body Size: 1200*950*300mm

G.W/N.W: 33kg/32kg

Packing: plastic tray in pallet, part in carton

QTY:410pcs/40HQ



Heavy Duty Steel Garden Grass Lawn Roller Water Sand Filled

Big lawn roller GT101

Specifications:

- Material: Metal
- Colour: Green
- Overall Size: 62 L × 33 W × 107 H (cm)
- Roller Size: 52L × Φ33 (cm)
- Roller Volume: 45L
(fill with water or sand)
- Net Weight: 9.6kg
- Carton Size: 66x36x36cm
- QTY: 750pcs/40HQ



Small lawn roller GT102



Specifications:

- Material: Metal
- Colour: Green
- Overall Size: 50.5 L × 30.3 W × 107 H (cm)
- Roller Size: 40L × Φ30 (cm)
- Roller Volume: 30L
(just fill with sand)
- Net Weight: 6.1kg
- Carton Size: 52x31.5x31.5cm
- QTY: 1250pcs/40HQ



Nail ring

- Nail Length: 5cm
- Nail diameter: 4mm
- Diemention: 385x385x20mm
- Weight: 0.33kg
- Surface treatment: sprayed or galvanized
- Packing: 5pcs/carton, carton size: 41x41x12cm



Big lawn roller GT103

Specifications:

- Material: Metal
- Colour: Green
- Overall Size: 50 L × 32 W × 111 H (cm)
- Roller Size: 42L × Φ32 (cm)
- Roller Volume: 30L
(just fill with water)
- Net Weight: 9.1kg
- Carton Size: 53.5x32x32cm
- QTY: 490pcs/40HQ



Small lawn roller GT104

Specifications:

- Material: Metal
- Colour: Green
- Overall Size: 87 L × 33 W × 111 H (cm)
- Roller Size: 78L × Φ33 (cm)
- Roller Volume: L
(just fill with water)
- Net Weight: kg
- Carton Size: cm
- QTY: pcs/40HQ

Removable filler plug



Features:

- *Constructed of metal;
- *Ideal for packing loose dirt and flatten the ground evenly;
- *It is small enough to maneuver in tight space and durable enough to roll larger open space;
- *Easy to use, fillable garden roller, just fill with water or sand;
- * Black rubber handle for your convenience;
- *Assembly required.

FOUR WHEEL HOSE REEL CART

**Heavy-Duty Frame & Pneumatic Wheels Provide Complete
Stability To Help Prevent Tipping & Easy Movement Over Uneven Ground



TC1850A

- Wheel: 10"x3.50-4 PU
- Body Size(L/W1/H): 950x570x970mm
- with 1.8m tube only
- Carton Size:62x44.5x48.5cm



TC1850

- Wheel: 10"x3.50-4 PU
- Body Size(L/W1/H): 950x630x1100mm
- with 1.8m tube only
- Carton Size:65x51x52cm



GT1851

- Wheel type: 10"x3.50-4 Air
- Body size(L/W1/H): 940x570x1040mm



GT1852

- Wheel type: 10"x3.50-4 Air
- Body size(L/W1/H): 1100x620x1060mm



GT1853

- Wheel type: 10"x3.50-4 Air
- Body size(L/W1/H): 1030x630x1070mm



TC4706E

- Wheel: 10"x3" PU
- Body Size(L/W1/H): 560x660x895mm
- QTY:650pcs/40HQ



KNEELING OR SEATED GARDEN BENCH GT208


- Load capacity: 100kg
- Body size: L590*W265*H470mm
- Folding size: L590*W280*H125mm



seat



kneeler



foldable to save space



TC4501B

- Load Capacity: 150kgs
- Body Size: L810xW445xH540mm
- Material: Steel + Rubber
- Wheel: 10"x3.50-4 Pneumatic



TC4501A

- Load Capacity: 150kgs
- Body Size: L780xW450xH470/840mm
- Material: Steel + Rubber
- Wheel: 10"x3.50-4 Pneumatic



GT4500

- Net weight: 2.7 KG
- Loading: 30 KG
- Water capacity: 48L
- Size: 485*350*840 mm
- Wheels: 2*5"



Foldable Wheelbarrow WB0402


- Load capacity: 20kg
- Wheel type: 3.00-4
- Size(L/H/C): 1010/770/570mm



Foldable Wheelbarrow WB0403

- Load capacity: 20kg
- Wheel type: 8"x1.75" solid
- Size(L/H/C): 1040/775/615mm

■ Dog Fence 笼子



CAGE-02-60

- Size: W80*H60cm
- N.W/G.W:18/19.5KG
- Carton size: 82*62*15.5CM

CAGE-02-80

- Size: W80*H80cm
- N.W/G.W: 21/23KG
- Carton size: 81/83/15.5CM

CAGE-02-100

- Size: W80*H100cm
- N.W/G.W: 24/26.5KG
- Carton size: 101.5/82/15.5CM

CAGE-02-120

- Size: W80*H120cm
- N.W/G.W: 27/29.7KG
- Carton size: 122.5/82/15.5CM

■ Bird CAGE 笼子



Aviary bird cage aviary cage bird pet cage

- Total height: 146 cm
- Outside cage: 146cm x 54cm x 54 cm (H / W / D)
- Inside cage: 113cm x 53 cm x 53 cm (H / W / D)
- Grid thickness: 2mm
- Grid spacing: 1.7 cm
- Large screen door: 14 cm x 23 cm (H / B)
- Small screen door: 14 cm x 11.5 cm (H / B)
- Weight: 13.5 kg




3685-2

Aviary bird cage aviary cage bird house bird animal cage

- Total height: 162 cm (incl. Roof)
- Outside cage: 130cm x 52cm x 52 cm (H / W / D)
- Outside Roof: 65 cm x 66 cm (B / T)
- Inside cage: 128cm x 50 cm x 50 cm (H / W / D)
- Grid thickness: 2mm
- Grid spacing: 1.3 cm
- Large screen door: 20 cm x 26 cm (H / B)
- Small screen door: 20 cm x 12 cm (H / B)
- Weight: 16.6 kg



3685-1



LOG CART GT134

- Load capacity: 150kg
- Body size(L/W1/H):41/34/96cm
- Wheels: 8 inch
- Weight: 14.22kg
- QTY: 540pcs/20GP
- Carton size: 98x48x9cm



LOG CART GT137

- GW: 6.5 kg
- Wheel type: solid
- Body Size(L/W1/H): 425x380x805mm



LOG CART GT128

- Material: steel tubular(dia22*1.2mm)
- Size: L45" / W14" / H46"
- QTY: 1800pcs/40HQ
- N.W: 7.57kg




LOG CART GT131

- Material:steel plate
- Net weight: 2.2kg/pc
- Size: L335*W100*H155 mm
- Hot-dip sheet galvanizing or electrolytic zinc
- QTY: 7820pcs/40HQ



LOG CART GT135

- Load Capacity: 250kg
- Wheel: 8"
- Body Size(L/W1/H): 1040/360/610 mm



Glass panels moving cart



GT110



GT111



HT1418

- Load capacity: 80kg
- Pneumatic wheel: 6"
- Size(L/W1/H):1250/710/350mm
- Toe plate width(W2): 460mm
- QTY: 350pcs/20GP



HT1418D

- Load capacity: 80kg
- Pneumatic wheel: 6"
- Size(L/W1/H):1250/710/350mm
- Toe plate width(W2): 460mm
- QTY: 350pcs/20GP



HT1418E

- Load capacity: 80kg
- Pneumatic wheel: 6"
- Size(L/W1/H):1250/710/350mm
- Toe plate width(W2): 460mm
- QTY: 350pcs/20GP



HT1418G

- Load capacity: 80kg
- Pneumatic wheel: 6"
- Size(L/W1/H):1250/710/350mm
- Toe plate width(W2): 460mm
- QTY: 350pcs/20GP



Welding cart TC4222

- Body size: 80x39.5x69cm
- Board thickness:1.2mm
- Wheel:8 inch solid wheel and 3 inch caster wheel
- G.W/N.W: 10kg
- Carton Size:
- QTY:1296PCS/20GP



Welding cart TC4222A

- Handle:with handle
- Body size: 80x39.5x99cm
- Board thickness:1.2mm
- Wheel:8 inch solid wheel and 3 inch caster wheel
- G.W/N.W: 10.5kg
- Carton Size:
- QTY:1056PCS/20GP



Welding cart TC4222B

- Handle:with handle
- Body size: 80x39.5x69cm
- Board thickness:1.2mm
- Wheel:8 inch solid wheel and 3 inch caster wheel
- With 4 tool drawer
- G.W/N.W: 19kg
- Carton Size:
- QTY:672PCS/20GP



Planter TC2014

- 1.Load capacity: 15kg
- 2.Water capacity: 15L
- 3.Wheel type: 8" solid wheel
- 4.Size: 1050x460x750mm
- 5.QTY: 1450 pcs/40GP




Planter TC2026

- 1.Tray Size: 470x380x20cm
- 2.Size: 940x470x670mm
- 3.G.W: 5.7KGS
- 4.Cartan size: 540x480x490mm



SC001

- Weight: 19KG
Body Size: 632*420*1055
Carton size: 655*315*955mm






***PVC/PE/PU**

***Durable 600D polyester fabric for easy cleaning;**

***Color: Customized**

ATLAS



La force habile



Great Gift For Children



 **GT1800**



Product Specification

- Model: GT1800 (T handle);
- Material: Steel Tube + 600D Oxford Cloth + PVC Wheel;
- Dimension:
 - Overall Size: 63.5x38x98.5cm;
 - Load Space: 55x37x24cm;
- Wheels: 6x1.5 inch;
- Package: 1pc /carton;
- Carton Size: 47x17x62 cm;
- QTY: 1500pcs/40HQ.



GT1801



8*1.75 Pvc Wheel



Carry Bag

Product Specification

- Model: GT1801(single handle);
- Material: Steel Tube + 600D Oxford Cloth + PVC Wheel;
- Dimension:
 - Overall Size: 104x53x117.5cm;
 - Load Space: 82x45x26cm;
 - Folded: 53x13x67 cm;
- Wheels: 8x 1.75 inch ;
- Weight: 9.2 kg;
- Package: 1pc /carton;
- Carton Size: 55x15x69 cm;
- QTY:1100pcs/40HQ.



Cloth Pocket





Product Specification

Model	Handle	Dimension (L/W/H)(cm)			Wheels	Weight	Carton Size & QTY	Others
		Overall	Load space	Folded				
GT1802	 Telescopic handle	95x54x101	82x45x26	53x13x67	8x1.75inch pvc	9.6kg	55x15x69cm 1100pcs/40HQ	
GT1802A		116x52x110	82x45x26	53x13x67	8x1.75inch pvc	9.9kg	55x15x69cm 1100pcs/40HQ	With folding plastic table
GT1802B		95x60x101	82x45x26	53x13x67	7x4 inch pvc	10.2kg	64.5x20.5x80cm 660pcs/40HQ	



Half size carry bag



Full size carry bag





Product Specification

- Model: GT1803(telescopic handle + folding handle);
- Material: Steel Tube + 600D Oxford Cloth + PU Wheel;
- Dimension:
 - Overall Size: 130x60x98.5cm;
- Wheels: 7x4 inch ;
- Weight: 10.8kg;
- Package: 1pc /carton;
- Carton: 62x23.5x83cm;
- QTY: 558PCS/40HQ.





Product Specification



 **GT1804**

- Model: GT1804(telescopic handle);
- Material: Steel Tube + 600D Oxford Cloth + PVC Wheel;
- Dimension:
 - Overall Size: 125x55x100cm;
 - Load Space: 82x45x26cm;
 - Folded: 53x13x67 cm;
- Wheels: 8x1.75 inch ;
- Weight: 12.1kg;
- Package: 1pc /carton;
- Carton Size: 55x15x69cm;
- QTY: 1100pcs/40HQ.



Product Specification




 **GT1804A**

- Model: GT1804A(telescopic handle);
- Material: Steel Tube + 600D Oxford Cloth + PVC Wheel;
- Dimension:
 - Overall Size: 125x55x100cm;
 - Load Space: 82x45x26cm;
 - Folded: 53x13x67 cm;
- Wheels: 8x2.8 inch ;
- Weight: 13kg;
- Package: 1pc /carton;
- Carton Size: 55x15x69cm;
- QTY: 1100pcs/40HQ.




OUTDOOR FOLDING WAGON



Product Specification

Model	Handle	Dimension (L/W/H)(cm)			Wheels	Weight	Carton Size & Qty	Others
		Overall	Load Space	Folded				
GT1805	T Handle 	100x50x98	90x45x31	75.5x30x19	7x1.5 inch pvc	10.9kg	76.5x31x20cm 1400pcs/40HQ	
GT1805A		100x50x98	90x45x31	75.5x30x19	7x1.5 inch pvc	11kg	76.5x31x20cm 1400pcs/40HQ	
GT1805B		100x54x98	90x45x31	74x36x26	7x4 inch pvc	12kg	76x37x28cm 850pcs/40HQ	





Product Features



Side column, plastic connector to prevent inner column be scratched by outer column.



Removable cloth pocket, it's easy to clean the body cloth.



Thicker material. The top side of the connector is thickened, built-in screws are not easy to scratch user fingers.



bearing plate



wheel with brake



The webbing and the Velcro are lengthened, When the folding wagon is unfolded, the webbing will not rub against the ground.



Pull the wagon in a closed position





GT1806

Product Specification

- Model: GT1806(telescopic handle);
- Material: Steel Tube+600D Oxford Cloth+Plastic Wheel;
- Dimension:
 - Overall Size: 92x53x106cm
 - Load space: 78x49x29cm
 - Folded: 78x54.5x20cm
- Load Capacity 150kg;
- Weight: 11.3kg;
- Plastic Wheels: 8 inch (20x8cm);
- Package: 1pc /carton;
- Carton Size: 55x22.5x82.5cm;
- QTY: 702pcs/40HQ.



Roomy, Heavy-Duty Wagon

Offers a large capacity to haul gear to outdoor events, trips, concerts, and more



Effortless Maneuvering

All-terrain wires are easy to control and won't get stuck in sand or stones



Easy to fold & Carry

Pull strap and an include cover make transportation a child's play



Maintenance is a Breeze

Velcro assembly makes the fabric easy to remove and wash



Pull with Adjustable Handle

- 1.Handle adjusts to user's height
- 2.Lock handle to suitable length
- 3.Attach handle when not needed



Lots of Room for Outdoor Activities and Easy Transportation

Product Specification

- Model: GT1806A(telescopic handle);
- Material: Steel Tube + 600D Oxford Cloth + Plastic Wheel;
- Dimension:
 - Overall Size: 92.5x53.5x106cm
 - Load space: 78x49x29 cm
 - Folded: 78x54.5x25.4cm
- Load Capacity 150kg;
- Weight: 12.6kg;
- Wheels: 10inch;
- Package: 1pc /carton;
- Carton Size: 85x56x25cm.



 **GT1806A**



The heavy duty frame allows loads up to 150 lbs



Adjustable handle for effortless transport and 2 mesh cup holders keep your beverage secure



Full Collapsible



Rugged 4x10inch plastic wheels



Durable 600D polyester fabric



Strong steel frame construction



GT1807

Product Specification

- Model: GT1807;
- Material: Steel Tube + 600D Oxford Cloth + PU Wheel;
- Dimension:
 - Overall Size: 115x47.5x122cm
 - Load space: 89x48.5x25cm
 - Folded: 76.5x47.5xcm
- Load Capacity 150kg
- Weight: 10.4kg
- Plastic Wheels: 7x4inch;
- Package: 1pc /carton;
- Carton Size: 52.5x21.5x80.5cm
- QTY: 760pcs/40HQ.



GT1808



Product Specification

- Model: GT1808;
- Material: Steel Tube + 600D Oxford Cloth + PVC Wheel;
- Dimension:
 - Overall Size: 125x48x122cm
 - Load space: 87x43x25cm
 - Folded: 50x22.5x77cm
- Load Capacity: 80kg
- Weight: 8.2kg
- Plastic Wheels: 7x1.5inch;
- Package: 1pc /carton;
- Carton Size: 78x51x23cm
- QTY: 760pcs/40HQ.

GT1809



Product Specification

- Model: GT1809;
- Material: Steel Tube + 600D Oxford Cloth + PU Wheel;
- Dimension:
 - Overall Size: 130x61x121cm
 - Load space: 88x43x26cm
 - Folded: 59x24x88cm
- Load Capacity: 80kg
- Weight: 11.5kg
- Plastic Wheels: 7x4inch;
- Package: 1pc /carton;
- Carton Size: 61.5x24.5x78cm
- QTY: 570pcs/40HQ.



Wide wheels



Retractable support rod



With insulation layer back pocket




Beach Folding Cart




GT1810

Product Specification

- Model: GT1810;
- Material: Steel Tube + 600D Oxford Cloth + PVC Wheel;
- Dimension:
 - Overall Size: 75x59x98cm
 - Load space: 89x48.5x25cm
 - Folded: 76.5x47.5xcm
- Load Capacity 150kg
- Weight: 7kg
- Plastic Wheels: 7x4inch;
- Package: 1pc /carton;
- Carton Size: 52.5x21.5x80.5cm
- QTY: 760pcs/40HQ.



Wheels for folding wagon



PVC wheel



1 7x1.5 inch

- Diameter: 175mm
- Width: 37mm
- Bearing hole: 8.5mm
- Hub length: 47mm
- Weight: 290g



2 7x4 inch

- Diameter: 180mm
- Width: 99mm
- Bearing hole: 8.7mm
- Hub length: 106mm
- Weight: 870g



3 8x3 inch

- Diameter: 200mm
- Width: 80mm
- Bearing hole: 11.7mm
- Hub length: 91.7mm
- Weight: 410g

Solid rubber wheel



1 7x1.5 inch

- Diameter: 180mm
- Width: 37.8mm
- Bearing hole: 13mm
- Hub length: 37mm
- Weight: 900g



1 8x1.75 inch

- Diameter: 202mm
- Width: 47mm
- Bearing hole: 12.6mm
- Hub length: 48mm
- Weight: 1.42kg

PU wheel



1 7x1.5 inch

- Diameter: 180mm
- Width: 37.4mm
- Bearing hole: 10.5mm
- Hub length: 46.7mm
- Weight: 240g



1 8x1.75 inch

- Diameter: 200mm
- Width: 40mm
- Bearing hole: 8.6mm
- Hub length: 53mm
- Weight: 290g



Pattern 1

Pattern 2

Pattern 3

1 7x4 inch

- Diameter: 180mm
- Width: 99.6mm
- Bearing hole: 8.7mm
- Hub length: 107.6mm
- Weight: 525g



1 8x2.8 inch

- Diameter: 196.7mm
- Width: 72.5mm
- Bearing hole: 8mm
- Hub length: 87.7mm
- Weight: 555g

TC3003



removable, weather-resistant cover
Easy to assemble
Fabric: Polyester: 100%



With a foldable stand



Ball coupling system for quick attachment to the bike



Equipped with 2 handles on the drawbar for use as a hand wagon

Bike Cargo Trailer

- *Mode: TC3003
- *Material: Steel frame+PE transportation crate+600D nylon cover
- *Removable transportation crate capacity: 57L
- *Overall size with drawbar: 150x63x93cm (L x W x H)
- *Transportation crate dimensions: 61x42x31cm (W x D x H)
- *Maximum load capacity: 60kg
- *Weight: 9.9kg
- *16"x1.75" pneumatic wheels





Foldable Bicycle Cargo Trailer

Feature

- * Lightweight steel frame
- * Specially strengthened solid PE bottom
- * Specially strengthened steel bar beside the wheels provides exceptional balance and steady
- * Specially strengthened steel drawbar
- * Easy to assemble and folds down for storage
- * The cargo trailer is easy to load and unload goods
- * The right and left of the cargo trailer can be folded inwards
- * The front and back gates can be pulled down
- * One bicycle hitch/connector included, you do not need anything else to connect the trailer to the bike
- * 4 reflectors total on back and wheels



TC3005

- * Overall size with drawbar: 130x72.5x49cm (L x W x H)
- * Cargo Area dimensions: 70x48x20cm (W x D x H)
- * Weight: 13.2kg
- * 16"x2.125" pneumatic wheels




2-in-1 Pet Bike Trailer & Stroller



Specifications:

- * Material: Oxford fabric + steel frame
- * Overall dimensions with handle: 53.1" x 21.7" x 38.6" (L x W x H)
- * Cabin dimensions: 23.6" x 16.9" x 19.7" (L x W x H)
- * Front wheel diameter: 6.7"
- * Rear wheel diameter: 11.8"
- * Weight: 9.5kg
- * Can be easily converted into a pet stroller without tools
- * Front wheel can swivel 360 degrees
- * Quick-release rear wheels
- * With removable plastic rain cover
- * Fabric: Polyester: 100%



UNIVERSALLY FIT:
Universal coupler easily attaches to almost any bicycle and mountain bike



DUAL ENTRY:
Zipped door design allows for easy entrance and exit for your furry companion



SMOOTH WHEEL:
Extra wide wheels for easy rolling and 2 reflectors on each wheel for added safety in driving

Pet Bike Trailer & Stroller



Specifications:

- * Frame material: Steel
- * Length (incl. shaft): 51.2"
- * Overall size: 30.7" x 27.6" x 35.4" (L x W x H)
- * Inside dimensions: 29.5" x 21.7" x 25.6" (L x W x H)
- * Unit weight: 33 lb
- * Maximum loading weight: 57.3 lb
- * Maximum suggested running speed: 9.3 mph
- * Reflector: 2 front and 2 back
- * Wheels with guard closure: Yes
- * Anti-slip bottom: Yes
- * Safe cage construction: Yes
- * Safety flag: Yes
- * Wind- and waterproof: Yes
- * Mosquito window nets: Yes
- * Foldable: Yes
- * Air tires: Yes



UNIVERSALLY FIT:
Universal coupler easily attaches to almost any bicycle and mountain bike



SMOOTH WHEEL:
Extra wide wheels for easy rolling and 2 reflectors on each wheel for added safety in driving





GT100

Model	GT100
Load capacity	100Kg
Body Material	PP
Size(L/W/H)	600/395/110mm
Wheel	3 inches caster wheel x4
N.W.	2.55Kg



GT200

Model	GT200
Load capacity	200Kg
Body Material	PP
Size(L/W/H)	600/395/110mm
Wheel	3 inches caster wheel x5
N.W.	2.85Kg



GT300

Model	GT300
Load capacity	200Kg
Body Material	Iron pipe+PP
Size(L/W/H/h)	570/390/1035/135mm
Wheel	3 inches caster wheel
N.W.	3.00Kg



GT300A

Model	GT300A
Load capacity	300Kg
Body Material	Iron pipe+PP
Size(L/W/H/h)	570/390/1035/135mm
Wheel	3 inches caster wheel
N.W.	3.60Kg



GT300F

Model	GT300F
Load capacity	300Kg
Body Material	Iron pipe+PP
Size(L/I/W/H/h)	750/560/380/1035/135mm
Wheel	3 inches caster wheel
N.W.	4.1Kg



GT042

Model	GT042
Load capacity	100Kg
Body Material	PP
Size(L/W/H)	420/290/102mm
Wheel	2.5 inches caster wheel
N.W.	1.30Kg



GT063

Model	GT063
Load capacity	300Kg
Body Material	PP
Size(L/W/H)	630/430/155mm
Wheel	3 inches caster wheel
N.W.	2Kg



PH150

Model	PH150
Load capacity	150Kg
Body Material	Steel
Size(L/W/H/h)	720/470/825/230mm
Wheel	4 inches caster wheel
N.W.	7.9Kg



PH300

Model	PH300
Load capacity	300Kg
Body Material	Steel
Size(L/W/H/h)	890/610/880/280mm
Wheel	5 inches caster wheel
N.W.	12.5Kg



PH150P

Model	PH150P
Load capacity	150Kg
Body Material	PP
Size(L/W/H/h)	700/450/723/142mm
Wheel	4 inches caster wheel
N.W.	7.1Kg



PH300P

Model	PH300P
Load capacity	300Kg
Body Material	PP
Size(L/W/H/h)	916/616/863/209mm
Wheel	4 inches caster wheel
N.W.	13Kg



PH110P

Model	PH110P
Load capacity	110Kg
Body Material	PC
Size(L/W/H)	700/410/810mm
Wheel	4 inches caster wheel
N.W.	7Kg



GT5001

Model	GT5001
Load capacity	100kg
Body Material	PP
Size(L/W/H)	415*700*155mm
Wheel	4 inch caster wheel
N.W.	6.5kg



GT1001

Model	GT1001
Load capacity	100kg
Body Material	PP
Size(L/W/H)	460*725*810mm
Wheel	4 inch caster wheel
N.W.	5.8kg



GT1003

Model	GT1003
Load capacity	100kg
Body Material	PP
Size(L/W/H)	460*725*810mm
Wheel	4 inch caster wheel
N.W.	6.8kg



防震螺丝，承重力强
Shockproof screws, strong load



GT1521

Model	GT1521
Load capacity	150kg
Body Material	PP
Platform Size(L/W)	70*45CM
Carton Size	76*14*51CM
N.W.	7.5kg



加重型
Strengthening by steel



GT3031

Model	GT3031
Load capacity	300kg
Body Material	PP
Platform Size(L/W)	90*60CM
Carton Size	91*14*61CM
N.W.	12.8kg



GT1521-1

Model	GT1521-1
Load capacity	150kg
Body Material	PP
Platform Size(L/W)	72*47CM
Carton Size	74*14*49CM
N.W.	6.6kg



GT2011

Model	GT2011
Load capacity	200kg
Body Material	PP
Platform Size(L/W)	90*60CM
Carton Size	91*14*61CM
N.W.	9.6kg

PH150

Model	PH150
Load capacity	150Kg
Body Material	Steel
Size(L/W/H/h)	720/470/825/230mm
Wheel	4 inches caster wheel
N.W.	7.9Kg

PH300

Model	PH300
Load capacity	300Kg
Body Material	Steel
Size(L/W/H/h)	890/610/880/280mm
Wheel	5 inches caster wheel
N.W.	12.5Kg

PH150P

Model	PH150P
Load capacity	150Kg
Body Material	PP
Size(L/W/H/h)	700/450/723/142mm
Wheel	4 inches caster wheel
N.W.	7.1Kg

PH300P

Model	PH300P
Load capacity	300Kg
Body Material	PP
Size(L/W/H/h)	916/616/863/209mm
Wheel	4 inches caster wheel
N.W.	13Kg

PH110P

Model	PH110P
Load capacity	110Kg
Body Material	PC
Size(L/W/H)	700/410/810mm
Wheel	4 inches caster wheel
N.W.	7Kg



GT138

Model	GT138
Load capacity	300Kg
Size(L/W/H)	L460mm/W310mm/H135mm
Caster	3"



GT139

Model	GT139
Load capacity	300Kg
Size(L/W/H)	L765mm/W465mm/H140mm
Caster	3"



GT514

Model	GT514
Load capacity	300Kg
Size(L/W/H)	L760mm/W460mm/H175mm
Caster	4"



GT515

Model	GT515
Load capacity	450Kg
Size(L/W/H)	L760mm/W450mm/H195mm
Caster	4"



GT521

Model	GT521
Load capacity	100Kg
Size(L/W/H)	L600mm/W300mm/H118mm
Caster	3"
Own Weight	2.50Kg



GT522

Model	GT522
Load capacity	300Kg
Size(L/W/H)	L600mm/W350mm/H145mm
Caster	4"
Own Weight	4.50Kg



Sweeper GT920S

1. Material: HDPE
2. Volume: 40L
3. Size: 1300*920*1035mm
4. Packaging: One carton/ per piece
5. Packaging Size: 89*81*40cm
6. Working width: 920mm
7. Max sweeping speed: 3600 sq.m/hr
8. N.W: 22 kg
9. G.W: 25 kg
10. QTY: 210ps/40HQ



Sweeper GT650S

1. Hopper: 16L
2. Sweeper width: 650MM
3. Material: plastic
4. Size: 650X630X1150mm
5. Packaging: One carton/ per piece
6. Packaging Size: 63*55*23cm
7. N.W: 11 kg
8. G.W: 11.8 kg
9. QTY: 750pcs/40HQ




FC6418

Model	FC6418
Load capacity	30Kg
Body Material	100% virgin PP
Size(L/W/H)	600*400*180mm
Quantity(20gp/40HQ):	1500 pcs/3600 pcs
N.W.	1.74kg
Folded Size	600*400*75mm




FC6423

Model	FC6423
Load capacity	50Kg
Body Material	100% virgin PP
Size(L/W/H)	600*400*230mm
Quantity(20gp/40HQ):	1500 pcs/3600 pcs
N.W.	1.93Kg
Folded Size	600*400*75mm



FC6428

Model	FC6428
Load capacity	50Kg
Body Material	100% virgin PP
Size(L/W/H)	600*400*280mm
Quantity(20gp/40HQ):	1500 pcs/3600 pcs
N.W.	2.1Kg
Folded Size	600*400*75mm



FC6434

Model	FC6434
Load capacity	50Kg
Body Material	100% virgin PP
Size(L/W/H)	600*400*340 mm
Quantity(20gp/40HQ):	1500 pcs/3600 pcs
N.W.	2.34Kg
Folded Size	600*400*75mm



FB6418

Model	FB6418
Load capacity	30Kg
Body Material	100% virgin PP
Size(L/W/H)	600*400*180mm
Quantity(20gp/40HQ):	1500 pcs/3600 pcs
N.W.	1.89kg
Folded Size	600*400*75mm



FB6423

Model	FB6423
Load capacity	50Kg
Body Material	100% virgin PP
Size(L/W/H)	600*400*230mm
Quantity(20gp/40HQ):	1500 pcs/3600 pcs
N.W.	2.03Kg
Folded Size	600*400*75mm



FB6428

Model	FB6428
Load capacity	50Kg
Body Material	100% virgin PP
Size(L/W/H)	600*400*280mm
Quantity(20gp/40HQ):	1500 pcs/3600 pcs
N.W.	2.15Kg
Folded Size	600*400*75mm



FB6434

Model	FB6434
Load capacity	50Kg
Body Material	100% virgin PP
Size(L/W/H)	600*400*340 mm
Quantity(20gp/40HQ):	1500 pcs/3600 pcs
N.W.	2.46Kg
Folded Size	600*400*75mm



GT122

Model	GT122
Size(L/W/H)	90x40x180cm
Layer	5 layers
Board Material	MDF
Load capacity	175-265Kg



GT123

Model	GT123
Size(L/W/H)	90x40x180cm
Layer	5 layers
Board Material	MDF
Load capacity	175-265Kg



GT124

Model	GT124
Size(L/W/H)	90x40x180cm
Layer	5 layers
Board Material	MDF
Load capacity	175-265Kg



GT126

Model	GT126
Size(L/W/H)	90x40x180cm
Layer	5 layers
Board Material	MDF
Load capacity	175-265Kg



GT124

Model	GT122
Size(L/W/H)	90x40x180cm
Layer	5 layers
Board Material	MDF
Load capacity	175-265Kg



GT125

Model	GT123
Size(L/W/H)	90x40x180cm
Layer	5 layers
Board Material	MDF
Load capacity	175-265Kg



GT1524

Model	GT124
Size(L/W/H)	90x40x180cm
Layer	5 layers
Board Material	MDF
Load capacity	175-265Kg



GT2200

Model	GT126
Size(L/W/H)	90x40x180cm
Layer	5 layers
Board Material	MDF
Load capacity	175-265Kg

WHEELS

WHEEL CHOICE:

While choosing a wheel, you would consider several elements: what size and load, pneumatic or solid, or semi-pneumatic, steel or plastic rim, hub length, bearing diameter etc. Commonly: a wheel include:

Tires: different tire thread, 2PR or 4PR


tubes: natural or butyl tube;

Rim: Steel or plastic rim, offset or centered. If steel, powdered coated, or zinc plated.


bearing: ball bearing, roller bearing or nylon/steel bushing

Details refers to spare parts (tire, tube and bearing)


We are able to meet customer' s request.



Diameter



Width



Hub length



Bearing hole



PVC 0601
(6"x1.5")



PVC 0701
(7"x1.5")



PVC 0702
(7"x4")



PVC 0801
(8"x1.75")



PVC 0804
(8"x1.78")



PVC 0802
8"x1.87"



PVC 0803
8"x3"



PVC 0901
(9"x2.75")



PVC 1002
(10"x3")




PVC 1003
(10"x4")




PVC 1101
(11")



PVC 1201
(12")

MODEL	SIZE	 Diameter	 Width	 Hub length	 Bearing hole
PVC 0601	6"x1.5"	150mm	39mm	55mm	9mm
PVC 0701	7"x1.5"	170mm	37mm	46.7mm	8.5mm
PVC 0702	7"x4"	180mm	99mm	106mm	8.7mm
PVC 0801	8"x1.75"	195mm	38mm	54.4mm	8.8mm
PVC 0802	8"x1.78"	199.6mm	45mm	-	-
PVC 0803	8"x1.87"	195mm	47.7mm	53mm	8mm
PVC 0901	8"x3"	200mm	80mm	91.7mm	11.7mm
PVC 1001	9"x2.75"	225mm	70mm	60mm	13mm
PVC 1002	10"x3"	245mm	43.7mm	52mm	13mm
PVC 1003	10"x4"	250mm	104.8mm	45mm	17.5mm
PVC 1101	11"x2.5"	275mm	63mm	55.6mm	13.5mm
PVC 1201	12"x5.6"	305mm	142mm	63mm	12.6mm



PU 0601
(6"x2")



PU 0701
(7"x2")



PU 0702
(7"x4")



PU 0801
(8"x1.5")



PU 0802
(8"x1.75")



PU 0803
(8"x1.75")



PU 0804
(8"x2.50-4)



PU 0805
(8"x2.50-4)



PU 0806
(8"x2.50-4)




PU 0807
(8"x2.50-4)



PU 0808
(8"x2.50-4)



PU 0809
(8"x2.50-4)

MODEL	SIZE	 Diameter	 Width	 Hub length	 Bearing hole
PU 0601	6"x2"	153mm	48mm	52mm	12mm
PU 0701	7"x2"	186mm	47mm	37mm	12.7mm
PU 0702	7"x4"	175mm	100mm	108mm	9mm
PU 0801	8"x1.5"	200mm	40mm	39mm	15mm
PU 0802	8"x1.75"	200mm	40mm	53mm	8.5mm
PU 0803	8"x1.75"	200mm	45mm	47mm	12mm
PU 0804	8"x2.50-4	210mm	62mm	52mm	20mm
PU 0805	8"x2.50-4	220mm	56mm	59.6mm	10mm
PU 0806	8"x2.50-4	210mm	57mm	55mm	12mm
PU 0807	8"x2.50-4	216mm	55mm	48mm	16mm
PU 0808	8"x2.50-4	220mm	60mm	-	-
PU 0809	8"x2.50-4	203mm	63mm	57mm	16mm



PU 0810
(8"x2.4")



PU 1001
(10"x3.00-4)



PU 1002
(10"x3.00-4)



PU 1003
(10"x3.00-4)



PU 1004
(10"x3.00-4)



PU 1005
(10"x3.00-4)



PU 1006
(10"x3.00-4)



PU 1007
(10"x3.50-4)



PU 1008
(10"x3.50-4)




PU 1009
(10"x3.50)




PU 1010
(10"x3.50-4)



PU 1011
(10"x3.50-4)

MODEL	SIZE	 Diameter	 Width	 Hub length	 Bearing hole
PU 0810	10"x3.00-4	200mm	60.87mm	67.9mm	22mm
PU 1001	10"x3.00-4	270mm	85mm	75mm	20mm
PU 1002	10"x3.00-4	254mm	74mm	70mm	19mm
PU 1003	10"x3.00-4	254mm	74mm	75mm	20mm
PU 1004	10"x3.00-4	255mm	75mm	78mm	16mm
PU 1005	10"x3.00-4	250mm	75mm	59mm	16mm
PU 1006	10"x3.00-4	240mm	60mm		12mm
PU 1007	10"x3.50-4	255mm	80mm	75mm	20mm
PU 1008	10"x3.50-4	260mm	79mm	48mm	16mm
PU 1009	10"x3.50	250mm	66.5mm	52.3mm	34.6mm
PU 1010	10"x3.50-4	250mm	85mm	68mm	20mm
PU 1011	10"x3.50-4	275mm	84mm	53mm	16mm



PU 1012
(10"x3.50-4)



PU 1013
(260x85)



PU 1014
(260x85)



PU 1015
(260x85)



PU 1016
(10"x1.6")



PU 1017
(10"x1.6")



PU 1018
(10"x2.5")



PU 1019
(10"x3.25")



PU 1020
(10"x3.5")




PU 1101
(3.00-6)



PU 1201
(3.50-5)



PU 1202
4.10/350-6

MODEL	SIZE	 Diameter	 Width	 Hub length	 Bearing hole
PU 1012	10"x3.50-4	255mm	71mm	65mm	20mm
PU 1013	260x85	255mm	66mm	63mm	20mm
PU 1014	260x85	260mm	42mm	38mm	12mm
PU 1015	260x85	259mm	40mm	43mm	15mm
PU 1016	10"x1.6"	240mm	65mm	65mm	20mm
PU 1017	10"x1.6"	253mm	82mm	-	-
PU 1018	10"x2.5"	250mm	86mm	75mm	20mm
PU 1019	10"x3.25"	254mm	79mm	75mm	25mm
PU1020	10"x3.5"	245mm	78mm	60mm	20mm
PU 1101	3.00-6	290mm	60mm	57mm	19.5mm
PU 1201	3.50-5	297mm	44mm	51.5mm	12mm
PU 1202	3.50-6	300mm	97.5m	78.4mm	16mm



PU 1203
(12"x4")



PU 1204
(12"x6")



PU 1301
(13"x3")



PU 1302
(3.50-6)



PU 1303
(13"x3.25-8)



PU 1304
(13"x3.25-8)



PU 1305
(13"x3.25-8)



PU 1306
(13"x5.00-6)



PU 1307
(13"x5.00-6)




PU 1308
(13"x4.00-6)




PU 1401
(3.50-7)



PU 1402
(14"x3.50-8)

MODEL	SIZE	 Diameter	 Width	 Hub length	 Bearing hole
PU 1203	12"x4"	305mm	102mm	76mm	16mm
PU 1204	12"x6"	290mm	135mm	100mm	25mm
PU 1301	13"x3"	375mm	70mm	85mm	16mm
PU 1302	3.50-6	335mm	90mm	110mm	12mm
PU 1303	13"x3.25-8	350mm	82mm	89mm	16mm
PU 1304	13"x3.25-8	350mm	82mm	-	-
PU 1305	13"x3.25-8	355mm	80mm	88.6mm	16mm
PU 1306	13"x5.00-6	330mm	100mm	75mm	20mm
PU 1307	13"x5.00-6	300mm	112mm	60mm	16mm
PU1308	13"x4.00-6				
PU 1401	3.50-7	370mm	80mm	65mm	20mm
PU 1402	14"x3.50-8	370mm	95mm	95mm	19.7mm



PU 1403
(14"x3.50-8)



PU 1404
(14"x3.50-8)



PU 1405
(14"x3.50-8)



PU 1406
(14"x3.50-8)



PU 1601
(4.00-8)



PU 1602
(4.00-8)



PU 1603
(4.00-8)



PU 1604
(4.00-8)



PU 1605
(4.00-8)




PU 1606
(4.00-8)



PU 1607
(4.00-8)



PU 1608
(4.00-8)

MODEL	SIZE	 Diameter	 Width	 Hub length	 Bearing hole
PU1403	14"x3.50-8	365mm	82mm		
PU 1404	14"x3.50-8	375mm	81mm	90mm	16mm
PU 1405	14"x3.50-8	350mm	81mm	109mm	16mm
PU 1406	14"x3.50-8	350mm	81mm		
PU 1601	4.00-8	390mm	93mm	110mm	12mm
PU 1602	4.00-8	395mm	90mm	158mm	16mm
PU 1603	4.00-8	395mm	90mm	109mm	16mm
PU 1604	4.00-8	395mm	94.5mm	154.5mm	16mm
PU 1605	4.00-8	395mm	95mm		
PU 1606	4.00-8	395mm	96mm	75mm	16mm
PU 1607	4.00-8	395mm	89mm	70mm	16mm
PU 1608	4.00-8	385mm	88.5mm	100mm	25mm



PU 1609
(4.00-8)



PU 1610
(4.00-8)



PU 1611
(4.00-8)



PU 1612
(4.00-8)



PU 1613
(4.00-8)



PU 1614
(4.00-8)



PU 1615
(4.00-8)



PU 1616
(4.00-8)



PU 1617
(16"x")




PU 1618
(16"x6.50-8)




PU 1619
(16"x6.50-8)



PU 1620
(4.00-10)

MODEL	SIZE	 Diameter	 Width	 Hub length	 Bearing hole
PU 1609	4.00-8	395mm	88mm	167mm	16mm
PU 1610	4.00-8	380mm	93mm	95mm	16mm
PU 1611	4.00-8	395mm	92mm	90mm	16mm
PU 1612	4.00-8	395mm	93mm	85mm	19.3mm
PU 1613	4.00-8	380mm	94mm	80mm	20mm
PU 1614	4.00-8	395mm	94mm	95mm	16mm
PU 1615	4.00-8	400mm	92mm	70mm	20mm
PU 1616	4.00-8	400mm	92mm	105mm	16mm
PU 1617	16"x"	mm	mm	mm	mm
PU 1618	16"x6.50-8	395mm	135mm	107mm	25mm
PU 1619	16"x6.50-8	400mm	141mm	100mm	25mm
PU 1620	4.00-10	380mm	75mm	148mm	16mm



PU 0703
(7"x4")



PU 0704
(7"x4")



PU 0705
(7"x4")



PU 0811
(8"x2.8")



PU 1205
(12"x2")



PU 1206
(12"x2")



PU 1207
(12"x2")




PU 1621
(16"x2.125")



PU 2001
(20")



PU 2401
(24"x1.75")

MODEL	SIZE	 Diameter	 Width	 Hub length	 Bearing hole
PU 0703	7"x4"	175mm	100mm	108mm	9mm
PU 0704	7"x4"	175mm	100mm	102mm	8.6mm
PU 0705	7"x4"	175mm	100mm	107.6mm	8.75mm
PU 0811	8"x2.8"	196.7mm	72.5mm	87.7mm	8mm
PU1205	12"x2"	300mm	45mm	45.6mm	12.7mm
PU 1206	12"x2"	300mm	73.5mm	80mm	20mm
PU 1207	12"x2"	300mm	72mm	72mm	20mm
PU 1621	16"x2.125"	380mm	41.5mm	72mm	12.5mm
PU 2001	20"	500mm	45mm	16mm	64mm
PU 2401	24"x1.75"	610mm	44.2mm		54.8mm

Material 2 : PU tyre & plastic rim


8 inch



200/50-100



6 inch



Material 1 : Powder rubber tyre & plastic rim

8 inch





PR 1501
(6"x2")



PR 1502-1
(8"x2.50-4)



PR 1502-2
(8"x2.50-4)



PR 1503
(260x85)



PR 1504
(10"x3.00-4)



PR 1505-1
(10"x3.50-4)



PR 1505-2
(10"x3.50-4)



PR 1505-3
(10"x3.50-4)



PR 1506
(12"x3.50-5)



PR 1507-1
(3.50-6)



PR 1507-2
(3.50-6)



PR 1507-3
(3.50-6)

MODEL	SIZE	PLY RATING	 Diameter	 Width	 Hub length	 Bearing hole
PR 1501	6"x2"	2&4PR	156mm	46mm	48mm	11mm
PR 1502-1	8"x2.50-4	2&4PR	195mm	46mm	75mm	16mm
PR 1502-2	8"x2.50-4	2&4PR	210mm	61mm	60mm	10mm
PR 1503	260x85	2&4PR	240mm	75mm	75mm	19mm
PR 1504	3.00-4	2&4PR	240mm	86mm	70mm	16mm
PR 1505-1	10"x3.50-4	2&4PR	240mm	82mm	100mm	16mm
PR 1505-2	10"x3.50-4	2&4PR	260mm	84mm	100mm	20mm
PR 1505-3	10"x3.50-4	2&4PR	260mm	85mm	55mm	16mm
PR 1506	3.50-5	2&4PR	290mm	80mm	68mm	20mm
PR 1507-1	3.50-6	2&4PR	320mm	87mm	80mm	16mm
PR 1507-2	3.50-6	2&4PR	320mm	87mm	90mm	18mm
PR 1507-3	3.50-6	2&4PR	322mm	100mm	100mm	16mm



PR 1508
(3.50-7)



PR 1509-1
(13"x3.00/3.25-8)



PR 1509-2
(13"x3.00/3.25-8)



PR 1509-3
(13"x3.00/3.25-8)



PR 1509-4
(13"x3.00/3.25-8)



PR 1510-1
(14"x3.50-8)



PR 1510-2
(14"x3.50-8)



PR 1510-3
(14"x3.50-8)



PR 1510-4
(14"x3.50-8)




PR 1510-5
(14"x3.50-8)



PR 1510-6
(14"x3.50-8)



PR 1510-7
(14"x3.50-8)

MODEL	SIZE	PLY RATING	 Diameter	 Width	 Hub length	 Bearing hole
PR 1508	3.50-7	2&4PR	335mm	84mm	96mm	20mm
PR 1509-1	3.00/3.25-8	2&4PR	360mm	80mm	91mm	16mm
PR 1509-2	3.00/3.25-8	2&4PR	350mm	76mm	87mm	20mm
PR 1509-3	3.00/3.25-8	2&4PR	350mm	70mm	70mm	16mm
PR 1509-4	3.00/3.25-8	2&4PR	360mm	70mm	85mm	35mm
PR 1510-1	14"x3.50-8	2&4PR	360mm	75mm	85mm	16mm
PR 1510-2	14"x3.50-8	2&4PR	365mm	85mm	240mm	-
PR 1510-3	14"x3.50-8	2&4PR	370mm	84mm	90mm	16mm
PR 1510-4	14"x3.50-8	2&4PR	365mm	80mm	90mm	16mm
PR 1510-5	14"x3.50-8	2&4PR	365mm	88mm	70mm	20mm
PR 1510-6	14"x3.50-8	2&4PR	370mm	86mm	150mm	16mm
PR 1510-7	14"x3.50-8	2&4PR	360mm	88mm	110mm	16mm

Pneumatic wheel



PR 1510-8
(14"x3.50-8)



PR 1510-9
(14"x3.50-8)



PR 1510-10
(14"x3.50-8)



PR 1510-11
(14"x3.50-8)



PR 1510-12
(14"x3.50-8)



PR 1510-13
(14"x3.50-8)



PR 1510-14
(14"x3.50-8)



PR 1510-15
(14"x3.50-8)



PR 1511
(3.50-10)




PR 1512-1
(4.00-4)



PR 1512-2
(4.00-4)



PR 1513-1
(13"x4.00-6)

MODEL	SIZE	PLY RATING	 Diameter	 Width	 Hub length	 Bearing hole
PR 1510-8	14"x3.50-8	2&4PR	370mm	86mm	100mm	20mm
PR 1510-9	14"x3.50-8	2&4PR	360mm	91mm	110mm	16mm
PR 1510-10	4"x3.50-8	2&4PR	370mm	85mm	200mm	16mm
PR 1510-11	14"x3.50-8	2&4PR	370mm	86mm	100mm	16mm
PR 1510-12	14"x3.50-8	2&4PR	390mm	86mm	100mm	20mm
PR 1510-13	14"x3.50-8	2&4PR	380mm	90mm	107mm	16mm
PR 1510-14	14"x3.50-8	2&4PR	370mm	80mm	89mm	16mm
PR 1510-15	14"x3.50-8	2&4PR	370mm	83mm	91mm	20mm
PR 1511	3.50-10	2&4PR	420mm	90mm	70mm	20mm
PR 1512-1	4.00-4	2&4PR	300mm	91mm	75mm	20mm
PR 1512-2	4.00-4	2&4PR	300mm	91mm	75mm	20mm
PR 1513-1	13"x4.00-6	2&4PR	330mm	91mm	90mm	16mm



PR 1513-2
(13"x4.00-6)



PR 1513-3
(13"x4.00-6)



PR 1513-4
(13"x4.00-6)



PR 1514-1
(16"x4.00-8)



PR 1514-2
(16"x4.00-8)



PR 1514-3
(16"x4.00-8)



PR 1514-4
(16"x4.00-8)



PR 1514-5
(16"x4.00-8)



PR 1514-6
(16"x4.00-8)




PR 1514-7
(16"x4.00-8)



PR 1514-8
(16"x4.00-8)



PR 1514-9
(16"x4.00-8)

MODEL	SIZE	PLY RATING	 Diameter	 Width	 Hub length	 Bearing hole
PR 1513-2	13"x4.00-6	2&4PR	330mm	90mm	130mm	19.2mm
PR 1513-3	13"x4.00-6	2&4PR	330mm	92mm	70mm	16mm
PR 1513-4	13"x4.00-6	2&4PR	330mm	90mm	85mm	20mm
PR 1514-1	4.00-8	2&4PR	395mm	96mm	85mm	20mm
PR 1514-2	4.00-8	2&4PR	385mm	98mm	110mm	16mm
PR 1514-3	4.00-8	2&4PR	360mm	93mm	240mm	20mm
PR 1514-4	4.00-8	2&4PR	380mm	94mm	94mm	12mm
PR 1514-5	4.00-8	2&4PR	380mm	94mm	94mm	16mm
PR 1514-6	4.00-8	2&4PR	400mm	94mm	94mm	16mm
PR 1514-7	4.00-8	2&4PR	380mm	94mm	94mm	16mm
PR 1514-8	4.00-8	2&4PR	380mm	90mm	90mm	20mm
PR 1514-9	4.00-8	2&4PR	380mm	89mm	89mm	20mm

Pneumatic wheel



PR 1514-10
(16"x4.00-8)



PR 1514-11
(16"x4.00-8)



PR 1514-12
(16"x4.00-8)



PR 1514-13
(16"x4.00-8)



PR 1514-14
(16"x4.00-8)



PR 1514-15
(16"x4.00-8)



PR 1514-16
(16"x4.00-8)



PR 1514-17
(16"x4.00-8)



PR 1514-18
(16"x4.00-8)




PR 1514-19
(16"x4.00-8)



PR 1514-20
(16"x4.00-8)



PR 1515
(16"x4.50-8)

MODEL	SIZE	PLY RATING	 Diameter	 Width	 Hub length	 Bearing hole
PR 1514-10	4.00-8	2&4PR	415mm	97mm	70mm	16mm
PR 1514-11	4.00-8	2&4PR	380mm	92mm	110mm	16mm
PR 1514-12	4.00-8	2&4PR	400mm	90mm	60mm	20mm
PR 1514-13	4.00-8	2&4PR	380mm	91mm	100mm	16mm
PR 1514-14	4.00-8	2&4PR	380mm	96mm	75mm	20mm
PR 1514-15	4.00-8	2&4PR	380mm	90mm	125mm	20mm
PR 1514-16	4.00-8	8PR	400mm	88mm	220mm	20mm
PR 1514-17	4.00-8	2&4PR	380mm	105mm	121mm	16mm
PR 1514-18	4.00-8	2&4PR	370mm	98mm	97mm	20mm
PR 1514-19	4.00-8	2&4PR	380mm	96mm	86mm	24mm
PR 1514-20	4.00-8	2&4PR		95mm	240mm	20mm
PR 1515	4.50-8	2&4PR		100mm	90mm	16mm



PR 1516-1
(5.00-6)



PR 1516-2
(5.00-6)



PR 1516-3
(5.00-6)



PR 1517
(5.00-8)



PR 1518
(6.00-6)



PR 1519-1
(6.50-8)



PR 1519-2
(6.50-8)



PR 1519-3
(6.50-8)



PR 1520
(7.50-8)




PR 1521
(9.50-8)



PR 1522
(16"x1.75")



MODEL	SIZE	PLY RATING	 Diameter	 Width	 Hub length	 Bearing hole
PR 1516-1	5.00-6	2&4PR	304mm	113mm	80mm	16mm
PR 1516-2	5.00-6	2&4PR	310mm	105mm	60mm	25mm
PR 1516-3	5.00-6	2&4PR	320mm	108mm	67mm	16mm
PR 1517	5.00-8	2&4PR	385mm			20mm
PR 1518	6.00-6	2&4PR	340mm	140mm	90mm	20mm
PR 1519-1	6.50-8	2&4PR	400mm	140mm	100mm	25mm
PR 1519-2	6.50-8	2&4PR	400mm	140mm	100mm	25mm
PR 1519-3	6.50-8	2&4PR	400mm	140mm	100mm	25mm
PR 1520	7.50-8	2&4PR	380mm	174mm	98mm	25mm
PR 1521	9.50-8	-	-	-	-	-
PR1522	16"x2.125"	-	400mm	37mm	56mm	12mm

Solid rubber wheel



SR 0501
(5"x1.5")



SR 0502
(5"x1.5")



SR 0601
(6"x1.5")



SR 0602
(6"x1.5")



SR 0603
(6")



SR 0604
(6")



SR 0605
(6")



SR 0606
(160/40-80)



SR 0701
(7"x1.5")




SR 0801
(8"x1.75")



SR 0802
(8"x1.75")



SR 0803
(8"x1.75")

MODEL	SIZE	 Diameter	 Width	 Hub length	 Bearing hole
SR 0501	5"x1.5"	122mm	32mm	31.5mm	10.8mm
SR 0502	5"x1.5"	127mm	31mm	39mm	12.7mm
SR 0601	6"x1.5"	150mm	38.5mm	33mm	12.7mm
SR 0602	6"x1.5"	150mm	37.7mm	36mm	20mm
SR 0603	6"	153mm	35mm	34mm	12.7mm
SR 0604	6"	150mm	37mm	34mm	13mm
SR 0605	6"	178mm	47mm	59mm	16mm
SR 0606	160/40-80	155mm	39.6mm	58mm	21mm
SR 0701	7"x1.5"	176mm	37mm	35mm	13mm
SR 0801	8"x1.75"	200mm	38mm	37mm	13mm
SR 0802	8"x1.75"	200mm	46mm	33.7mm	12.7mm
SR 0803	8"x1.75"	200mm	43mm	33.7mm	12.7mm



SR 0804
(8")



SR 0805
(8"x1.75")



SR 0806
(8"x2")



SR 0807
(8"x2.5")



SR 0808
(8"x2.5")



SR 0809
(8"x2.50-4)



SR 0810
(8"x3")



SR 0811
(200x60)



SR 0812
(8")




SR 0813
(8")



SR 0814
(8")



SR 0901
(9"x3")

MODEL	SIZE	 Diameter	 Width	 Hub length	 Bearing hole
SR 0804	8"	198mm	43mm	59mm	20mm
SR 0805	8"x1.75"	200mm	43mm	38mm	13mm
SR 0806	8"x2"	204mm	58mm	55mm	16mm
SR 0807	8"x2.5"	205mm	58mm	59mm	16mm
SR 0808	8"x2.5"	197mm	56mm	48mm	16mm
SR 0809	8"x2.50-4	204mm	52mm	70mm	20mm
SR 0810	8"x3"	215mm	74mm	50mm	25mm
SR 0811	200x60	200mm	60mm	-	20mm
SR 0812	8"	198mm	60mm	36mm	20mm
SR 0813	8"	198mm	48mm	58mm	16mm
SR 0814	8"	198mm	45mm	60mm	16mm
SR 0901	9"x3"	230mm	66mm	70mm	20mm

Solid rubber wheel



SR 1001
(10"x1.5")



SR 1002
(10"x1.75")



SR 1003
(10"x2.5")



SR 1004
(10"x2.5")



SR 1005
(10"x2.5")



SR 1006
(10"x3")



SR 1007
(10"x3.00-4)



SR 1201
(12")



SR 1202
(12")




SR 1203
(12")



SR 1204
(12"x1.75")



SR 1301
(13"x2.50-8)

MODEL	SIZE	 Diameter	 Width	 Hub length	 Bearing hole
SR 1001	10"x1.5"	250mm	46mm	49mm	12mm
SR 1002	10"x1.75"	240mm	39mm	43mm	12mm
SR 1003	10"x2.5"	245mm	65mm	—	25mm
SR 1004	10"x2.5"	250mm	62mm	42mm	16mm
SR 1005	10"x2.5"	245mm	57mm	47mm	16mm
SR 1006	10"x3"	245mm	75mm	75mm	20mm
SR 1007	10"x3.00-4	250mm	62mm	70mm	20mm
SR 1201	12"	290mm	52mm	66mm	16mm
SR 1202	12"	280mm	49mm	70mm	16mm
SR 1203	12"	300mm	98mm	75mm	25mm
SR 1204	12"x1.75"	304mm	46mm	57mm	25mm
SR 1301	13"x2.50-8	333mm	66mm	60mm	20mm



SR 1302
(13"x2.50-8)



SR 1303
(13"x3")



SR 1304
(13"x3")



SR 1305
(13"x3")



SR 1401
(14"x4")



SR 1402
(14"x4")



SR 1403
(14"x4")



SR 1404
(3.50-8)



SR 1601
(4.00-8)



SR 1602
(4.00-8)



SR 1603
(400x100)



SR 1604
(16")

MODEL	SIZE	 Diameter	 Width	 Hub length	 Bearing hole
SR 1302	13"x2.50-8	340mm	64mm	254mm	15mm
SR 1303	13"x3"	325mm	50mm	90mm	16mm
SR 1304	13"x3"	310mm	48mm	90mm	16mm
SR 1305	13"x3"	327mm	50mm	78mm	16mm
SR 1401	14"x4"	330mm	65mm	240mm	20mm
SR 1402	14"x4"	340mm	60mm	240mm	20mm
SR 1403	14"x4"	330mm	63mm		
SR 1404	3.50-8	385mm	89mm	170mm	16mm
SR 1601	4.00-8	400mm	81mm	75mm	25mm
SR 1602	4.00-8	405mm	126mm	-	-
SR 1603	400x100	400mm	97mm	100mm	20mm
SR 1604	16"	400mm	-	-	-



ATLAS



La force habile

MATERIAL HANDLING TOOLS AND WHEELS