




EMAIL ADDRESS: FIREX@FIREXPORT.NET

CERTIFIED & PATENTED PRODUCTS





Part 1

TWO PIECES TOILET

High-quality product craftsmanship,
fashionable and avant-garde appearance
design.





TWO PIECES TOILET **HOT**
Model:FCT-2801




size:650*375*830mm

Technical Information

Toilet weight with/without package | 41kg/44kg
Flushing system | Washdown-Open Rimless
Rough in | S-250mm / P-180mm
One full 40HQ container can load (around) | 450sets
CBM | 0.155

Drawing

Unit: mm



Can do bidet

Water Fitting



R&T Fitting



BSH Fitting

Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Tube&Angle valve



Gasket



Screw



TWO PIECES TOILET
Model:FCT-2801-S

HOT




size:650*375*830mm

Technical Information

Toilet weight with/without package | 41kg/44kg
Flushing system | TORNADO
Rough in | S-250mm / P-180mm
One full 40HQ container can load (around) | 450sets
CBM | 0.155

Drawing

Unit: mm



Water Fitting



R&T Fitting



BSH Fitting

Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Screw



Gasket

FLOOR S ANDING BIDET
Model:FCT-B2801-T

Special

Please confirm again before order.




size:525*350*405mm

Technical Information

Toilet weight with/without package | 23kg/24kg
One full 40HQ container can load (around) | 730sets
CBM | 0.09

Drawing

Unit: mm



Accessories



Screw



TWO PIECES TOILET
Model:FCT-2802-S



size:635*375*745mm

Technical Information

Toilet weight with/without package | 36kg/39kg

Flushing system | TORNADO


Rough in | S-250mm / P-180mm

One full 40HQ container can load (around) | 620sets

CBM | 0.155

Drawing

Unit: mm



Water Fitting



R&T Fitting



BSH Fitting

Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Tube&Angle valve



Gasket



Screw

TWO PIECES TOILET
Model:FCT-2803-S



size:635*375*745mm

Technical Information

Toilet weight with/without package | 36kg/38kg

Flushing system | TORNADO


Rough in | S-250mm / P-180mm

One full 40HQ container can load (around) | 620sets

CBM | 0.155

Drawing

Unit: mm



Water Fitting



R&T Fitting



BSH Fitting

Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Tube&Angle valve



Gasket



Screw

TWO PIECES TOILET

Model:FCT-2804-S



Technical Information

Toilet weight with/without package | 39kg/41kg

Flushing system | TORNADO


Rough in | S-250mm / P-180mm

One full 40HQ container can load (around) | 620sets

CBM | 0.155

Drawing

Unit: mm



TWO PIECES TOILET

Model:FCT-2901



Technical Information

Toilet weight with/without package | 47kg/50kg

Flushing system | Open Rimless


Rough in | P-180mm

One full 40HQ container can load (around) | 440sets

CBM | 0.155

Drawing


Unit: mm




Water Fitting



Toilet Seat



Other Accessories




TWO PIECES TOILET
Model:FCT-8057



Technical Information

Toilet weight with/without package | 47kg/50kg
Flushing system | Open Rimless
Rough in | S-250mm / P-180mm
One full 40HQ container can load (around) | 440sets
CBM | 0.155

Drawing




TWO PIECES TOILET
Model:FCT-8057-S



Technical Information

Toilet weight with/without package | 45kg/48kg
Flushing system | Tornado
Rough in | P-180mm
One full 40HQ container can load (around) | 450sets
CBM | 0.155


Drawing



Water Fitting




Toilet Seat



Other Accessories



Australian Standard



Water Fitting




Toilet Seat



Other Accessories



Australian Standard





TWO PIECES TOILET
Model:FCT-8057-L




size:675*375*860mm

Technical Information

Toilet weight with/without package | 49kg/52kg
Flushing system | Washdown-Open Rimless
Rough in | P-180mm
One full 40HQ container can load (around) | 420sets
CBM | 0.16

Drawing

Unit: mm



TWO PIECES TOILET
Model:FCT-8058




size:650*375*840mm

Technical Information

Toilet weight with/without package | 49kg/51kg
Flushing system | Washdown-Open Rimless
Rough in | P-180mm / S-250mm
One full 40HQ container can load (around) | 480sets
CBM | 0.135

Drawing

Unit: mm



Can do bidet

Water Fitting



Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Australian Standard



Can do bidet

Water Fitting



Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Australian Standard



TWO PIECES TOILET

Model:FCT-8058-S



size:650*375*840mm

Technical Information

Toilet weight with/without package | 49kg/51kg

Flushing system | Tornado


Rough in | P-180mm / S-250mm

One full 40HQ container can load (around) | 480sets

CBM | 0.135

Drawing

Unit: mm



Can do bidet

Water Fitting



Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Tube&Angle valve

Gasket

Screw

Australian Standard



Floor Fixing Screw Kits & Plastic pipe

Ange inlet

Approved Flexible Hose




TWO PIECES TOILET
Model:FCT-8059



Technical Information

Toilet weight with/without package | 47kg/50kg
Flushing system | Washdown-Open Rimless
Rough in | P-180mm / S-250mm
One full 40HQ container can load (around) | 440sets
CBM | 0.155

Drawing




TWO PIECES TOILET
Model:FCT-8059-S



Technical Information

Toilet weight with/without package | 47kg/50kg
Flushing system | TORNADO
Rough in | P-180mm / S-250mm
One full 40HQ container can load (around) | 440sets
CBM | 0.155

Drawing



Water Fitting




Toilet Seat




UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Australian Standard



Water Fitting




Toilet Seat




UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Australian Standard



TWO PIECES TOILET
Model:FCT-8060-L



size:665*375*840mm

Technical Information

Toilet weight with/without package | 43kg/46kg

Flushing system | Washdown-Open Rimless


Rough in | P-180mm

One full 40HQ container can load (around) | 385sets

CBM | 0.17

Drawing

Unit: mm



TWO PIECES TOILET
Model:FCT-8061-S



size:640*375*825mm

Technical Information

Toilet weight with/without package | 48kg/50kg

Flushing system | Tornado


Rough in | P-180mm / S-250mm

One full 40HQ container can load (around) | 440sets

CBM | 0.155

Drawing

Unit: mm



Can do bidet

Water Fitting



Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Australian Standard



Can do bidet

Water Fitting




Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Australian Standard





TWO PIECES TOILET
Model:FCT-8062




size:630*375*820mm

Technical Information

Toilet weight with/without package | 47kg/50kg
Flushing system | Rimless
Rough in | P-180mm
One full 40HQ container can load (around) | 440sets
CBM | 0.155

Drawing

Unit: mm



Can do bidet

Water Fitting




Toilet Seat




Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Australian Standard



TWO PIECES TOILET
Model:FCT-P-2103



size:680*380*800mm

Technical Information

Toilet weight with/without package | 42kg/45kg

Flushing system | Washdown


Rough in | S-250mm / P-180mm

One full 40HQ container can load (around) | 450sets

CBM | 0.155

Drawing

Unit: mm



FLOOR STANDING BIDET
Model:FCT-2103C



size:575*360*400mm

Technical Information


Toilet weight with/without package | 24kg/25kg

One full 40HQ container can load (around) | 720sets

CBM | 0.09

Drawing

Unit: mm



Accessories



Water Tap



Launching Device



Tube&Angle valve

TWO PIECES TOILET

Model:FCT-P-2104




size:650*380*830mm

Technical Information

Toilet weight with/without package | 42kg/45kg
Flushing system | Washdown
Rough in | S-250mm / P-180mm
One full 40HQ container can load (around) | 450sets
CBM | 0.155

Drawing

Unit: mm



Water Fitting



R&T Fitting



BSH Fitting

Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Tube&Angle valve



Gasket



Screw

FLOOR STANDING BIDET

Model:FCT-2104C




size:535*355*400mm

Technical Information

Toilet weight with/without package | 23kg/24kg
One full 40HQ container can load (around) | 780sets
CBM | 0.085

Drawing

Unit: mm



Accessories



Water Tap



Launching Device



Tube&Angle valve

TWO PIECES TOILET
Model:FCT-P-2108




size:700*380*770mm

Technical Information

Toilet weight with/without package | 35kg/38kg
Flushing system | Washdown
Rough in | S-250mm /300mm/ P-180mm
One full 40HQ container can load (around) | 540sets
CBM | 0.13

Drawing

Unit: mm



Water Fitting



Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



FLOOR STANDING BIDET
Model:FCT-2108C




size:575*360*400mm

Technical Information

Toilet weight with/without package | 24kg/25kg
One full 40HQ container can load (around) | 720sets
CBM | 0.09

Drawing

Unit: mm



Accessories



Water Tap



Launching Device



Tube&Angle valve



Part 2

WALL-HUNG TOILET

The design is simple and can be matched with a variety of styles; the toilet is not on the floor, which is very easy to take care of; and the noise level is low.





WALL-HUNG TOILET

Model:FCT-W03/W03L



OPEN
RIMLESS



size:485*355*320mm/520*355*320mm

Technical Information

Toilet weight with/without package | 23kg/25kg

Flushing system | Open Rimless


Rough in | P-180mm

One full 40HQ container can load (around) | 730sets

CBM | 0.093

Drawing

Unit: mm



Accessories



Soft-closing seat
cover

UF: Slim / Thickness
PP: Slim / Thickness



Screw

RIMLESS.



WALL-HUNG TOILET
Model:FCT-W03-S/W03L-S



size:485*355*320mm/520*355*320mm

Technical Information

Toilet weight with/without package | 23kg/25kg

Flushing system | Tornado


Rough in | P-180mm

One full 40HQ container can load (around) | 730sets

CBM | 0.093

Drawing

Unit: mm



Accessories



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness



Screw

WALL-HUNG BIDET
Model:FCT-W03-FX



size:485*360*325mm

Technical Information


Toilet weight with/without package | 23kg/24kg

One full 40HQ container can load (around) | 730sets

CBM | 0.093

Drawing

Unit: mm



Accessories



Water Tap



Launching Device



Tube&Angle valve

WALL-HUNG TOILET

Model:FCT-W04/W04L



size:485*355*320mm/520*355*320mm

Technical Information

Toilet weight with/without package | 24kg/26kg

Flushing system | Open Rimless


Rough in | P-180mm

One full 40HQ container can load (around) | 730sets

CBM | 0.093

Drawing

Unit: mm



WALL-HUNG TOILET

Model:FCT-W04L-S



size: 520*355*320mm

Technical Information

Toilet weight with/without package | 24kg/26kg

Flushing system | Tornado


Rough in | P-180mm

One full 40HQ container can load (around) | 730sets

CBM | 0.093

Drawing

Unit: mm



WALL-HUNG BIDET

Model:FCT-W04-FX




size:485*360*325mm

Technical Information

Toilet weight with/without package | 23kg/24kg
One full 40HQ container can load (around) | 730sets
CBM | 0.093

Drawing

Unit: mm



Accessories



Water Tap



Launching Device



Tube&Angle valve

WALL-HUNG TOILET

Model:FCT-W05




size:515*355*340mm

Technical Information

Toilet weight with/without package | 27kg/29kg
Flushing system | Rimless
Rough in | P-180mm
One full 40HQ container can load (around) | 730sets
CBM | 0.093

Drawing

Unit: mm



Can do bidet

Accessories



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness



Screw

WALL-HUNG TOILET

Model:FCT-W05-S



size:515*355*340mm

Technical Information

Toilet weight with/without package | 27kg/29kg

Flushing system | Tornado


Rough in | P-180mm

One full 40HQ container can load (around) | 730sets

CBM | 0.093

Drawing

Unit: mm



WALL-HUNG BIDET

Model:FCT-W05-FX



size:520*355*290mm

Technical Information


Toilet weight with/without package | 21kg/22kg

One full 40HQ container can load (around) | 730sets

CBM | 0.093

Drawing

Unit: mm



Can do bidet

Accessories



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness



Screw

Accessories



Water Tap



Launching Device



Tube&Angle valve

WALL-HUNG TOILET
Model:FCT-W07-S



size:535*355*385mm

Technical Information

Toilet weight with/without package | 23kg/25kg

Flushing system | Tornado


Rough in | P-180mm

One full 40HQ container can load (around) | 600sets

CBM | 0.11

Drawing

Unit: mm



Accessories



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness



Screw

WALL-HUNG TOILET
Model:FCT-W07F-S



size:535*355*385mm

Technical Information

Toilet weight with/without package | 23kg/25kg

Flushing system | Tornado


Rough in | P-180mm

One full 40HQ container can load (around) | 600sets

CBM | 0.11

Drawing

Unit: mm



WALL-HUNG TOILET
Model:FCT-W08-S



size:535*355*385mm

Technical Information

Toilet weight with/without package | 24kg/26kg

Flushing system | Tornado


Rough in | P-180mm

One full 40HQ container can load (around) | 600sets

CBM | 0.11

Drawing

Unit: mm



Accessories



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness



Screw

WALL-HUNG TOILET
Model:FCT-W08F-S



size:490*355*370mm

Technical Information

Toilet weight with/without package | 24kg/26kg

Flushing system | Tornado


Rough in | P-180mm

One full 40HQ container can load (around) | 600sets

CBM | 0.11

Drawing

Unit: mm



WALL-HUNG TOILET

Model:FCT-W09



size:485*355*320mm

Technical Information

Toilet weight with/without package | 23kg/25kg

Flushing system | Rimless


Rough in | P-180mm

One full 40HQ container can load (around) | 600sets

CBM | 0.11

Drawing

Unit: mm



WALL-HUNG TOILET

Model:FCT-W09-S



size:485*355*320mm

Technical Information

Toilet weight with/without package | 23kg/25kg

Flushing system | Tornado


Rough in | P-180mm

One full 40HQ container can load (around) | 600sets

CBM | 0.11

Drawing

Unit: mm



Accessories



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness



Screw

Accessories



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness



Screw



ALL-HUNG TOILET

Model:FCT-W10



size:485*355*320mm

Technical Information

Toilet weight with/without package | 24kg/26kg

Flushing system | Rimless


Rough in | P-180mm

One full 40HQ container can load (around) | 600sets

CBM | 0.11

Drawing

Unit: mm



Accessories



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness



Screw

WALL-HUNG TOILET
Model:FCT-W10-S




size:485*355*320mm

Technical Information

Toilet weight with/without package | 24kg/26kg
Flushing system | Tornado
Rough in | P-180mm
One full 40HQ container can load (around) | 600sets
CBM | 0.11

Drawing

Unit: mm



Accessories



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness



Screw



WALL-HUNG TOILET **NEW**
Model:FCT-W12-S




size:535*355*385mm

Technical Information

Toilet weight with/without package | 24kg/26kg
Flushing system | Tornado
Rough in | P-180mm
One full 40HQ container can load (around) | 600sets
CBM | 0.11

Drawing

Unit: mm



WALL-HUNG TOILET **NEW**
Model:FCT-W13-S



size:535*355*385mm

Technical Information

Toilet weight with/without package | 24kg/26kg

Flushing system | Tornado


Rough in | P-180mm

One full 40HQ container can load (around) | 600sets

CBM | 0.11

Drawing

Unit: mm



Accessories



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness



Screw

WALL-HUNG TOILET
Model:FCT-W17-S



size:530*355*350mm

Technical Information

Toilet weight with/without package | 24kg/26kg

Flushing system | Tornado


Rough in | P-180mm

One full 40HQ container can load (around) | 600sets

CBM | 0.11

Drawing

Unit: mm





Part 3

FLOOR STANDING TOILET

Floor standing toilet and gynaecological washing work together to add more convenience and comfort to home life.

FLOOR STANDING TOILET

Model:FCT-L057



size:550*370*405mm

Technical Information

Toilet weight with/without package | 29kg/31kg

Flushing system | Open Rimless


Rough in | P-180mm

One full 40HQ container can load (around) | 660sets

CBM | 0.11

Drawing

Unit: mm



FLOOR STANDING TOILET

Model:FCT-L057-S



size:550*370*405mm

Technical Information

Toilet weight with/without package | 29kg/31kg

Flushing system | Tornado


Rough in | P-180mm

One full 40HQ container can load (around) | 660sets

CBM | 0.11

Drawing

Unit: mm





FLOOR STANDING BIDET

Model:FCT-L057-FX




size:550*370*405mm

Technical Information

Toilet weight with/without package | 23kg/24kg
One full 40HQ container can load (around) | 670sets
CBM | 0.1

Drawing

Unit: mm



Accessories



Water Tap



Launching Device



Tube&Angle valve



Screw



FLOOR STANDING TOILET
Model:FCT-L058




Technical Information

Toilet weight with/without package | 34kg/37kg
Flushing system | Rimless
Rough in | P-180mm
One full 40HQ container can load (around) | 730sets
CBM | **0.093**

Drawing

Unit: mm



FLOOR STANDING TOILET
Model:FCT-L058-S




Technical Information

Toilet weight with/without package | 34kg/37kg
Flushing system | Tornado
Rough in | P-180mm
One full 40HQ container can load (around) | 730sets
CBM | **0.093**

Drawing

Unit: mm



Accessories



UF: Slim / Thickness
PP: Slim / Thickness



Screw

FLOOR STANDING BIDET
Model:FCT-L058-FX




size:540*365*415mm

Technical Information

Toilet weight with/without package | 29kg/30kg
One full 40HQ container can load (around) | 730sets
CBM | 0.093

Drawing

Unit: mm



Accessories



Water Tap



Launching Device



Tube&Angle valve



Screw



FLOOR STANDING TOILET
Model:FCT-L059




size:550*370*405mm

Technical Information

Toilet weight with/without package | 29kg/31kg
Flushing system | Open Rimless
Rough in | P-180mm
One full 40HQ container can load (around) | 660sets
CBM | 0.11

Drawing

Unit: mm



Can do bidet

Accessories



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness



Screw

FLOOR STANDING TOILET
Model:FCT-L059-S



Technical Information

Toilet weight with/without package | 29kg/31kg

Flushing system | Tornado


Rough in | P-180mm

One full 40HQ container can load (around) | 660sets

CBM | 0.11

Drawing

Unit: mm



FLOOR STANDING BIDET
Model:FCT-L059-FX



Technical Information


Toilet weight with/without package | 23kg/24kg

One full 40HQ container can load (around) | 670sets

CBM | 0.1

Drawing

Unit: mm



Can do bidet

Accessories



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness



Screw

Accessories



Water Tap




Launching Device



Tube&Angle valve



Screw



Part 4

COLOR TOILET

Simple appearance, refreshingly creative
colourful toilet, add more colour to life.





COLOR TOILET

All items can do color like:



COLOR TOILET

All items can do color like:





COLOR TOILET

All items can do color like:



This item need MOQ.





ONE PIECE TOILET

One-piece moulding, so it is not easy to hide dirt, cleaning is relatively simple, the water tank and the barrel are connected together, not easy to leak, and aesthetically pleasing.



ONE PIECE TOILET

Model:FCT-5003



size:700*380*700mm

Technical Information

Toilet weight with/without package | 45kg/48kg

Flushing system | Washdown-Open Rimless


Rough in | S-250mm/P-180mm

One full 40HQ container can load (around) | 380sets

CBM | 0.18

Drawing

Unit: mm



Can be bidet

Water Fitting



R&T Fitting



BSH Fitting

Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Tube&Angle valve



Gasket



Screw

WASHDOWN RIMLESS.

ONE PIECE TOILET

Model:FCT-5005




size:670*380*810mm

Technical Information

Toilet weight with/without package | 51kg/54kg
Flushing system | Rimless
Rough in | S-150mm/P-180mm/S-250mm
One full 40HQ container can load (around) | 350sets
CBM | 0.19

Drawing



ONE PIECE TOILET

Model:FCT-5005-S




size:670*370*785mm

Technical Information

Toilet weight with/without package | 51kg/54kg
Flushing system | Tornado
Rough in | P-180mm/S-250mm
One full 40HQ container can load (around) | 350sets
CBM | 0.19

Drawing



Can be bidet

Water Fitting



Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Tube&Angle valve

Gasket

Screw

ONE PIECE TOILET
Model:FCT-M2




size:675*360*700mm

Technical Information

Toilet weight with/without package | 41kg/44kg
Flushing system | Siphonic
Rough in | S-300mm
One full 40HQ container can load (around) | 380sets
CBM | 0.17

Drawing



Water Fitting



R&T Fitting



BSH Fitting

Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Tube&Angle valve



Gasket



Screw



ONE PIECE TOILET
Model:FCT-M3




size:760*485*660mm

Technical Information

Toilet weight with/without package | 54kg/57kg
Flushing system | Tornado 2D
Rough in | S-300mm
One full 40HQ container can load (around) | 340sets
CBM | 0.195

Drawing



ONE PIECE TOILET
Model:FCT-M4




size:700*350*750mm

Technical Information

Toilet weight with/without package | 47 kg/50kg
Flushing system | Tornado 4D
Rough in | S-300mm
One full 40HQ container can load (around) | 352sets
CBM | 0.185

Drawing



Water Fitting



R&T Fitting



BSH Fitting

Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Tube & Angle valve



Gasket



Screw

Water Fitting



R&T Fitting



BSH Fitting

Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Tube & Angle valve



Gasket



Screw

ONE PIECE TOILET
Model:FCT-M7



size:700*400*720mm

Technical Information

Toilet weight with/without package | 46kg/44kg


Flushing system | Siphonic

Rough in | S-300mm

One full 40HQ container can load (around) | 380sets

CBM | 0.185

Drawing



ONE PIECE TOILET
Model:FCT-M8



size:670*380*675mm

Technical Information

Toilet weight with/without package | 46 kg/49 kg


Flushing system | Rimless

Rough in | S-300

One full 40HQ container can load (around) | 350sets

CBM | 0.18

Drawing



Can be bidet

Water Fitting



R&T Fitting

BSH Fitting

Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Tube & Angle valve

Gasket

Screw



SIPHONIC. >>

ONE PIECE TOILET

Model:FCT-M11



size:670*395*660mm

Technical Information

Toilet weight with/without package | 47kg/45kg

Flushing system | Tornado-Siphonic


Rough in | S-300mm

One full 40HQ container can load (around) | 380sets

CBM | 0.185

Drawing

Unit: mm



Water Fitting



R&T Fitting



BSH Fitting

Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Tube & Angle valve



Gasket



Screw

ONE PIECE TOILET

Model:FCT-A10



size:700*400*735mm

Technical Information

Toilet weight with/without package | 51kg/54kg

Flushing system | Single Hole Flushing-Open


Rough in | S-300mm

One full 40HQ container can load (around) | 380sets

CBM | 0.175

Drawing

Unit: mm



ONE PIECE TOILET

Model:FCT-8002



size:710*375*775mm

Technical Information

Toilet weight with/without package | 47kg/50kg

Flushing system | Tornado2D


Rough in | S-300mm/S-300-S-400mm

One full 40HQ container can load (around) | 370sets

CBM | 0.185

Drawing

Unit: mm



Water Fitting



R&T Fitting



BSH Fitting

Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Tube&Angle valve



Gasket



Screw

Water Fitting



R&T Fitting



BSH Fitting

Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Tube&Angle valve



Gasket



Screw

ONE PIECE TOILET
Model:FCT-8003




size:720*385*710mm

Technical Information

Toilet weight with/without package | 45kg/48kg
Flushing system | Tornado4D
Rough in | S-300mm/S-300-S-400mm
One full 40HQ container can load (around) | 370sets
CBM | 0.185

Drawing

Unit: mm



ONE PIECE TOILET
Model:FCT-8009




size:700*375*770mm

Technical Information


Toilet weight with/without package | 51kg/54kg
Flushing system | Tornado4D
Rough in | S-300mm/S-300-S-400mm
One full 40HQ container can load (around) | 370sets
CBM | 0.185

Drawing

Unit: mm



Water Fitting



Toilet Seat



UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Water Fitting



Toilet Seat



UF: Slim / thickness
PP: Slim / thickness

Other Accessories



ONE PIECE TOILET
Model:FCT-8016




size:720*380*780mm

Technical Information

Toilet weight with/without package | 51kg/54kg
Flushing system | Tornado4D
Rough in | S-300-S-400mm
One full 40HQ container can load (around) | 370sets
CBM | 0.18

Drawing

Unit: mm



ONE PIECE TOILET
Model:FCT-8021




size:710*370*715mm

Technical Information

Toilet weight with/without package | 46kg/49kg
Flushing system | Siphonic
Rough in | S-300mm/S-400mm
One full 40HQ container can load (around) | 380sets
CBM | 0.18

Drawing

Unit: mm



ONE PIECE TOILET
Model:FCT-8022




size:740*420*750mm

Technical Information

Toilet weight with/without package | 49kg/52kg
Flushing system | Tornado2D
Rough in | S-300-S-400mm
One full 40HQ container can load (around) | 366sets
CBM | 0.18

Drawing



ONE PIECE TOILET
Model:FCT-8023




size:710*375*765mm

Technical Information

Toilet weight with/without package | 50kg/53kg
Flushing system | Tornado4D
Rough in | S-300-S-400mm
One full 40HQ container can load (around) | 380sets
CBM | 0.18

Drawing



ONE PIECE TOILET
Model:FCT-8024




Technical Information

Toilet weight with/without package | 54kg/57kg
Flushing system | Tornado4D
Rough in | S-300-S400mm
One full 40HQ container can load (around) | 380sets
CBM | 0.18

Drawing

Unit: mm



ONE PIECE TOILET
Model:FCT-8025




Technical Information

Toilet weight with/without package | 49kg/52kg
Flushing system | Tornado4D-Open
Rough in | S-300-S-400mm
One full 40HQ container can load (around) | 370sets
CBM | 0.18

Drawing

Unit: mm



Water Fitting



Toilet Seat



Other Accessories



Water Fitting



Toilet Seat



Other Accessories



ONE PIECE TOILET

Model:FCT-8026



size:680*370*770mm

Technical Information

Toilet weight with/without package | 46kg/49kg

Flushing system | Tornado 2D


Rough in | S-300mm

One full 40HQ container can load (around) | 370sets

CBM | 0.18

Drawing

Unit: mm



Water Fitting



R&T Fitting



BSH Fitting

Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Tube&Angle valve



Gasket



Screw

ONE PIECE TOILET

Model:FCT-8028



size:670*365*705mm

Technical Information

Toilet weight with/without package | 52kg/55kg

Flushing system | Open Tornado 2D


Rough in | S-300mm

One full 40HQ container can load (around) | 380sets

CBM | 0.17

Drawing

Unit: mm



Water Fitting



R&T Fitting



BSH Fitting

Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Tube&Angle valve



Gasket



Screw

ONE PIECE TOILET

Model:FCT-8029



size:665*355*705mm

Technical Information

Toilet weight with/without package | 43kg/46kg


Flushing system | Open Tornado 2D

Rough in | S-300mm

One full 40HQ container can load (around) | 380sets

CBM | 0.17

Drawing



Water Fitting



Toilet Seat



UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



ONE PIECE TOILET

Model:FCT-8030



size:675*390*730mm

Technical Information

Toilet weight with/without package | 47kg/50kg


Flushing system | Single Hole Flushing-Open

Rough in | S-300mm

One full 40HQ container can load (around) | 352sets

CBM | 0.185

Drawing



TWO PIECES TOILET

Model:FCT-8031



size:690*380*735mm

Technical Information

Toilet weight with/without package | 45kg/48kg

Flushing system | Open Waterfall Rimless


Rough in | S-300mm

One full 40HQ container can load (around) | 352sets

CBM | 0.185

Drawing

Unit: mm



Water Fitting



R&T Fitting



BSH Fitting

Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Tube&Angle valve



Gasket



Screw




ONE PIECE TOILET
Model:FCT-8032



size:700*430*740mm

Technical Information

Toilet weight with/without package | 54kg/57kg
Flushing system | Tornado 4D
Rough in | S-300/S-400
One full 40HQ container can load (around) | 380sets
CBM | 0.18




ONE PIECE TOILET
Model:FCT-8033



size:700*365*730mm

Technical Information

Toilet weight with/without package | 51kg/54kg
Flushing system | Tornado 2D
Rough in | S-300/S-400
One full 40HQ container can load (around) | 380sets
CBM | 0.175



Water Fitting



R&T Fitting



BSH Fitting

Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Tube&Angle valve



Gasket



Screw

Water Fitting



R&T Fitting



BSH Fitting

Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Tube&Angle valve



Gasket



Screw


ONE PIECE TOILET
Model:FCT-2005



Technical Information

Toilet weight with/without package | 42kg/45kg
Flushing system | Tornado2D
Rough in | S-300mm/S-300-S-400mm
One full 40HQ container can load (around) | 395sets
CBM | 0.17

Drawing




ONE PIECE TOILET
Model:FCT-2006



Technical Information

Toilet weight with/without package | 47kg/50kg
Flushing system | Tornado2D
Rough in | S-300mm/S-300-S-400mm
One full 40HQ container can load (around) | 375sets
CBM | 0.185

Drawing



Water Fitting



Toilet Seat



UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Water Fitting



Toilet Seat



UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



ONE PIECE TOILET

Model: FCT-3003



size: 740*370*675mm

Technical Information

Toilet weight with/without package | 38kg/41kg

Flushing system | Siphonic


Rough in | S-300mm

One full 40HQ container can load (around) | 420sets

CBM | 0.16

Drawing

Unit: mm



Water Fitting



R&T Fitting



BSH Fitting

Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Tube&Angle
valve



Gasket



Screw



ONE PIECE TOILET

Model:FCT-3132



size:690*420*610mm

Technical Information

Toilet weight with/without package | 38kg/41kg


Flushing system | Siphonic

Rough in | S-300mm

One full 40HQ container can load (around) | 420sets

CBM | 0.16

Drawing



Water Fitting



R&T Fitting



BSH Fitting

Toilet Seat



Soft-closing seat cover

UF: Slim / Thickness
PP: Slim / Thickness

Other Accessories



Tube&Angle valve



Gasket



Screw

