

AZUR



CEILING FAN



CEILING FAN SERIES



Distribué par

 **FIREX**
LE COMMERCE FACILE



BL-3890-WH

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 66"
Blade: ABS/6 PCS
Light Source: LED PCB 30W/CT Changable
Color: White
RPM: Max 125
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-3890-SN-SV

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 66"
Blade: ABS/6 PCS
Light Source: LED PCB 30W/CT Changable
Color: Sand Nickel+Silver
RPM: Max 125
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-3890-5-WH

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 66"
Blade: ABS/5 PCS
Light Source: LED PCB 30W/CT Changable
Color: White
RPM: Max 140
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-3890-BK-WG

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 66"
Blade: ABS/6 PCS
Light Source: LED PCB 30W/CT Changable
Color: Black+Wood Grain
RPM: Max 125
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-3890-5-GD

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 66"
Blade: ABS/5 PCS
Light Source: LED PCB 30W/CT Changable
Color: Gold
RPM: Max 140
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-3891-BK-WG

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 54"
Blade: ABS/6 PCS
Light Source: LED PCB/30W
Color: Black+Wood Grain
RPM: Max 160
Certification: CB,CE,RoHS
Australia Certification: SGS/210096

AZUR



BL-2370-3-SN-WH

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 64"
Blade: ABS/3 PCS
Light Source: LED PCB/26W
Color: Sand Nickel+White
RPM: Max 200
Certification: CB,CE,RoHS,ErP,
Australia Certification: SGS/210096



BL-2370-48-WH

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 48"
Blade: ABS/5 PCS
Light Source: LED PCB/26W
Color: White
RPM: Max 220
Certification: CB,CE,RoHS,ErP
Australia Certification: SGS/210096



BL-2370-48-SV

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 48"
Blade: ABS/5 PCS
Light Source: LED PCB/26W
Color: Silver
RPM: Max 220
Certification: CB,CE,RoHS,ErP
Australia Certification: SGS/210096



BL-2370-48-BK

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 48"
Blade: ABS/5 PCS
Light Source: LED PCB/26W
Color: Black
RPM: Max 220
Certification: CB,CE,RoHS,ErP
Australia Certification: SGS/210096



BL-2370-BK

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 60"
Blade: ABS/5 PCS
Light Source: LED PCB/26W
Color: Black
RPM: Max 180
Certification: CB,CE,RoHS,ErP,
Australia Certification: SGS/210096



BL-2501-WH

Motor: DC 35W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/5 PCS
Light Source: LED PCB/76W
Color: White
RPM: Max 185
Certification: CB,CE,RoHS,ErP
Australia Certification: SGS/210096



BL-2370-DWG

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 60"
Blade: ABS/5 PCS
Light Source: LED PCB/26W
Color: Dark Wood Grain
RPM: Max 180
Certification: CB,CE,RoHS,ErP,
Australia Certification: SGS/210096



BL-2501-LWG

Motor: DC 35W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/5 PCS
Light Source: LED PCB/76W
Color: Light Wood Grain
RPM: Max 185
Certification: CB,CE,RoHS,ErP
Australia Certification: SGS/210096



BL-2528-LWG

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 60"
Blade: ABS/5 PCS
Light Source: LED PCB/26W
Color: Light Wood Grain
RPM: Max 180
Certification: CB,CE,ErP,
Australia Certification: SGS/210096



BL-2501-DWG

Motor: DC 35W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/5 PCS
Light Source: LED PCB/76W
Color: Dark Wood Grain
RPM: Max 185
Certification: CB,CE,RoHS,ErP
Australia Certification: SGS/210096

AZUR



BL-2500-COF-WH

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 44"
Blade: ABS/5 PCS
Light Source: LED PCB/76W
Color: Coffee+White
RPM: Max 240
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2500-GN-WH

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 44"
Blade: ABS/5 PCS
Light Source: LED PCB/76W
Color: Green+White
RPM: Max 240
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2500-WH

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 44"
Blade: ABS/5 PCS
Light Source: LED PCB/76W
Color: White
RPM: Max 240
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2500-GN



BL-2500-BU



BL-2500-YE



BL-2500-COF

AZUR



BL-2503-WH

Motor: DC 38W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: ABS/3 PCS
Light Source: LED PCB/76W
Color: White
RPM: Max 285
Certification: CB,CE,RoHS



BL-2503-BU

Motor: DC 38W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: ABS/3 PCS
Light Source: LED PCB/76W
Color: Blue
RPM: Max 285
Certification: CB,CE,RoHS



BL-2503-COF

Motor: DC 38W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: ABS/3 PCS
Light Source: LED PCB/76W
Color: Coffee
RPM: Max 285
Certification: CB,CE,RoHS



BL-2503-BGD

Motor: DC 38W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: ABS/3 PCS
Light Source: LED PCB/76W
Color: Black With Brush Gold
RPM: Max 285
Certification: CB,CE,RoHS



BL-2129-SN-SV

Motor: DC 38W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/18W
Color: Sand Nickel+Silver
RPM: Max 230
Certification: ETL,CB,CE,RoHS,ErP
Australia Certification: SGS/210096



BL-2129-WL-BK

Motor: DC 38W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Color: Black
RPM: Max 230
Certification: ETL,CB,CE,RoHS,ErP
Australia Certification: SGS/210096



BL-2129-WH

Motor: DC 38W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/18W
Color: White
RPM: Max 230
Certification: ETL,CB,CE,RoHS,ErP
Australia Certification: SGS/210096



BL-2129-WL-SN-DWG

Motor: DC 38W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Color: Sand Nickel+Dark Wood Grain
RPM: Max 230
Certification: ETL,CB,CE,RoHS,ErP
Australia Certification: SGS/210096



BL-2129-BK

Motor: DC 38W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/18W
Color: Black
RPM: Max 230
Certification: ETL,CB,CE,RoHS,ErP
Australia Certification: SGS/210096



BL-2129-WL-DWG

Motor: DC 38W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Color: Dark Wood Grain
RPM: Max 230
Certification: ETL,CB,CE,RoHS,ErP
Australia Certification: SGS/210096

AZUR



BL-1111-SN-SV

Motor: DC 35W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Composite Board/5 PCS
Light Source: LED PCB/24W
Color: Sand Nickel+Silver
RPM: Max 240
Certification: CB,CE,RoHS,ErP
Australia Certification: SGS/210096



BL-1111-WH

Motor: DC 35W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Composite Board/5 PCS
Light Source: LED PCB/24W
Color: White
RPM: Max 240
Certification: CB,CE,RoHS,ErP
Australia Certification: SGS/210096



BL-1111-WH-LWG

Motor: DC 35W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Composite Board/5 PCS
Light Source: LED PCB/24W
Color: White+Light Wood Grain
RPM: Max 240
Certification: CB,CE,RoHS,ErP
Australia Certification: SGS/210096



BL-1111-COF-DWG

Motor: DC 35W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Composite Board/5 PCS
Light Source: LED PCB/24W
Color: Coffee+Dark Wood Grain
RPM: Max 240
Certification: CB,CE,RoHS,ErP
Australia Certification: SGS/210096



BL-2010-WL-BK-MG

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Solid Wood/3 PCS
Color: Black With Brush Gold+Mahogany
RPM: Max 220
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2164-WH-LWG

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Solid Wood/3 PCS
Light Source: LED PCB/12W
Color: White+Light Wood Grain
RPM: Max 220
Certification: CB,CE,RoHS



BL-2010-WL-SN-LWG

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Solid Wood/3 PCS
Color: Sand Nickel+Light Wood Grain
RPM: Max 220
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2010-SN-MG

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Solid Wood/3 PCS
Light Source: LED PCB/12W
Color: Sand Nickel+Mahogany
RPM: Max 220
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2010-WL-SN-LWG

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Solid Wood/3 PCS
Color: Sand Nickel+Light Wood Grain
RPM: Max 220
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2010-BK-MG

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Solid Wood/3 PCS
Light Source: LED PCB/12W
Color: Black With Brush Gold+Mahogany
RPM: Max 220
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2537-BK-MG
 Motor: DC 40W/AC 60W
 Voltage/Frequency: 110~240V/50~60Hz;
 110~130V/60Hz;220~240V/50Hz
 Size: 52"
 Blade: Solid Wood/3 PCS
 Light Source: LED PCB/21W
 Color: Black+Wood Grain
 RPM: Max 220
 Australia Certification: SGS/210096



BL-2165-WH-LWG
 Motor: DC 40W/AC 65W
 Voltage/Frequency: 110~240V/50~60Hz;
 110~130V/60Hz; 220~240V/50Hz
 Size: 48"
 Blade: Solid Wood/3 PCS
 Light Source: LED PCB/18W
 Color: White+Light Wood Grain
 RPM: Max 220
 Certification: CE,RoHS



BL-1569-WL-SN-WG
 Motor: DC 40W/AC 70W
 Voltage/Frequency: 110~240V/50~60Hz;
 110~130V/60Hz;220~240V/50Hz
 Size: 52"
 Blade: Solid Wood/3 PCS
 Color: Sand Nickel+Wood Grain
 RPM: Max 220
 Certification: CB,CE,RoHS



BL-2166-BK-DWG
 Motor: DC 40W/AC 65W
 Voltage/Frequency: 110~240V/50~60Hz;
 110~130V/60Hz;220~240V/50Hz
 Size: 48"
 Blade: Solid Wood/3 PCS
 Light Source: LED PCB/17W -17W-16W
 Color: Black With Brush Gold+Dark Wood Grain
 RPM: Max 220
 Certification: CB,CE,RoHS



BL-2184-LWG
 Motor: DC 40W/AC 65W
 Voltage/Frequency: 110~240V/50~60Hz;
 110~130V/60Hz;220~240V/50Hz
 Size: 52"
 Blade: Solid Wood/3 PCS
 Light Source: LED PCB/24W
 Color: Light Wood Grain
 RPM: Max 220
 Certification: CB,CE,RoHS



BL-2671-SN-LWG
 Motor: DC 40W/AC 60W
 Voltage/Frequency: 110~240V/50~60Hz;
 110~130V/60Hz;220~240V/50Hz
 Size: 48"
 Blade: Solid Wood/3 PCS
 Light Source: LED PCB/18W
 Color: Sand Nickel+Light Wood Grain
 RPM: Max 200
 Certification: CB,CE,RoHS



BL-1693-WL-WH

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Color: White
RPM: Max 160
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-1693-WH

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/18W
Color: White
RPM: Max 160
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-1693-WL-DWG

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Color: Dark Wood Grain
RPM: Max 160
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-1693-DWG

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/18W
Color: Dark Wood Grain
RPM: Max 160
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2842-WH

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 64"
Blade: ABS/5 PCS
Light Source: LED PCB/18W
Color: White
RPM: Max 120
Certification: CB,CE,RoHS



BL-2053-WH

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/19W
Color: White
RPM: Max 205
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2842-SV

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 64"
Blade: ABS/5 PCS
Light Source: LED PCB/18W
Color: Silver
RPM: Max 120
Certification: CB,CE,RoHS



BL-2053-LWG

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/19W
Color: Light Wood Grain
RPM: Max 205
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2053-DWG

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 64"
Blade: ABS/5 PCS
Light Source: LED PCB/18W
Color: Dark Wood Grain
RPM: Max 120
Certification: CB,CE,RoHS



BL-2053-BK

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/19W
Color: Black
RPM: Max 205
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2747-COF-WG

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 55"
Blade: ABS/6 PCS
Light Source: LED PCB/31W
Color: Coffee+Wood Grain
RPM: Max 155
Certification: CB,CE,RoHS



BL-2741-SN-WG

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 55"
Blade: ABS/6 PCS
Light Source: LED PCB/76W
Color: Sand Nickel+Wood Grain
RPM: Max 155
Certification: CB,CE,RoHS



BL-2740-SV

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 66"
Blade: ABS/6 PCS
Light Source: LED PCB/76W
Color: Silver
RPM: Max 130
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2740-GD

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 66"
Blade: ABS/6 PCS
Light Source: LED PCB/76W
Color: Gold
RPM: Max 130
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2740-COF

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 66"
Blade: ABS/6 PCS
Light Source: LED PCB/76W
Color: Coffee
RPM: Max 130
Certification: CB,CE,RoHS
Australia Certification: SGS/210096

AZUR



BL-2392-SN-MC

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 62"
Blade: ABS/8 PCS
Light Source: LED PCB/40W
Color: Sand Nickel+Multi-Color
RPM: Max 110
Certification: CB,CE
Australia Certification: SGS/210096



BL-2181-SN-YE

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 62"
Blade: ABS/8 PCS
Light Source: LED PCB/40W
Color: Sand Nickel+Yellow
RPM: Max 110
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2181-BK

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 62"
Blade: ABS/8 PCS
Light Source: LED PCB/40W
Color: Black
RPM: Max 110
Certification: CB,CE,RoHS
Australia Certification: SGS/210096

AZUR



BL-2723-SN-WG

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 63"
Blade: Composite Board/8 PCS
Light Source: LED PCB/76W
Color: Sand Nickel+Wood Grain
RPM: Max 170
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2320-BK

Motor: AC 70W
Voltage/Frequency: 110~130V/60Hz;
220~240V/50Hz
Size: 56"
Blade: ABS/5 PCS
Color: Black
RPM: Max 220
Certification: CB



BL-2527-AB

Motor: AC 50W
Voltage/Frequency: 110~130V/60Hz;
220~240V/50Hz
Size: 56"
Blade: Iron/5 PCS
Light Source: LED PCB/32W
Color: Antique Bronze
RPM: Max 130
Australia Certification: SGS/210096

AZUR



BL-2536-GD

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 56"
Blade: ABS/5 PCS
Light Source: LED PCB/70W
Color: Gold
RPM: Max 200



BL-2536-PB-BS

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 56"
Blade: ABS/5 PCS
Light Source: LED PCB/70W
Color: Peral Black+Black With Brush Silver
RPM: Max 200



BL-2536-BK

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 56"
Blade: ABS/5 PCS
Light Source: LED PCB/70W
Color: Black
RPM: Max 200



BL-2756-WH

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 55"
Blade: ABS/5 PCS
Light Source: LED PCB/18W
Color: White
RPM: Max 220
Certification: CB,CE,RoHS



BL-2756-BK

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 55"
Blade: ABS/5 PCS
Light Source: LED PCB/18W
Color: Black
RPM: Max 220
Certification: CB,CE,RoHS



BL-2756-SN-COF

Motor: DC 35W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 40"
Blade: ABS/5 PCS
Light Source: LED PCB/18W
Color: Sand Nickel+Coffee
RPM: Max 220
Certification: CB,CE,RoHS



BL-2751-BK

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 55"
Blade: ABS/3 PCS
Light Source: LED PCB/18W
Color: Black
RPM: Max 250
Certification: CB,CE,RoHS



BL-2750-WL-BK

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 55"
Blade: ABS
Color: Black
RPM: Max 250
Certification: CB,CE,RoHS



BL-2775-BK

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz; 220~240V/50Hz
Size: 55"
Blade: ABS/5 PCS
Light Source: E27*5
Color: Black
RPM: Max 220
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2185-WH

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 56"
Blade: ABS/5 PCS
Light Source: LED PCB/24W
Color: White
RPM: Max 190
Certification: CB,CE,RoHS



BL-2185-DWG

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 56"
Blade: ABS/5 PCS
Light Source: LED PCB/24W
Color: Dark Wood Grain
RPM: Max 190
Certification: CB,CE,RoHS



BL-2186-DWG

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 56"
Blade: ABS/5 PCS
Light Source: LED PCB/30W
Color: Dark Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS



BL-2186-WG

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 56"
Blade: ABS/5 PCS
Light Source: LED PCB/30W
Color: Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS

AZUR



BL-2819-WH

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: ABS/5 PCS
Light Source: LED PCB/24W
Color: White
RPM: Max 210
Certification: CE,RoHS



BL-2099-AB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED PCB/24W
Color: Antique Bronze+Wood Grain
RPM: Max 210
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2119-GD-WG

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED PCB/24W
Color: Gold+Wood Grain
RPM: Max 190
Certification: CB,CE,RoHS

AZUR



BL-1537-WH-LWG

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/5 PCS
Light Source: LED PCB/60W
Color: White+Light Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-1537-AB-LWG

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/5 PCS
Light Source: LED PCB/60W
Color: Anti Bronze+Light Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-1537-COF-DWG

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/5 PCS
Light Source: LED PCB/60W
Color: Coffee+Dark Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2832-GY-WG

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED PCB/76W
Color: Grey+Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2832-WH-WG

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED PCB/76W
Color: White+Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2832-GN-WG

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED PCB/76W
Color: Green+Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2832-BK-WG

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED PCB/76W
Color: Black+Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS
Australia Certification: SGS/210096

AZUR



BL-2545-GY-LWG

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 55"
Blade: ABS/5 PCS
Light Source: LED PCB/76W
Color: Grey+Light Wood Grain
RPM: Max 170



BL-2545-WH-LWG

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 55"
Blade: ABS/5 PCS
Light Source: LED PCB/76W
Color: White
RPM: Max 170



BL-2545-WH

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 55"
Blade: ABS/5 PCS
Light Source: LED PCB/76W
Color: White
RPM: Max 170



BL-2545-XD-WH

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 55"
Blade: ABS/5 PCS
Light Source: LED PCB/76W
Color: White
RPM: Max 170



BL-2545-XD-WH-LWG

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 55"
Blade: ABS/5 PCS
Light Source: LED PCB/76W
Color: White+Light Wood Grain
RPM: Max 170



BL-2545-XD-GY-LWG

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 55"
Blade: ABS/5 PCS
Light Source: LED PCB/76W
Color: Grey+Light Wood Grain
RPM: Max 170



BL-2745-XD-WH

Motor: AC 70W
Voltage/Frequency: 110~130V/60Hz;
220~240V/50Hz
Size: 48"
Blade: Composite Board/5 PCS
Light Source: LED PCB/29W,
LED STRIP/12.5W
Color: White
RPM: Max 210
Certification: CB,CE,RoHS



BL-2745-XD-COF

Motor: AC 70W
Voltage/Frequency: 110~130V/60Hz;
220~240V/50Hz
Size: 48"
Blade: Composite Board/5 PCS
Light Source: LED PCB/29W,
LED STRIP/12.5W
Color: Coffee
RPM: Max 210
Certification: CB,CE,RoHS



BL-2670-SN-LWG

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Sand Nickel+Light Wood Grain
RPM: Max 220
Certification: CE,RoHS



BL-2736-SV

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: ABS/5 PCS
Light Source: LED PCB/24W
Color: Silver
RPM: Max 210
Certification: CB,CE,RoHS



BL-2670-BK-DWG

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Black+Dark Wood Grain
RPM: Max 220
Certification: CE,RoHS



BL-2736-WH

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: ABS/5 PCS
Light Source: LED PCB/24W
Color: White
RPM: Max 210
Certification: CB,CE,RoHS



BL-2529-BK-DWG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: ABS/5 PCS
Light Source: LED PCB/24W
Color: Black+Dark Wood Grain
RPM: Max 230
Australia Certification: SGS/210096



BL-2507-WH

Motor: AC 65W
Voltage/Frequency: 110~130V/60Hz;
220~240V/60Hz
Size: 48"
Blade: ABS/5 PCS
Light Source: LED PCB/24W;
LED Strip/13W
Color: White
RPM: Max 210
Certification: CB,CE,RoHS



BL-2116-SN-SV

Motor: DC 35W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: Composite Board /3 PCS
Light Source: LED PCB/18W
Color: Sand Nickel+Silver
RPM: Max 220
Certification: ETL,CB,CE,RoHS



BL-2116-AB-WG

Motor: DC 35W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: Composite Board /3 PCS
Light Source: LED PCB/18W
Color: Antique Bronze+Wood Grain
RPM: Max 220
Certification: ETL,CB,CE,RoHS



BL-2052-BN

Motor: DC 32W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/18W
Color: Brown
RPM: Max 210



BL-2089-AB-COF

Motor: DC 32W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/18W
Color: Antique Bronze+Coffee
RPM: Max 210
Certification: CB



BL-2089-WL-AB-COF

Motor: DC 32W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Color: Antique Bronze+Coffee
RPM: Max 210
Certification: CB



BL-1870-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED PCB/24W
Color: Black+Wood Grain
RPM: Max 160



BL-2351-SN-GY

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/4 PCS
Light Source: LED PCB/24W
Color: Sand Nickel+Grey
RPM: Max 180
Certification: CE,RoHS



BL-1870-AB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED PCB/24W
Color: Antique Bronze+Wood Grain
RPM: Max 160



BL-2183-SN-SV

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED PCB/24W
Color: Sand Nickel+Silver
RPM: Max 170
Certification: CB



BL-2136-SN-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED PCB/24W
Color: Sand Nickel+Wood Grain
RPM: Max 200
Certification: CB



BL-7504-WH

Motor: DC 35W /AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Composite Board/4 PCS
Color: White
RPM: Max 240
Certification: CB,CE,RoHS



BL-2526-WL-COF

Motor: DC 35W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Color: Coffee
RPM: Max 240
Australia Certification: SGS/210096,CB,CE



BL-2056-WH

Motor: DC 35W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: White
RPM: Max 240
Certification: CB,CE,RoHS
Australia Certification: SGS/210096

BL-2056-SN-GY

Motor: DC 35W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Sand Nickel+Grey
RPM: Max 240
Certification: CB,CE,RoHS
Australia Certification: SGS/210096

BL-2056-PB-BK

Motor: DC 35W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Pearl Black+Black
RPM: Max 240
Certification: CB,CE,RoHS
Australia Certification: SGS/210096

AZUR

BL-2050-BK-SV

Motor: DC 30W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: Composite Board/4 PCS
Light Source: LED PCB/24W
Color: Black+Silver
RPM: Max 250
Certification: CB,CE,RoHS



BL-1070-CH-SN

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Iron/4 PCS
Light Source: LED PCB/24W
Color: Chrome+Sand Nickel
RPM: Max 280
Certification: CB



BL-2818-SN

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Iron/5 PCS
Light Source: LED PCB/24W
Color: Sand Nickel
RPM: Max 260
Certification: CB,CE,RoHS



BL-2117-WH

Motor: DC 35W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: White
RPM: Max 200
Certification: CB,CE,RoHS



BL-2117-GY-WH

Motor: DC 35W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Grey+White
RPM: Max 200
Certification: CB,CE,RoHS



BL-2117-GY-YE

Motor: DC 35W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Yellow+White
RPM: Max 200
Certification: CB,CE,RoHS



BL-2117-GN-WH

Motor: DC 35W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Green+White
RPM: Max 200
Certification: CB,CE,RoHS

AZUR



BL-511-BK-WG

Motor: DC 35W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/3 PCS
Light Source: LED PCB/24W
Color: Black+Wood Grain
RPM: Max 220
Australia Certification: SGS/210096



BL-1112-AB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED PCB/24W
Color: Antique Bronze+Wood Grain
RPM: Max 200
Certification: CE,RoHS



BL-1049-SN

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Iron/5 PCS
Light Source: LED PCB/18W
Color: Sand Nickel
RPM: Max 200



BL-1089-AB

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Iron/5 PCS
Light Source: LED PCB/18W
Color: Antique Bronze
RPM: Max 210



BL-1053-SN

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Iron
Light Source: E27*3
Color: Sand Nickel
RPM: Max 210



BL-1042-GD

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Iron
Light Source: E27*3
Color: Gold
RPM: Max 210



BL-1042-GD-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*3
Color: Gold+Wood Grain
RPM: Max 200
Certification: CB

AZUR



BL-2816-AB-COF

Motor: DC 35W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: ABS/3 PCS
Color: Antique Bronze+Coffee
RPM: Max 220
Certification: CB,CE
Australia Certification: SGS/210096



BL-2546-52-BK-WG

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: Solid Wood/3 PCS
Color: Black+Wood Grain
RPM: Max 210



BL-2546-52-SN-WG

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: Solid Wood/3 PCS
Color: Sand Nickel+Wood Grain
RPM: Max 210



BL-2546-60-BK

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 60"
Blade: Solid Wood/3 PCS
Color: Black
RPM: Max 210

AZUR



BL-2118-SV

Motor: DC 35W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: ABS/2 PCS
Light Source: LED PCB/12W
Color: Silver
RPM: Max 180
Certification: CB,CE,RoHS




BL-2118-BK-WH

Motor: DC 35W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: ABS/2 PCS
Light Source: LED PCB/12W
Color: Black+White
RPM: Max 180
Certification: CB,CE,RoHS



BL-2542-BS-WG

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*4
Color: Black With Brush Silver+Wood Grain
RPM: Max 180
Certification: ETL
Australia Certification: SGS/210096



AZUR



BL-2543-CH-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*3+E14*3
Color: Chrome+Wood Grain
RPM: Max 190
Australia Certification: SGS/210096




BL-2535-PB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*3
Color: Pearl Black+Wood Grain
RPM: Max 170
Australia Certification: SGS/210096



BL-2539-COF-WG

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*3 Max 25W
Color: Coffee+Wood Grain
RPM: Max 190
Australia Certification: SGS/210096



BL-2936-ORB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board /5 PCS
Light Source: E27*3
Color: Oil-Rubbed Bronze+Wood Grain
RPM: Max 190
Certification: ETL



BL-2168-GD-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Composite Board/5 PCS
Light Source: E14*6
Color: Gold+Wood Grain
RPM: Max 190
Certification: CE,RoHS



BL-205-A-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*3
Color: Black+Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS



BL-2110-COF-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*5
Color: Coffee+Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS



BL-205-B-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*3
Color: Black+Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS



BL-8202-AB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*3
Color: Antique Bronze+Wood Grain
RPM: Max 200
Certification: CB



BL-2833-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*5
Color: Black+Antique Bronze+Wood Grain
RPM: Max 220
Certification: CB,CE



BL-1022-RAB

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Iron/5 PCS
Light Source: E27*3
Color: Red Antique Bronze
RPM: Max 210



BL-2008-AB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*5
Color: Antique Bronze+Wood Grain
RPM: Max 220
Certification: CB,CE,RoHS

AZUR




BL-2016-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Composite Board/5 PCS
Light Source: E27*3+G9*2
Color: Black+Wood Grain
RPM: Max 230
Certification: CE,RoHS



BL-2219-GN-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Composite Board/5 PCS
Light Source: E27*3+G9*2
Color: Green+Wood Grain
RPM: Max 230
Certification: CE,RoHS



BL-2533-RAB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*6
Color: Red Antique Bronze+Wood Grain
RPM: Max 210

AZUR



BL-1008-A-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*4
Color: Black+Wood Grain
RPM: Max 210



BL-1008-B-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*4
Color: Black+Wood Grain
RPM: Max 210



BL-1578-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*3
Color: Black+Wood Grain
RPM: Max 220



BL-513-AB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*3
Color: Antique Bronze+Wood Grain
RPM: Max 220



BL-1701-AB-WG

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/5 PCS
Light Source: E27*5
Color: Antique Bronze+Wood Grain
RPM: Max 220



BL-2162-SN-WG

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Composite Board/5 PCS
Light Source: E27*5
Color: Sand Nickel+Wood Grain
RPM: Max 220



BL-8129-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*5
Color: Black+Wood Grain
RPM: Max 220



BL-1577-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*5
Color: Black+Wood Grain
RPM: Max 220



BL-1003-RAB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*5
Color: Red Antique Bronze+Wood Grain
RPM: Max 200



BL-1090-RAB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*5
Color: Red Antique Bronze+Wood Grain
RPM: Max 220



BL-1078-RGD-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*5
Color: Rose Gold+Wood Grain
RPM: Max 200

AZUR



BL-1014-RGD-WG

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*3
Color: Rose Gold+Wood Grain
RPM: Max 200



BL-1023-RAB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*5
Color: Red Antique Bronze+Wood Grain
RPM: Max 200



BL-1079-CH-SN

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Iron/5 PCS
Light Source: E27*3
Color: Chrome
RPM: Max 210
Certification: CE,RoHS

AZUR



BL-1996-AB

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Iron/5 PCS
Light Source: E27*5
Color: Antique Bronze
RPM: Max 210



BL-1005-GD

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Iron/5 PCS
Light Source: E27*5
Color: Gold
RPM: Max 210



BL-1018-BK-MC

Motor: DC 35W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Composite Board/5 PCS
Light Source: E27*3
Color: White+Multi-Color
RPM: Max 210



BL-2062-SN-WG

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Solid Wood/5 PCS
Light Source: E27*3
Color: Antique Bronze+Wood Grain
RPM: Max 230
Certification: CE,RoHS



BL-2490-AB-WG

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/5 PCS
Light Source: E27*3
Color: Antique Bronze+Wood Grain
RPM: Max 230
Certification: CE,RoHS



BL-2055-AB-WG

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Solid Wood/5 PCS
Light Source: E27*3
Color: Antique Bronze+Wood Grain
RPM: Max 230



BL-5501-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/5 PCS
Light Source: E27*3
Color: Black
RPM: Max 230



BL-670-WL-AB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Color: Antique Bronze+Wood Grain
RPM: Max 200



BL-1578-WL-AB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Color: Antique Bronze+Wood Grain
RPM: Max 200



BL-670-WL-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Color: Black+Wood Grain
RPM: Max 200



BL-1578-WL-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Color: Black+Wood Grain
RPM: Max 200

AZUR




BL-2809-WL-AB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Color: Antique Bronze+Wood Grain
RPM: Max 200



BL-2812-WL-AB

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Iron/5 PCS
Color: Antique Bronze
RPM: Max 230



BL-2939-BK

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: ABS/3 PCS
Color: Black
RPM: Max 200



BL-2764-BK-WH

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 48"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Black+White
RPM: Max 210
Certification: CE,RoHS



BL-2820-BK-WH

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 48"
Blade: ABS/3 PCS
Light Source: LED PCB/19W
Color: Black+White
RPM: Max 220
Certification: CB,CE,RoHS



BL-2763-COF

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 48"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Coffee
RPM: Max 210
Certification: CE,RoHS



BL-2761-BK-WH

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 48"
Blade: ABS/3 PCS
Color: Black+White
RPM: Max 220
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2755-LWG

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 48"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Light Wood Grain
RPM: Max 210
Certification: CE,RoHS



BL-2761-WH

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 48"
Blade: ABS/3 PCS
Color: White
RPM: Max 220
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2227-WH-LWG

Motor: DC 35W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: ABS/3 PCS
Light Source: LED PCB/18W
Color: White+Light Wood Grain
RPM: Max 220
Certification: CB,CE,RoHS



BL-2508-AB-LWG

Motor: DC 35W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Antique Bronze+Light Wood Grain
RPM: Max 270
Certification: CB



BL-2679-SN-LWG

Motor: DC 35W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: ABS/3 PCS
Light Source: LED PCB/18W
Color: Sand Nickel+Light Wood Grain
RPM: Max 270
Certification: CB,CE,RoHS



BL-2678-52-XD-BK-LWG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Color: Black+Light Wood Grain
RPM: Max 250
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2678-52-AB-LWG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Color: Antique Bronze+Light Wood Grain
RPM: Max 250
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2678-46-BK-DWG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 46"
Blade: ABS/3 PCS
Color: Black+Dark Wood Grain
RPM: Max 280
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2720-SN-SV

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Sand Nickel+Silver
RPM: Max 190
Certification: ETL,CB,CE,RoHS



BL-2009-COF-DWG

Motor: DC 40W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Composite Board/3 PCS
Light Source: LED PCB/24W
Color: Coffee+Dark Wood Grain
RPM: Max 210
Certification: CB,CE,RoHS

AZUR



BL-2757-BU

Motor: DC 35W
Voltage/Frequency: 110~240V/50~60Hz
Size: 44"
Blade: PC+PA/3 PCS
Light Source: LED PCB/24W
Color: Blue
RPM: Max 280
Certification: CB,CE,RoHS



BL-2757-WH

Motor: DC 35W
Voltage/Frequency: 110~240V/50~60Hz
Size: 44"
Blade: PC+PA/3 PCS
Light Source: LED PCB/24W
Color: White
RPM: Max 280
Certification: CB,CE,RoHS



BL-2757-COF

Motor: DC 35W
Voltage/Frequency: 110~240V/50~60Hz
Size: 44"
Blade: PC+PA/3 PCS
Light Source: LED PCB/24W
Color: Coffee
RPM: Max 280
Certification: CB,CE,RoHS



BL-2757-BK

Motor: DC 35W
Voltage/Frequency: 110~240V/50~60Hz
Size: 44"
Blade: PC+PA/3 PCS
Light Source: LED PCB/24W
Color: Black
RPM: Max 280
Certification: CB,CE,RoHS



BL-602-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/4 PCS
Light Source: E27*3
Color: Black With Gold Brush+Wood Grain
RPM: Max 180
Certification: CE,RoHS



BL-1513-BK-WG

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/5 PCS
Light Source: LED PCB/18W
Color: Black With Brush Gold+Wood Grain
RPM: Max 210



BL-2843-WH-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Wood leaf/5 PCS
Color: White+Wood Grain
RPM: Max 150
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2843-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Wood leaf/5 PCS
Color: Black+Wood Grain
RPM: Max 150
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2179-BK-YE-SV

Motor: DC 35W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/4 PCS
Light Source: LED PCB/18W
Color: Black+Yellow+Silver
RPM: Max 280
Certification: CE

AZUR



BL-1092-B-WL-MC

Motor: DC 35W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/5 PCS
Color: White+Multi-Color
RPM: Max 270
Certification: CE,RoHS



BL-1092-A-WH-MC

Motor: DC 35W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/5 PCS
Light Source: LED PCB/18W
Color: White+Multi-Color
RPM: Max 280
Certification: CE,RoHS



BL-1092-B-WH-MC

Motor: DC 35W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/5 PCS
Light Source: LED PCB/18W
Color: White+Multi-Color
RPM: Max 270
Certification: CE,RoHS



BL-2112-WL-SN-WG

Motor: DC 35W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/4 PCS
Color: Sand Nickel+Wood Grain
RPM: Max 285
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2112-SN-WG

Motor: DC 35W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/4 PCS
Light Source: LED PCB/19W
Color: Sand Nickel+Wood Grain
RPM: Max 285
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2112-WL-SN-MG

Motor: DC 35W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/4 PCS
Light Source: LED PCB/19W-19W-18W
Color: Sand Nickel+Maple Wood Grain
RPM: Max 285
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2112-GY-SV

Motor: DC 35W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/4 PCS
Light Source: LED PCB/19W
Color: Grey+Silver
RPM: Max 285
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2112-YE-SV

Motor: DC 35W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/4 PCS
Light Source: LED PCB/19W
Color: Yellow+Silver
RPM: Max 285
Certification: CB,CE,RoHS
Australia Certification: SGS/210096

AZUR



BL-2380-GN-WH

Motor: DC 25W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/3 PCS
Light Source: LED PCB/18W
Color: Green+White
RPM: Max 240
Certification: CB,CE,RoHS



BL-2380-WH

Motor: DC 25W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/3 PCS
Light Source: LED PCB/18W
Color: White
RPM: Max 240
Certification: CB,CE,RoHS



BL-2380-GY-SV

Motor: DC 25W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/3 PCS
Light Source: LED PCB/18W
Color: Grey+Sliver
RPM: Max 240
Certification: CB,CE,RoHS

AZUR



BL-2530-YE-WH

Motor: DC 25W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Yellow+White
RPM: Max 240
Certification: CB,CE,RoHS



BL-2530-WH

Motor: DC 25W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: White
RPM: Max 240
Certification: CB,CE,RoHS



BL-2530-SN-SV

Motor: DC 25W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Sand Nickel+Silver
RPM: Max 240
Certification: CB,CE,RoHS



BL-2530-BU-WH

Motor: DC 25W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Blue+White
RPM: Max 240
Certification: CB,CE,RoHS

AZUR



BL-2069-BK-WG

Motor: DC 20W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/4 PCS
Light Source: LED PCB/18W
Color: Black With Bursh Gold+Wood Grain
RPM: Max 250
Certification: CB



BL-1650-BK

Motor: DC 20W/AC 45W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: Composite Board/3 PCS
Light Source: LED PCB/18W
Color: Black
RPM: Max 350
Certification: CB,CE,RoHS



BL-1096-WH-MC

Motor: DC 35W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 30"
Blade: Composite Board/6 PCS
Light Source: LED PCB/30W
Color: White+Multi-Color
RPM: Max 280
Australia Certification: SGS/210096

AZUR



BL-2088-MC

Motor: DC 30W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/5 PCS
Light Source: LED PCB/24W
Color: Multi-Color
RPM: Max 260
Certification: CB,CE,RoHS



BL-2066-WH

Motor: DC 30W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/5 PCS
Light Source: LED PCB/24W
Color: White
RPM: Max 260
Certification: CB,CE,RoHS



BL-2066-WH-WG

Motor: DC 30W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/5 PCS
Light Source: LED PCB/24W
Color: White+Wood Grain
RPM: Max 260
Certification: CB,CE,RoHS

AZUR



BL-2066-GN-WH

Motor: DC 30W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/5 PCS
Light Source: LED PCB/24W
Color: Green+White
RPM: Max 260
Certification: CB,CE,RoHS



BL-2066-BU-WH

Motor: DC 30W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/5 PCS
Light Source: LED PCB/24W
Color: Blue+White
RPM: Max 260
Certification: CB,CE,RoHS



BL-2066-PK-WH

Motor: DC 30W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/5 PCS
Light Source: LED PCB/24W
Color: Pink+White
RPM: Max 260
Certification: CB,CE,RoHS



BL-1083-WH

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: White
RPM: Max 280
Certification: CB,CE,RoHS



BL-1083-SN-GY

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Sand Nickel+Grey
RPM: Max 280
Certification: CB,CE,RoHS



BL-1083-PK-WH

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Pink+White
RPM: Max 280
Certification: CB,CE,RoHS



BL-1083-BK-MC

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Black+Multi-Color
RPM: Max 280
Certification: CB,CE,RoHS



BL-1083-BU-WH

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Blue+White
RPM: Max 280
Certification: CB,CE,RoHS



BL-1083-WH-MC

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: White+Multi-Color
RPM: Max 280
Certification: CB,CE,RoHS

AZUR



BL-1083-GN-MC

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Green+Multi-Color
RPM: Max 280
Certification: CB,CE,RoHS



BL-1083-GN-WH

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Green+White
RPM: Max 280
Certification: CB,CE,RoHS



BL-1083-GN-GY

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Green+Grey
RPM: Max 280
Certification: CB,CE,RoHS

AZUR

BL-2506-COF

Motor: DC 35W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 34"
Blade: ABS
Light Source: LED PCB/24W
Color: Coffee
RPM: Max 260
Certification: CB,CE,RoHS



BL-2038-BK

Motor: DC 35W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Black
RPM: Max 270
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2123-GN

Motor: DC 35W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Green
RPM: Max 270
Certification: CB,CE,RoHS